COLUMBIA LIBRARIES OFFSITE
HEALTH SCIENCES RESTRICTED
HR01150219

COLUMBIA UNIVERSITY
PUBLIC HEALTH & ADMINISTRATIVE MEDICINE
RESEARCH ARCHIVES

FEB 20 1977 R

COLUMBIA UNIVERSITY
PUBLIC HEALTH & ADMINISTRATIVE MEDICINE
RESEARCH ARCHIVES

Digitized by the Internet Archive
in 2010 with funding from
Open Knowledge Commons

http://www.archive.org/details/annualreportofbo1880newy

ELEVENTH

ANNUAL REPORT

OF THE

BOARD OF HEALTH

OF THE

Health Department of the City of New York.

VITAL STATISTICS.

1880.

NEW YORK
MARTIN B. BROWN PRINTER AND STATIONER
[illegible]

PROPERTY OF
HAVEN EMERSON

REPORT ON VITAL STATISTICS.

NEW YORK, January 1, 1881.

EMMONS CLARK,
Secretary of the Board of Health :

SIR—I beg to submit herewith a report on the Vital Statistics of the City of New York for the year 1880.

The various tables which make up this report are compiled from the certificates of deaths, births, and marriages submitted to the Board of Health by physicians, clergymen, midwives, magistrates, and coroners.

The returns of births and marriages are still imperfect, an imperfection due sometimes to indifference or forgetfulness, or ignorance of the importance of registration, and sometimes to a desire to conceal clandestine unions and illegitimate offspring. The certificates of death, supplemented by the inquest of the Coroner, are only to be criticised as regards accuracy of diagnosis, a criticism not especially applicable to this city, and destined to have less force, year by year, as the standard of medical education becomes improved.

As in former years, the marriages, births, and still-births will be presented by Dr. John T. Nagle, Deputy Register.

The student of this and previous reports on the vital statistics of the city will notice that the mortality for 1880 is decidedly in advance of other years. It is confidently believed that the true explanation of this fact is to be found in our increasing population, and that if the census of the city were accurately known the figures would show a marked improvement in our death-rate.

In consulting the table of the annual comparative mortality in six consecutive years, to be found in this report, there is a general increase for the past year in nearly every item, and it is highly probable that the increase in mortality has not more than kept pace with our advance in population.

The total mortality for 1880 was 31,937; the estimated population was 1,206,577, and the death-rate per 1,000 was 26.47.

Of this grand total mortality there were 16,831 males and 15,106 females. The mortality among our native-born population was 20,947, while the foreign-born numbered 10,990, and there were 692 deaths among people of color.

The deaths among children under five years of age were 14,650, a percentage of 45.87 on the total mortality, a smaller percentage than for any year of the last fifteen, excepting 1879.

The mortality was distributed as follows among the different seasons, viz.:

	Deaths.
First quarter	6,814
Second quarter	8,632
Third quarter	8,423
Fourth quarter	8,068

The nomenclature of diseases being, as in former years, that of the Royal College of Physicians of London, the different classes are responsible for our mortality, as follows, viz.:

MORTALITY BY CLASSES.

1st. Zymotic diseases	9,573
2d. Constitutional diseases	6,974
3d. Local diseases	12,122
4th. Developmental diseases	1,949
5th. Violence	1,319

1st. *Zymotic Diseases.*—Under the sub-class of miasmatic diseases we have the mortality from small-pox continuing low, there having been but 31 fatal cases during the year. Measles, with a mortality of 479, and scarlet fever, with 618 deaths, may be both considered to have been in comparative abeyance, while diphtheria, with 1,390, and croup, with 910 deaths, were decidedly formidable as compared with other years. The diarrhœal diseases were actually more fatal than in the two years immediately preceding by about 1,000 deaths, though probably not comparatively so. Typhoid fever maintained about its usual figures.

2d. *Constitutional Diseases* give a total of 6,974 deaths, of which the largest portion, 4,706, were due to phthisis pulmonalis, while the various organs in 659 cases were fatally affected by carcinoma.

3d. *Local Diseases.*—There were 12,122 deaths from this large class of diseases. Of this whole number, 2,788 were due to diseases

of the nervous system, meningitis, apoplexy, and convulsions being the most important. There were 1,250 deaths from diseases of the circulatory organs, of which number 1,153 were from diseases of the heart. The respiratory organs contributed 4,585 deaths, of which 2,822 were from pneumonia and 1,375 from bronchitis.

4th. *Developmental Diseases* gave a mortality of 1,497. There were 626 deaths from premature birth and 126 from atelectasis pulmonum. There were 40 mothers who died in "child-birth," so certified by the medical attendant, while 19 died from "flooding" and 9 from "placenta prebia." There were 140 deaths from metritis and 46 from miscarriage and abortions. In many cases it is evidently a matter of choice and judgment under which of these headings to place a given death, and this must be borne in mind if the statistician would wisely use these tables.

5th. *Deaths by Violence* reached 1,319. Of these there were 1,107 attributed to accident or negligence, the chief factors being fractures and contusions; vehicles, either street or railway; burns and scalds, and drowning.

There were 152 cases of self murder; there were 58 homicidal deaths, and but two judicial executions.

PROPERTY OF
RALPH EMERSON

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, IN QUINQUENNIAL PERIODS OF AGES, FOR THE YEAR 1880.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F
Class I.—Zymotic Diseases.																														
Order 1.—*Miasmatic.*																														
Small-pox and Varioloid	12	4	7	8	2	2	3	2	2	3	..	..	..	..	..	..	5	5	1	..	..	..	..	1	1	2	6	2	2	..
Varicella	3	....	....	....	..	..	....	....	2	..	..	..	..	..	1	..	3	....	..	..	..	..	..	..	..	..	..	..	..	..
Measles	240	208	16	15	5	4	82	53	85	81	38	41	25	21	12	9	243	205	13	15	..	2	..	..	..	..	..	..	..	1
Scarlatina	3 7	278	16	17	1	3	18	15	66	54	77	65	55	49	48	38	264	221	48	62	6	8	1	1	1	1	2	1	..	1
Diphtheria	643	698	30	19	7	2	52	42	163	140	145	135	97	114	83	103	540	534	117	161	8	14	1	2	..	1	3	..	..	..
Croup	462	412	19	17	3	3	49	35	117	111	107	108	85	63	59	48	417	365	58	62	6	1	..	..	..	..	..	..	..	..
Quinsy (Tonsilitis, Angina Maligna, etc.)	7	7	2	....	..	..	2	1	3	1	1	2	..	1	..	1	6	6	1	..	..	..	1	..	..	..	..	..	..	..
Parotitis	3	3	....	....	..	..	1	2	1	1	..	..	..	..	..	..	2	3	..	..	..	..	..	..	..	..	1	..	..	..
Whooping Cough	130	137	4	6	4	1	64	60	38	53	13	16	12	9	5	1	132	139	2	4	..	..	..	..	..	..	..	..	..	..
Erysipelas	59	49	38	34	2	2	35	36	4	8	1	..	..	..	1	1	41	45	2	1	2	..	..	1	..	2	2	3	3	5
Pyæmia	....	....	3	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	..	..	1	..
Carbuncle	2	1	5	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	1	..	..	..	..	..	..	..	..	..	..	..
Dysentery	89	60	48	45	..	1	29	18	19	11	4	3	5	2	5	5	62	39	19	6	3	1	1	1	6	2	3	7	5	3
Diarrhœa	1,626	1,395	106	158	32	28	1,276	1,110	321	257	31	33	6	11	1	2	1,634	1,413	10	12	5	2	1	2	6	2	6	5	2	6
Cholera Morbus	7	6	32	39	..	1	....	....	..	.	..	..	..	..	..	..	....	....	4	1	..	1	..	1	2	2	1	3	..	3
Entero Colitis	177	145	9	5	3	..	138	107	31	30	5	3	2	2	1	2	177	144	5	1	..	..	..	..	1	..	..	..	..	..
Puerperal Fever (other Puerperal Diseases, see order of Women)	....	17	....	32	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	7	..	11	..	14	..	7

3,047

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F	M.	F.	M.	F.	M.	F	M	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class I.—Zymotic Diseases																																
Order 1.—*Miasmatic.*																																
Small-pox and Varioloid	2	1	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	19	12	31	.10
Varicella	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	....	3	.01
Measles	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	256	223	479	1.50
Scarlatina	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	323	295	618	1.93
Diphtheria	2	2	1	1	..	..	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	673	717	1,390	4.35
Croup	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	481	429	910	2.85
Quinsy (Tonsilitis, Angina Maligna, etc.)	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	7	16	.05
Parotitis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	6	.02
Whooping Cough	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	134	143	277	.87
Erysipelas	7	4	7	1	3	3	7	3	4	2	2	3	2	2	3	4	1	2	2	2	..	..	..	..	..	..	..	..	88	83	171	.54
Pyæmia	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	....	3	.01
Carbuncle	..	..	..	..	2	..	3	..	..	..	..	3	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	7	3	10	.03
Dysentery	2	4	3	4	5	8	6	6	8	4	4	4	4	1	3	5	1	7	..	2	2	1	..	..	..	..	..	..	137	105	242	.76
Diarrhœa	4	7	8	3	6	2	7	6	2	9	8	12	12	13	8	16	3	16	8	18	3	6	1	2	..	..	..	1	1,732	1,553	3,285	10.29
Cholera Morbus } 3,947	3	..	3	3	7	5	2	3	4	2	3	6	3	4	3	4	2	2	1	2	..	2	1	..	..	1	..	..	39	45	84	.26
Entero-Colitis	..	1	..	..	1	..	..	1	..	..	..	..	1	1	1	2	..	..	..	..	..	..	..	..	..	..	..	..	186	150	336	1.05
Puerperal Fever (other Puerperal Diseases, see order of Women)	..	7	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	49	49	.15

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States. M.	Nativity. United States. F.	Nativity. Foreign. M.	Nativity. Foreign. F.	Colored M.	Colored F.	Under 1 Year. M.	Under 1 Year. F.	1— M.	1— F.	2 M.	2 F.	3 M.	3 F.	4— M.	4— F.	Total Under 5 Years. M.	Total Under 5 Years. F.	5— M	5— F.	10— M.	10— F.	15— M	15— F.	20— M.	20— F	25— M	25— F.	30— M	30— F
Class I.—ZYMOTIC DISEASES.																														
Order 1.—*Miasmatic*																														
Cerebro-Spinal Fever	86	62	13	9	4	2	14	18	19	7	12	3	6	3	11	2	62	33	10	12	8	9	6	5	4	2	1	3	1	..
Typhus Fever	....	....	1	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	1	1	..	..	..	..	..	..	..	..
Typhoid Fever	64	53	71	53	2	1	1	1	1	2	..	1	3	5	1	2	6	11	9	8	6	10	18	16	29	12	22	4	9	10
Continued Fever	4	3	4	....	..	..	....	1	1	..	..	..	1	..	..	..	2	1	..	..	1	..	..	..	..	..	1	..	1	..
Remittent Fever	54	67	11	18	..	2	9	11	9	10	6	7	7	5	3	3	34	56	11	13	2	5	..	2	2	..	2	4	2	..
Intermittent Fever	67	55	18	25	..	3	8	8	11	6	6	6	5	8	4	3	34	31	9	7	4	1	..	2	4	4	4	4	2	..
Typho-Malarial Fever	36	35	31	29	..	1	....	2	1	1	2	2	2	1	2	1	7	7	6	4	2	10	9	3	4	8	9	6	6	..
Congestive Fever	2	....	....	....	..	..	....	....	..	..	..	..	..	..	1	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..
Chagres Fever	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Yellow Fever	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Congestive Chills	4	4	2	....	..	..	....	....	..	..	1	1	..	..	..	..	1	1	1	1	..	..	..	..	..	..	..	1	1	..
Goitre	....	1	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	1	..	..	..	..
Influenza	1	....	....	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
Total Miasmatic Diseases	4,676	3,700	488	534	65	56	1,782	1,522	895	776	448	426	311	294	238	221	3,674	3,239	327	370	52	65	39	44	61	50	63	57	35	43

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M	F	M	F.	M.	F.	M	F	M.	F.	M.	F.	M	F.	M	F.	M	F.	M.	F.	M.	F.	M.	F	M	F.		
Class I.—Zymotic Diseases																																
Order 1.—*Miasmatic.*																																
Cerebro-Spinal Fever	1	2	2	2	1	2	..	1	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	99	71	170	.53
Typhus Fever	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	3	.01
Typhoid Fever	13	9	7	8	6	6	4	5	3	1	..	1	..	1	2	2	1	1	..	..	..	1	..	..	..	..	..	..	135	106	241	.75
Continued Fever	..	1	..	..	..	1	1	..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	8	3	11	.03
Remittent Fever	3	6	2	4	1	2	..	1	..	3	3	1	..	2	1	2	2	1	..	1	..	..	..	..	..	..	..	..	65	85	150	.47
Intermittent Fever	3	1	1	3	4	6	2	1	3	5	3	2	4	5	4	2	3	3	..	1	..	..	1	..	..	..	..	..	85	80	165	.52
Typho-Malarial Fever	4	4	3	2	4	3	3	7	3	3	..	2	4	1	2	1	1	..	..	1	..	..	..	..	..	..	..	..	67	64	131	.41
Congestive Fever	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
Chagres Fever	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Yellow Fever	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Congestive Chills	..	..	..	..	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	4	10	.03
Goitre	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	2	2	.006
Influenza	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Total Miasmatic Diseases	48	50	37	36	41	39	41	35	28	29	25	36	31	30	28	38	14	32	12	27	5	10	3	2	..	1	..	1	4,564	4,234	8,798	27.55

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States. M.	Nativity. United States. F.	Nativity. Foreign. M.	Nativity. Foreign. F.	Colored M.	Colored F.	Under 1 Year. M.	Under 1 Year. F.	1— M.	1— F.	2— M.	2— F.	3— M.	3— F.	4— M.	4— F.	Total Under 5 Years. M.	Total Under 5 Years. F.	5— M.	5— F.	10— M.	10— F.	15— M.	15— F.	20— M.	20— F.	25— M.	25— F.	30— M.	30— F.
Class 1.—Zymotic Diseases.																														
Order 2.—*Enthetic or Inoculated.*																														
Syphilis	89	76	19	13	5	6	66	62	1	3	1	1	..	..	..	..	68	66	1	1	..	..	1	1	2	3	3	4	9	3
Malignant Pustule	....	1	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Total Enthetic or Inoculated Diseases	89	77	20	13	5	6	66	62	1	3	1	1	..	..	..	..	68	66	1	1	..	..	1	1	2	3	3	4	9	3
Order 3.—*Dietic.*																														
Inanition	163	134	4	6	3	2	159	136	4	..	1	1	..	..	..	..	164	137	..	..	..	..	1	..	..	..	..	1	..	..
Scurvy	....	1	....	....	..	..	....	1	..	..	..	..	..	..	..	..	....	1	..	..	..	..	..	..	..	..	..	..	..	..
Purpura	11	5	2	2	..	..	7	4	2	..	..	..	..	..	..	..	9	4	..	..	..	1	..	..	2	..	..	1	..	..
Alcoholism: Intemperance	29	20	83	43	1	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	2	3	10	11	13	12
Alcoholism: Delirium Tremens	12	....	28	4	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	6	1	7	..
Total Dietic Diseases	215	160	117	55	4	2	166	141	6	..	1	1	..	..	..	..	173	142	..	..	..	1	1	..	5	3	16	14	20	12
Order 4.—*Parasitic.*																														
Aphthæ	8	8	....	....	..	..	8	8	..	..	..	..	..	..	..	..	8	8	..	..	..	..	..	..	..	..	..	..	..	..
Worms	1	11	....	....	..	1	....	....	..	2	1	4	..	1	..	2	1	9	..	2	..	..	..	..	..	..	..	..	..	..
Trichinosis	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	1	..	..	..	..	..	..	..
Total Parasitic Diseases	9	19	1	....	..	1	8	8	..	2	1	4	..	1	..	2	9	17	..	2	..	..	1	..	..	..	..	..	..	..
Total Zymotic Class	4,389	3,956	626	602	73	65	2,022	1,733	902	781	451	432	311	295	238	223	3,924	3,464	328	373	52	66	42	45	68	56	82	75	64	58

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M	F.	M	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M	F.	M	F.	M.	F.	M.	F.		
Class I.—Zymotic Diseases.																																
Order 2.—*Enthetic or Inoculated*																																
Syphilis	10	4	2	4	2	2	3	1	4	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	108	89	197	.62
Malignant Pustule	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.006
Total Enthetic or Inoculated Diseases	10	5	2	4	3	2	3	1	4	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	109	90	199	.62
Order 3.—*Dietic.*																																
Inanition	..	..	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	167	140	307	.96
Scurvy	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Purpura	..	..	..	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	7	20	.06
Alcoholism: Intemperance	21	10	20	9	10	4	19	3	4	4	7	3	4	..	2	3	..	1	..	..	..	..	..	..	..	..	..	..	112	63	175	.55
Alcoholism: Delirium Tremens	3	..	8	..	9	..	2	1	1	1	1	..	..	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	40	4	44	.14
Total Dietic Diseases	24	10	29	10	19	5	24	4	5	5	8	3	4	1	3	3	..	1	1	1	..	..	..	..	..	..	..	..	332	215	547	1.71
Order 4.—*Parasitic.*																																
Aphthæ	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	8	16	.05
Worms	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	11	12	.04
Trichinosis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Total Parasitic Diseases	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	19	29	.09
Total Zymotic Class	82	65	68	50	63	46	68	40	37	34	34	39	36	31	32	41	14	33	13	28	5	10	3	2	..	1	..	1	5,015	4,558	9,573	29.97

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years		5—		10—		15—		20—		25—		30—	
	M.	F.	M	F.	M	F.	M	F.	M.	F.	M.	F	M	F.	M.	F.	M	F.	M	F	M	F	M.	F.	M.	F.	M	F	M	F.
Class II.—CONSTITUTIONAL DISEASES.																														
Order 1.—*Diathetic.*																														
Gout	3	1	4	3	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Dropsy	....	....	1	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Rheumatism	31	36	41	64	2	2	1	1	..	..	..	..	..	2	1	2	2	5	3	8	5	3	4	5	1	3	4	3	3	..
Anæmia	9	11	5	5	..	..	6	4	1	1	..	..	..	..	..	..	7	5	..	..	..	1	1	1	..	1	..	1	..	..
Noma (Cancrum Oris)	3	4	....	....	..	..	....	1	1	3	1	..	..	..	..	..	2	4	1	..	..	..	..	..	..	..	..	..	..	..
Cancer of Abdominal Wall	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" " Gland	1	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	1	..	..	..
" of Ascending Colon	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Abdomen	....	....	....	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Abdominal and Lymphatic Glands	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Axiliary Glands	....	1	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Brain	....	....	2	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Bladder	1	....	2	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Breast	2	28	....	62	..	2	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	4
" of Cervical Gland	....	....	2	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Cheek	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Cœcum	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M	F.	M.	F.	M.	F	M	F.	M	F.	M	F.	M.	F.	M	F	M	F	M.	F.	M	F.	M.	F.	M.	F.	M.	F.		
Class II.—CONSTITUTIONAL DISEASES.																																
Order 1.—*Diathetic.*																																
Gout	..	..	..	..	2	..	..	..	..	1	2	..	1	..	1	1	..	2	1	..	..	..	..	..	..	..	..	..	7	4	11	.03
Dropsy	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.006
Rheumatism	9	2	6	5	7	11	7	12	1	13	7	4	7	7	2	10	4	2	..	1	..	..	..	..	..	..	..	..	72	100	172	.54
Anæmia	2	2	1	..	..	1	1	1	1	..	..	1	..	..	..	1	1	1	..	..	..	..	..	..	..	..	..	..	14	16	30	.09
Noma (Cancrum Oris)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	4	7	.02
Cancer of Abdominal Wall	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" " Gland	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
" of Ascending Colon	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" of Abdomen	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	2	2	.006
" of Abdominal and Lymphatic Glands	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Axillary Glands	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	....	2	2	.006
" of Brain	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
" of Bladder	..	..	2	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	3	....	3	.01
" of Breast	..	7	..	8	..	13	1	23	1	10	..	12	..	6	..	1	..	2	..	2	..	1	..	1	..	..	..	..	2	90	92	.29
" of Cervical Gland	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
" of Cheek	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	....	1	1	.003
" of Cœcum	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity, United States.		Nativity, Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F	M.	F.	M	F.	M.	F.	M.	F	M	F.	M.	F.	M.	F.
Class II.—CONSTITUTIONAL DISEASES.																														
Order 1.—*Diathetic.*																														
Cancer of Duodenum	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" Ductus Choledochus and Duodenum	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Eye	1	....	....	2	..	..	....	....	..	..	1	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	1	..	..	..
" of Face	2	....	5	4	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	1	..	..	..	..	..	..	..
" of Foot	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Groin	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Head	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Ileo-Cœcal Valve	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Inguinal Gland	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Intestines	....	...	1	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Jaw	1	1	....	....	1	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Kidneys	3	2	6	....	..	..	....	....	..	1	1	..	1	1	..	..	2	2	1	..	..	..	..	..	..	..	..	..	..	..
" of Liver	4	10	30	42	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	2	..	..	2	..
" of Lip	....	1	4	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	1	..
" of Lungs	....	3	2	3	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	1	..	..	..	2
" of Lower Jaw	....	....	3	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Larynx	....	....	4	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M	F.	M.	F.	M	F.	M	F.		
Class II.—CONSTITUTIONAL DISEASES.																																
Order 1.—*Diathetic.*																																
Cancer of Duodenum	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" Ductus Choledochus and Duodenum	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" of Eye	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	3	.01
" of Face	..	..	..	..	..	..	1	1	2	..	..	1	..	1	1	1	..	..	2	..	..	..	..	..	..	..	..	..	7	4	11	.03
" of Foot	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Groin	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Head	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	...	1	.003
" of Ileo-Cœcal Valve	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" of Inguinal Gland	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" of Intestines	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.006
" of Jaw	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.006
" of Kidneys	..	..	..	..	1	..	..	..	3	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	2	11	.03
" of Liver	2	4	6	5	4	4	5	6	5	6	4	9	1	9	3	6	1	1	..	..	..	..	1	..	..	..	..	..	34	52	86	.27
" of Lip	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	..	..	1	..	..	..	..	..	..	..	..	..	..	4	2	6	.02
" of Lungs	..	..	2	1	..	1	.	..	.	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	6	8	.03
" of Lower Jaw	..	..	..	..	1	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	....	3	.01
" of Larynx	..	..	1	..	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	....	4	.01

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year		1—		2—		3—		4—		Total Under 5 Years		5—		10—		15—		20—		25—		30—
	M.	F.	M.	F.	M.	F.	M.	F.	M	F	M.	F.	M.	F.	M.	F.	M	F.	M	F	M	F.	M.	F.	M	F.	M	F	M.
Class II.—Constitutional Diseases.																													
Order 1.—*Diathetic.*																													
Cancer of Left Sub-Maxillary	....	....	2	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..
" of Leg	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..
" —Melanotic	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..
" of Mesentery	....	....	1	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..
" of Mouth	....	....	2	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..
" of Maxillary Bone	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..
" of Mediastinum	....	....	2	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	..	..	..
" of Neck	2	1	7	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	1	..	..	..	..	..	..	..	..
" of Naso-Pharyngeal	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	1	..	..	..	..	..	..	..	..	..	..
" of Œsophagus	....	....	5	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..
" of Ovary	....	2	....	7	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..
" of Omentum	....	2	1	3	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..
" of Orbit and Temporal Bone	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..
" of Pelvis	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..
" of Peritoneum	....	1	2	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..
" of Pharynx	1	....	3	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..
" of Penis	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued).*

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M.	F	M	F.	M.	F.	M	F.	M.	F.	M	F.	M.	F.	M.	F	M.	F.	M	F.	M.	F.	M	F.	M.	F.		
Class II.—CONSTITUTIONAL DISEASES.																																
Order 1.—*Diathetic.*																																
Cancer of Left Sub-Maxillary	..	..	..	..	..	..	..	..	..	..	1	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	4	.01
" of Leg	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" —Melanotic	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Mesentery	..	1	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	3	.01
" of Mouth	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
" of Maxillary Bone	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Mediastinum	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
" of Neck	..	..	..	..	2	..	..	1	3	..	..	..	1	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	9	3	12	.04
" of Naso-Pharyngeal	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.00
" of Œsophagus	..	..	..	..	1	2	1	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	2	7	.02
" of Ovary	..	..	..	2	..	2	..	2	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	....	9	9	.03
" of Omentum	..	1	..	..	..	..	..	1	..	..	..	1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	5	6	.02
" of Orbit and Temporal Bon	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	....	1	1	.003
" of Pelvis	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Peritoneum	1	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	3	.01
" of Pharynx	..	..	..	..	..	..	2	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	....	4	.01
" of Penis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.00

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued).*

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M	F.	M.	F.	M.	F.	M	F.	M	F
Class II.—CONSTITUTIONAL DISEASES.																														
Order 1.—*Diathetic.*																														
Cancer of Pubis	....	....	....	1	..	1	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Rectum	3	9	2	10	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	..	1	..	2
" of Retro-Peritoneal	....	....	1	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Stomach	14	17	60	53	..	2	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	1	..	..	2	1	6	..
" of Shoulder	1	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	1	..	..	..	..	..	..	..
" of Thigh	....	....	4	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	1	..
" of Tongue	1	1	9	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Testicles	1	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	1	..	..	..
" of Testes	2	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	1	..
" of Uterus	....	45	....	1.6	..	5	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	4	..	8
" of Upper Jaw	...	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Umbilicus	1	....	....	....	1	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Sigmoid Flexure of Intestines	1	....	...	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	1	..
" of Frontal temporal and Malar region	1	....	..	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Total Carcinomatous Diseases	46	126	173	314	2	10	....	....	1	1	2	.	1	1	..	..	4	2	2	..	1	..	2	1	2	3	4	7	12	19
Total Diathetic Diseases	92	178	224	387	4	12	7	6	3	5	3	..	1	3	1	2	15	16	6	8	6	4	7	7	3	7	8	11	15	25

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total Both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M	F.	M	F	M	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M	F.	M	F	M.	F.	M.	F.	M.	F.		
Class II.—CONSTITUTIONAL DISEASES.																																
Order 1.—*Diathetic.*																																
Cancer of Pubis	..	.	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" of Rectum	..	1	..	3	..	3	..	1	..	6	2	1	1	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	5	19	24	.08
" of Retro-Peritoneal	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.006
" of Stomach	4	4	10	9	7	8	11	10	9	10	8	9	10	5	5	8	1	4	1	..	..	1	..	..	..	..	..	..	74	70	144	.45
" of Shoulder	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
" of Thigh	..	..	..	..	..	..	..	..	1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	4	....	4	.01
" of Tongue	..	1	..	..	1	..	2	..	4	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	1	11	.03
" of Testicles	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	2	....	2	.006
" of Testes	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
" of Uterus	..	22	..	21	..	29	..	23	..	17	..	11	..	8	..	5	..	1	..	1	..	1	..	.	..	..	..	..	....	151	151	.49
" of Upper Jaw	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	....	1	1	.003
" of Umbilicus	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Sigmoid Flexure of Intestines	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Frontal temporal and Malar region	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Total Carcinomatous Diseases	8	43	21	50	22	63	32	71	36	53	27	48	19	36	20	24	2	10	3	6	1	3	1	1	..	..	..	..	219	440	659	2.06
Total Diathetic Diseases	19	47	28	55	31	75	40	85	38	67	36	53	27	43	24	36	7	15	4	7	1	3	1	1	..	..	..	..	316	565	881	2.76

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.
Class II.—CONSTITUTIONAL DISEASES.																														
Order 2.—*Tubercular*.																														
Scrofula	20	21	2	1	1	..	12	15	6	3	2	..	..	1	..	..	20	19	..	..	..	..	1	1	..	..	..	..	..	1
Lumbar Abscess (Psoas Abscess, etc.)	2	5	3	1	..	..	....	....	..	..	..	1	..	..	..	..	....	1	1	1	..	..	..	..	..	1	..	1	..	1
Tabes Mesenterica and Marasmus	347	309	7	13	8	2	311	276	34	31	6	6	1	1	2	1	354	315	..	3	..	2	..	..	..	1	..	..	..	..
Phthisis Pulmonalis	1 049	1,011	1,397	1,249	83	64	48	30	23	22	15	9	10	5	4	5	100	71	23	21	20	42	120	153	312	333	347	365	315	299
Hydrocephalus and Tubercular Meningitis	330	269	8	10	10	3	152	114	84	80	27	31	21	17	17	13	301	255	21	13	5	6	4	..	3	1	..	..	1	1
Other Tubercular Diseases	1	4	....	....	..	..	....	1	..	1	..	..	..	..	..	..	...	2	..	1	..	..	1	..	..	..	..	..	..	..
Rachitis	24	9	....	....	1	1	12	5	9	3	1	1	..	..	..	..	22	9	1	..	..	..	1	..	..	..	..	..	..	..
Hodgkins' Disease	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Total Tubercular Diseases	1,773	1,628	1,417	1,275	103	70	535	441	156	140	51	48	32	24	23	19	797	672	46	39	25	50	127	154	315	336	347	366	316	302
Total Constitutional Class	1,865	1,806	1,641	1,662	107	82	542	417	159	145	54	48	33	27	24	21	812	688	52	47	31	54	134	161	318	343	355	377	331	327
Class III.—LOCAL DISEASES.																														
Order 1.—*Nervous*.																														
Meningitis	295	199	54	35	7	5	118	73	63	49	26	21	19	13	16	8	242	164	21	18	9	8	6	6	5	3	10	5	10	5
Encephalitis	13	12	7	6	..	..	5	2	3	2	1	2	1	..	..	1	10	7	..	2	..	2	..	1	..	..	..	1	..	..
Atrophy of Brain	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.		
Class II.—CONSTITUTIONAL DISEASES.																																
Order 2.—*Tubercular.*																																
Scrofula	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	22	22	44	.14
Lumbar Abscess (Psoas Abscess, etc.)	..	..	1	1	1	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	6	11	.03
Tabes Mesenterica and Marasmus	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	354	322	676	2.12
Phthisis Pulmonalis	293	258	241	211	201	135	148	113	115	77	97	53	53	63	32	30	16	17	9	11	4	6	..	1	..	1	..	..	2,446	2,260	4,706	14.74
Hydrocephalus and Tubercular Meningitis	..	3	..	..	1	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	338	279	617	1.93
Other Tubercular Diseases	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	4	5	.02
Rachitis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	24	9	33	.10
Hodgkins' Disease	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Total Tubercular Diseases	293	263	242	214	203	135	150	113	115	77	99	53	54	63	32	30	16	17	9	11	4	6	..	1	..	1	..	..	3,190	2,903	6,093	19.08
Total Constitutional Class	312	310	270	269	234	210	190	198	153	144	135	106	81	106	56	66	23	32	13	18	5	9	1	2	..	1	..	..	3,506	3,468	6,974	21.84
Class III.—LOCAL DISEASES.																																
Order 1.—*Nervous.*																																
Meningitis	10	3	10	4	6	2	3	6	5	2	8	..	3	1	..	5	1	2	..	..	..	..	..	..	..	..	..	..	349	234	583	1.83
Encephalitis	3	..	2	1	..	..	1	1	1	1	1	1	1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	20	18	38	.12
Atrophy of Brain	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	....	1	1	.003

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880 *(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M	F	M.	F	M.	F.	M.	F.	M.	F	M	F.	M.	F	M.	F.	M	F	M.	F.	M	F
Class III.—LOCAL DISEASES.																														
Order 1.—*Nervous.*																														
Abscess of Brain	2	3	1	1	..	..	1	1	..	1		..	..	..	1	..	2	2	..	..	..	..	..	..	1	1	..	..	..	1
Congestion of Brain	88	61	12	5	4	..	47	29	23	14	2	7	..	3	3	3	75	56	3	1	..	..	1	1	..	1	1	1	2	
Cirrhosis of Brain	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Embolism of Brain	1	1	....	1	1	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	1	..	..		
Softening of Brain	24	16	43	27	..	1	....	....	..	..	..	..	1	..	..	..	1	....	..	..	1	..	..	..	1	..	2	1	4	1
Tumor of Brain	2	8	10	4	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	1	1	..	..	..	..	2	1	1	4	3
Sclerosis of Brain	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Atheroma of Cerebral Artery	....	....	1	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Embolism of Cerebral Artery	2	2	..	5	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..		
Apoplexy	87	72	201	156	3	7	7	6	..	..	1	2	..	..	..	..	8	8	..	..	..	..	..	1	4	5	8	1	9	
Insanity	16	20	37	39	1	1	...	....	..	..	..	..	1	..	..	..	1	....	..	1	..	..	..	4	3	7	2	4	4	3
Epilepsy	27	18	17	5	..	1	....	1	..	..	..	..	..	2	1	..	1	3	2	1	1	..	2	4	10	1	8	2		
Convulsions	377	344	8	2	7	9	302	259	65	71	10	10	5	3	2	2	384	345	1	1	..	..	..	..	..	..	..	..		
Laryngismus Stridulus	4	4	1	....	..	..	3	2	..	2	..	..	..	..	1	..	4	4	1	..	..	..	..	..	..	..	..	..	..	..
Paralysis	27	27	67	17	2	..	1	..	1	..	..	1	..	..	..	..	2	1	..	1	..	..	..	1	..	1	4	..	1	..
Paraplegia	3	1	5	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	2	..	2	
Hemiplegia	2	7	9	18	..	1	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	1	..	..	..	1

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M	F	M	F	M.	F.	M	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F	M.	F	M	F.	M.	F	M.	F.	M.	F.		
Class III.—LOCAL DISEASES.																																
Order 1.—*Nervous.*																																
Abscess of Brain	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	4	7	.02
Congestion of Brain	1	..	5	1	3	..	.	1	..	..	3	..	3	1	1	..	1	1	1	1	..	1	..	..	..	..	..	..	100	66	166	.52
Cirrhosis of Brain	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Embolism of Brain	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	3	.01
Softening of Brain	2	1	5	6	5	1	3	4	10	7	7	4	8	4	9	5	6	4	3	3	..	2	..	..	..	..	..	..	67	43	110	.34
Tumor of Brain	1	..	2	1	1	2	..	1	..	..	..	..	1	1	1	..	..	..	..	..	..	..	.	..	..	..	..	..	12	12	24	.08
Sclerosis of Brain	..	..	1	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..	..	.	..	..	..	..	..	..	..	..	1	....	1	.003
Atheroma of Cerebral Artery	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	...	1	1	2	.006
Embolism of Cerebral Artery	..	..	..	..	..	1	..	3	1	1	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	1	..	..	2	7	9	.03
Apoplexy	16	7	20	11	29	25	33	21	36	18	30	28	32	35	24	18	20	23	16	10	1	7	1	4	1	1	..	..	288	228	516	1.62
Insanity	6	8	10	8	6	3	5	5	3	6	6	1	2	2	1	3	1	1	2	1	1	1	..	1	..	..	..	..	53	59	112	.35
Epilepsy	2	4	5	1	2	..	..	1	1	..	1	..	..	2	..	2	2	1	1	..	1	..	..	..	..	..	..	..	44	23	67	.21
Convulsions	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	385	346	731	2.29
Laryngismus Stridulu	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	4	9	.03
Paralysis	12	3	14	1	10	2	6	1	4	2	10	5	2	5	10	5	9	7	1	4	..	4	..	1	..	..	..	..	94	44	138	.43
Paraplegia	..	..	..	..	1	..	..	..	1	..	..	..	..	1	..	1	2	..	..	..	..	1	..	..	..	..	..	..	8	3	11	.03
Hemiplegia	..	..	1	..	1	3	1	5	1	1	4	5	1	1	..	3	..	2	1	1	1	..	..	2	..	..	..	..	11	25	36	.11

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M	F.	M.	F.	M.	F.	M	F.
Class III.—LOCAL DISEASES.																														
Order 1.—*Nervous*																														
Chorea	1	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	1	1	..	..	..	..	..	..	..	..	..	..
Tetanus	1	....	1	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	1	..	..	1
Trismus Nascentium	34	19	....	....	..	1	34	19	..	..	..	..	..	..	..	..	34	19	..	..	..	..	..	..	..	..	..	..	..	..
Myelitis	4	7	13	3	1	..	....	....	..	..	..	..	..	..	..	1	....	1	..	..	..	..	..	..	..	..	1	1	2	1
Progressive Muscular Atrophy	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....		..	..	..	..	..	..	..	..	..	..	..
Locomotor Ataxia	2	....	6	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	1	..	..	..
Spinal Sclerosis	1	4	1	2	..	..	....	1	..	..	..	..	..	..	..	..	....	1	..	..	..	..	1	..	..	1	..	..	..	1
Tabes Dorsalis	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	1	..
Nervous Prostration from Mental Anxiety	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Nervous Shock from Fright and Fear	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	1	..	..	..	..	..	..	..	..	..	..
Nervous Shock and Fright	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	1
Direct Effect of Solar Heat	22	15	56	23	2	1	11	10	2	2	1	..	1	..	..	..	15	12	2	2	..	..	3	2	5	3	11	3	11	2
Softening of Spinal Cord	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Total Nervous Diseases	1,038	844	552	358	28	27	529	403	157	141	41	43	28	21	24	15	779	623	31	30	12	11	12	20	30	27	52	20	64	26
Order 2.—*Circulatory.*																														
Pericarditis	6	17	20	18	1	1	1	7	1	..	..	..	..	..	..	..	2	7	2	1	1	1	1	..	3	1	2	3	2	2
Embolism of Heart	2	1	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	1	..	..	..	..	..	..	1

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class III.—Local Diseases.																																
Order 1.—*Nervous.*																																
Chorea	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.006
Tetanus	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	3	.01
Trismus Nascentium	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	34	19	53	.17
Myelitis	2	1	..	..	3	2	3	1	..	..	2	2	3	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	17	10	27	.08
Progressive Muscular Atrophy	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Locomotor Ataxia	..	..	1	..	3	..	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	....	8	.03
Spinal Sclerosis	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	2	6	8	.03
Tabes Dorsalis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Nervous Prostration from Mental Anxiety	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Nervous Shock from Fright and Fear	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Nervous Shock and Fright	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Direct Effect of Solar Heat	5	..	11	..	3	4	6	4	1	1	2	2	1	1	1	1	..	..	1	1	..	..	..	..	..	..	..	..	78	38	116	.36
Softening of Spinal Cord	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Total Nervous Diseases	60	28	87	34	74	46	62	54	65	40	77	49	60	55	47	44	45	43	27	21	4	16	1	9	1	2	..	..	1,590	1,198	2,788	8.73
Order 2.—*Circulatory.*																																
Pericarditis	4	2	3	4	..	1	..	4	3	1	..	2	2	2	1	3	..	1	..	..	..	..	..	..	..	..	..	..	26	35	61	.19
Embolism of Heart	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	2	2	4	.01

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F
Class III.—LOCAL DISEASES.																														
Order 2.—*Circulatory.*																														
Thrombosis of Heart	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Hypertrophy of the Heart	44	39	46	44	4	3	1	1	1	.	..	..	..	..	..	..	2	1	3	1	2	6	5	4	4	1	4	3	4	7
Valvular Disease of the Heart	150	112	189	209	8	7	3	5	..	..	1	..	1	..	1	..	6	5	13	8	8	14	11	13	18	14	23	21	16	20
Fatty Degeneration of the Heart	14	21	25	38	..	2	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	2	1	1	2	..	1
Endocarditis	13	11	11	14	..	..	....	....	1	..	..	..	1	1	..	..	2	1	4	..	..	..	1	2	1	1	3	1	1	3
Disease of the Heart	20	16	28	23	2	2	2	1	..	..	..	..	..	..	1	..	3	1	1	1	1	..	1	2	2	2	1	2	3	..
Angina Pectoris	8	3	4	4	..	..	....	....	..	..	1	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	2
Ossification of Aortic Valves	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Total Heart Diseases	257	220	324	352	15	15	7	14	3	..	2	..	2	1	2	..	16	15	23	11	12	21	20	21	30	20	34	32	26	36
Aneurism of Aorta	14	8	30	12	..	2	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	4	..	3	4
" of Anterior Tibial Artery	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	1	..
" of Innominata	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" —Popliteal	1	....	...	....	1	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	.	..	.	..	..	..	..	..	..	..
" —Thoracic	....	....	2	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Atheroma of Arteries	....	....	4	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class III.—LOCAL DISEASES.																																
Order 2.—*Circulatory.*																																
Thrombosis of Heart	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Hypertrophy of the Heart	6	3	12	7	8	7	8	6	5	9	8	9	4	5	10	10	5	3	..	1	..	..	.	..	..	..	..	..	90	83	173	.54
Valvular Disease of the Heart	32	23	27	29	41	26	29	29	36	32	19	27	26	20	11	21	16	11	6	7	1	1	..	.	..	..	..	..	339	321	660	2.07
Fatty Degeneration of the Heart	2	3	6	4	3	6	5	5	5	6	3	8	1	4	2	7	4	6	3	4	2	2	..	..	..	..	..	..	39	59	98	.31
Endocarditis	2	1	1	2	..	1	2	3	2	2	1	2	3	2	1	1	..	1	..	1	..	1	..	..	..	..	..	..	24	25	49	.15
Disease of the Heart	3	4	1	1	3	4	4	..	4	4	8	5	6	4	3	4	3	4	1	..	..	1	..	..	..	..	..	..	48	39	87	.27
Angina Pectoris	1	..	..	..	..	..	3	2	2	..	2	..	1	..	1	2	1	1	..	..	..	..	..	..	..	..	..	..	12	7	19	.06
Ossification of Aortic Valves	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Total Heart Diseases	50	36	51	47	55	45	51	50	57	54	41	53	43	37	30	48	29	28	10	13	3	5	..	..	..	..	..	..	581	572	1,153	3.61
Aneurism of Aorta	12	2	6	1	3	1	5	4	4	2	4	1	1	1	1	1	1	1	..	..	..	1	..	..	..	1	..	..	44	20	64	.20
" of Anterior Tibial Artery	..	..	..	.	..	..	..	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Innominata	..	..	1	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" —Popliteal	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" —Thoracic	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	3	.01
Atheroma of Arteries	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	4	....	4	.01

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M	F.	M	F.	M	F.	M.	F.
Class III.—Local Diseases.																														
Order 2.—*Circulatory.*																														
Atheroma of Blood Vessels	....	1	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Embolism of Basilary Arteries	1	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	1	..
" of Femoral Arteries	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Hæmophilia	....	....	1	....	..	..	....	....	..	..	.	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Hæmorrhage from Erosion of Cartoid Artery	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Calsification of Arteries	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Calcareous Degeneration of Arteries	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Sclerosis of Arteries	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Thrombosis of Basilary Arteries	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Pulmonary Arteries	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Iliac and Femoral Vein	1	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	1	..	..	..
Epistaxis	...	1	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	1	.	..	..	..	..	..	..	..	..	..
Phlebitis	2	2	....	1	..	..	2	....	..	..	..	..	..	..	..	..	2	....	..	..	..	1	..	..	..	1	..	..	..	..
Varicose Ulcer of Leg	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Varicose Aneurism involving Post Tibial and Vein	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	..	..	..	..
Total Circulatory Diseases	279	234	369	368	16	17	9	14	3	..	2	..	2	1	2	..	18	15	23	12	12	22	20	21	31	21	39	32	31	40

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M	F	M.	F.	M.	F.	M	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class III.—LOCAL DISEASES.																																
Order 2.—*Circulatory.*																																
Atheroma of Blood Vessels	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	1	1	2	.006
Embolism of Basilary Arteries	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
" of Femoral Arteries	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..	....	1	1	.003
Hæmophilia	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Hæmorrhage from Erosion of Cartoid Artery	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Calsification of Arteries	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Calcareous Degeneration of Arteries	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	....	1	.003
Sclerosis of Arteries	..	..	..	..	..	..	..	..	1	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Thrombosis of Basilary Arteries	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Pulmonary Arteries	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" of Iliac and Femoral Vein	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.006
Epistaxis	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	2	2	.006
Phlebitis	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	5	.02
Varicose Ulcer of Leg	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Varicose Aneurism involving Post Tibial and Vein	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Total Circulatory Diseases	63	40	61	49	59	46	57	54	62	58	46	55	48	38	31	49	31	29	11	14	5	6	..	..	..	1	..	..	648	602	1,250	3.91

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F	M.	F	M	F	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M	F	M	F	M.	F.	M	F
Class III.—LOCAL DISEASES. Order 3.—*Respira'ory.*																														
Laryngitis	30	17	6	2	..	..	6	3	10	4	7	..	3	4	1	2	27	13	2	2	..	..	..	..	..	1	1	1	3	2
Bronchitis	516	460	188	211	13	19	352	283	84	93	24	29	10	10	12	9	482	424	11	10	1	1	3	..	4	2	4	3	2	9
Pneumonia	958	832	594	438	51	35	370	293	184	188	83	78	38	37	29	11	704	607	45	44	8	15	26	22	51	30	73	46	64	..
Pleuritis	23	10	21	12	..	1	5	1	4	..	1	..	2	..	..	..	12	1	2	4	..	..	..	..	3	1	5	..	2	..
" Hydrothorax	2	....	4	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	1	..	1	..	1	..
" Empyema	3	3	8	4	..	..	....	....	..	1	..	..	..	..	..	1	....	2	..	..	1	..	..	..	1	1	3	1	2	..
Abscess of Lungs	....	1	....	1	..	1	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Congestion of Lungs	36	36	18	20	..	1	22	18	3	6	1	5	2	..	1	..	29	29	2	..	2	..	..	1	..	2	1	2	1	..
Cirrhosis of Lungs	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Gangrene of Lungs	....	1	4	2	..	..	....	....	..	..	..	..	..	1	..	..	....	1	..	..	..	..	..	..	..	..	..	1	..	..
Hæmorrhage of Lungs	3	2	4	3	..	..	1	1	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	1	2	..
Emphysema and Asthma	7	7	45	39	..	1	1	1	..	..	..	..	..	..	..	..	1	1	..	..	1	..	..	..	1	1	..	1	2	1
Œdema Glottidis	....	2	5	....	..	1	....	1	..	..	1	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	1	..	..	..
Coryza	1	1	....	....	..	..	....	1	1	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..
Tumor of Larynx	....	1	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" in Thyroid Body	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Strangulation from Goitre	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	1	..	..	..	..	..	..	..
Total Respiratory Diseases	1,580	1,373	900	732	64	59	758	602	286	292	117	112	55	52	43	23	1,259	1,081	62	60	13	16	30	23	61	38	89	56	79	44

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M	F	M.	F	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class III.—LOCAL DISEASES. Order 3.—*Respiratory.*																																
Laryngitis	..	..	..	..	..	..	1	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	36	19	55	.17
Bronchitis	14	8	11	11	12	5	14	12	22	18	20	34	15	29	40	22	19	39	21	24	6	12	2	5	1	2	..	1	704	671	1,375	4.31
Pneumonia	71	65	85	45	84	45	79	59	64	50	62	57	50	46	48	48	23	27	11	23	4	8	..	..	..	1	..	..	1,552	1,270	2,822	8.84
Pleuritis	5	3	1	4	3	2	3	1	2	..	2	3	..	1	2	..	1	1	1	1	..	..	..	..	..	..	..	..	44	22	66	.21
" Hydrothorax	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	....	6	.02
" Empyema	1	2	1	..	..	..	2	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	7	18	.06
Abscess of Lungs	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	2	2	.006
Congestion of Lungs	2	2	1	1	2	2	3	2	1	2	..	2	2	2	4	1	..	2	2	3	2	3	..	..	..	..	..	..	54	56	110	.34
Cirrhosis of Lungs	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Gangrene of Lungs	1	1	1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	3	7	.02
Hæmorrhage of Lungs	1	..	..	..	..	1	1	1	..	..	..	..	..	..	..	..	1	..	..	1	1	..	..	..	..	..	..	..	7	5	12	.04
Emphysema and Asthma	.	1	2	2	5	3	5	2	4	3	7	9	8	9	10	5	3	2	2	4	..	2	..	..	1	..	..	..	52	46	98	.31
Œdema Glottidis	1	..	..	..	..	1	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	2	7	.02
Coryza	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.006
Tumor of Larynx	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.006
" in Thyroid Body	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Strangulation from Goitre	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Total Respiratory Diseases	96	83	103	63	107	59	109	79	96	73	92	106	77	88	105	76	47	71	37	56	13	25	2	5	2	3	..	1	2,480	2,105	4,585	14.36

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.
Class III.—LOCAL DISEASES.																														
Order 4.—*Digestive.*																														
Stomatitis	6	21	....	....	..	1	6	19	..	2	..	..	..	..	..	..	6	21	..	..	..	..	..	..	..	..	..	..	..	..
Gastromalacia	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	..	..	..	..
Pharyngitis	2	2	....	....	..	..	....	....	..	..	2	..	..	..	..	..	2	....	..	1	..	1	..	..	..	..	..	..	..	..
Pharyngeal Abscess	4	1	....	....	..	..	2	....	..	..	..	..	..	..	1	..	3	....	..	1	..	..	..	..	..	..	1	..	..	..
Retro-Pharyngeal Abscess	1	....	....	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
Glasso-Labio Pharyngeal Paralysis	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Gastritis	36	39	31	46	..	..	20	20	2	1	..	..	..	3	2	..	24	24	2	..	2	2	1	2	..	2	2	2	2	2
Dyspepsia	12	9	4	5	..	..	7	6	2	1	..	..	2	..	..	1	11	8	..	..	..	..	..	..	..	..	1	..	..	..
Enteritis	81	52	24	17	3	2	59	34	8	7	..	3	1	1	..	..	68	45	9	..	1	4	3	..	4	2	..	3	1	2
Gastro-Enteritis	124	113	21	19	1	1	94	77	20	17	3	6	2	3	..	1	119	104	3	2	1	1	2	..	..	1	1	1	1	2
Hæmatemesis	....	1	2	1	..	..	....	1	..	..	..	..	..	..	..	..	....	1	..	..	..	..	..	..	..	..	..	1	..	..
Peritonitis	28	46	34	50	3	3	8	2	..	..	..	1	.	..	..	..	8	3	7	2	2	9	3	3	8	4	6	12	2	16
Ascites	1	1	....	1	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	.	..	..	..	..	..
Ulceration of Intestines (Perforation?)	3	1	2	1	..	..	....	1	..	..	..	..	..	..	..	..	....	1	1	..	..	..	..	..	1	..	1	..	1	..
Intussusception of Intestines	15	10	7	5	3	1	8	1	..	..	..	1	..	..	..	..	8	2	1	3	..	..	..	..	3	..	1	2	2	..
Stricture of Intestines	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Hernia (Strangulated)	18	8	34	23	2	1	4	3	2	..	..	..	..	..	..	..	6	3	..	..	..	..	1	..	..	1	2	..	3	..

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M	F.	M	F.	M.	F.	M	F.	M	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class III.—LOCAL DISEASES.																																
Order 4.—*Digestive.*																																
Stomatitis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	21	27	.08
Gastromalacia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Pharyngitis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	4	.01
Pharyngeal Abscess	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	1	5	.02
Retro-Pharyngeal Abscess	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Glasso-Labio Pharyngeal Paralysis	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Gastritis	2	3	4	2	5	5	4	3	5	4	2	6	3	4	1	10	6	4	2	5	..	3	..	2	..	..	..	..	67	85	152	.48
Dyspepsia	1	..	..	..	..	1	..	1	..	..	..	2	1	1	..	..	1	1	1	..	..	..	..	..	..	..	..	..	16	14	30	.09
Enteritis	3	1	2	1	5	2	4	..	3	1	1	1	..	6	..	1	..	..	..	..	..	..	1	..	..	..	..	..	105	69	174	.54
Gastro-Enteritis	1	1	1	1	3	4	1	2	2	3	3	3	1	..	4	3	2	2	..	1	..	1	..	..	..	..	..	..	145	132	277	.87
Hæmatemesis	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2	4	.01
Peritonitis	12	10	4	9	1	3	2	5	4	6	2	2	..	4	..	5	..	3	1	..	..		..	..	..	..	..	..	62	96	158	.49
Ascites	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	2	3	.01
Ulceration of Intestines (Perforation?)	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	2	7	.02
Intussusception of Intestines	..	1	1	..	1	1	1	1	2	1	..	..	1	1	..	1	1	2	..	..	..	..	..	..	..	..	..	..	22	15	37	.12
Stricture of Intestines	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Hernia (Strangulated)	4	1	4	2	4	2	6	3	5	5	4	4	8	4	3	1	1	3	1	2	..	..	..	..	..	..	..	..	52	31	83	.26

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880 *(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M	F.	M.	F.	M	F	M.	F.	M.	F.	M.	F	M	F.	M	F	M	F
Class III.—LOCAL DISEASES.																														
Order 4.—*Digestive.*																														
Ulcer of the Stomach	3	6	17	9	1	1	....	....	..	1	..	..	..	..	..	1	....	2	..	..	..	..	..	..	..	1	..	1	..	..
Hæmorrhage of Bowel	3	....	1	1	..	..	2	....	..	..	..	..	..	..	..	..	2	....	..	..	1	..	..	..	..	..	..	..	..	..
Colic	7	1	1	1	..	..	7	1	..	..	..	..	..	..	..	..	7	1	..	..	..	..	..	..	..	..	..	..	..	..
Fatty Degeneration of Liver	4	5	5	14	..	1	....	....	..	..	..	..	..	..	..	..	....	....	..	..	2	..	..	..	1	3	2	..	..	1
Hypertrophy of Liver	1	5	5	4	..	1	....	....	..	1	..	..	..	..	..	..	....	1	..	..	..	..	..	..	..	2	..	..	..	..
Cirrhosis of Liver	35	18	83	98	1	3	....	1	..	..	..	..	..	..	..	..	....	1	..	..	3	..	..	..	..		4	2	7	..
Abscess of Liver	3	3	6	4	..	1	....	....	..	..	..	..	..	..	..	..	....	....	..	..	1	..	1	2	..	..	..	..	1	..
Atrophy of Liver	1	2	....	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Congestion of Liver	2	....	4	1	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	1	..	..	..
Tumor of Liver	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Hepatitis	16	12	24	25	1	..	3	1	..	..	..	1	..	..	1	..	4	2	..	..	..	1	..	..	..	1	..	..	..	..
Jaundice	20	15	2	5	..	1	20	14	..	..	..	..	..	..	..	..	20	14	..	..	..	..	..	..	1	..	..	..	..	..
Perforation of Vermiform Appendix	5	2	1	....	..	..	....	....	..	..	..	..	..	..	1	..	1	....	1	1	1	..	1	1	..	..	..	..	1	..
Lucocythemia	1	1	2	4	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	1	..	..	..	..	..	..	1	..	..	..
Obstruction of Duct. Com. Choledocus	....	1	....	....	..	..	....	1	..	..	..	..	..	..	..	..	....	1	..	..	..	..	..	..	..	..	..	..	..	..
Obstruction of Gall Duct	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Abscess of Rectum	1	....	....	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class III.—LOCAL DISEASES.																																
Order 4.—*Digestive.*																																
Ulcer of the Stomach	1	2	3	..	2	2	3	1	4	2	..	1	3	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	20	15	35	.11
Hæmorrhage of Bowels	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	1	5	.02
Colic	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	2	10	.03
Fatty Degeneration of Liver	2	3	1	5	..	1	..	1	1	2	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	9	19	28	.09
Hypertrophy of Liver	1	1	2	..	..	..	1	1	..	2	2	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	6	9	15	.05
Cirrhosis of Liver	12	14	14	10	19	19	16	16	10	11	17	16	10	11	5	4	1	5	..	1	..	..	..	..	..	..	..	..	118	116	234	.73
Abscess of Liver	2	1	1	..	1	1	..	..	2	1	..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	9	7	16	.05
Atrophy of Liver	..	..	..	..	..	1	..	..	..	..	..	1	1	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	1	4	5	.02
Congestion of Liver	1	..	..	1	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	1	7	.02
Tumor of Liver	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Hepatitis	2	2	5	3	7	4	6	6	2	3	3	4	5	3	2	2	..	3	1	..	..	..	..	..	..	..	..	..	40	37	77	.24
Jaundice	..	2	..	..	1	..	..	1	..	1	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	22	20	42	.13
Perforation of Vermiform Appendix	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	6	2	8	.03
Lucocythemia	1	2	1	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	5	8	.03
Obstruction of Duct. Com. Choledocus	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Obstruction of Gall Duct	..	..	..	.	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Abscess of Rectum	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F	M.	F	M.	F.	M.	F.	M.	F.	M	F	M.	F	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M	F	M	F
Class III.—LOCAL DISEASES.																														
Order 4.—*Digestive.*																														
Occlusion of Rectum	....	1	....	....	..	..	....	1	..	..	..	..	..	..	..	..	....	1	..	..	..	..	..	..	..	..	..	..	..	..
Ulcer of Rectum	....	1	....	....	..	1	....	..	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Constipation	8	4	....	2	1	1	5	3	..	..	..	..	..	..	..	..	5	3	..	..	..	..	..	..	..	..	1	..	..	..
Fistula in Ano	....	1	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Vesico-Rectal Fistula	1	....	....	....	..	..	....	....	1	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
Hæmorrhoids	....	....	1	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Occlusion of the Anus	1	....	....	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
Gall Stone	2	1	1	7	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
Rupture of Dermoid Cystic Tumor of Walls of Abdomen	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Rupture of Gall Duct	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	1	..	..	..	..	..	..
Stricture of Ascending Colon	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Œsophagus	1	....	3	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	..	..	..	..
" of Rectum	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	1	..
Ischio-Rectal Abscess	1	....	....	1	1	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Intestinal Gangrene	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Tumor in Mesenteric Gland	....	....	1	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Œsophagus	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class III.—Local Diseases.																																
Order 4.—*Digestive.*																																
Occlusion of Rectum	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Ulcer of Rectum	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Constipation	..	1	..	1	..	..	..	..	1	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	8	6	14	.04
Fistula in Ano	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.006
Vesico-Rectal Fistula	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Hæmorrhoids	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.006
Occlusion of the Anus	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Gall Stone	..	..	..	2	..	1	..	2	..	1	1	..	..	..	..	..	1	1	..	..	..	1	..	..	..	..	..	..	3	8	11	.03
Rupture of Dermoid Cystic Tumor of Walls of Abdomen	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Rupture of Gall Duct	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Stricture of Ascending Colon	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Œsophagus	..	..	..	..	..	..	2	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	....	4	.01
" of Rectum	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Ischio-Rectal Abscess	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.006
Intestinal Gangrene	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Tumor in Mesenteric Gland	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.006
" of Œsophagus	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued).*

Causes of Death.	Nativity: United States		Nativity: Foreign		Colored		Under 1 Year		1—		2—		3—		4—		Total Under 5 Years		5—		10		15—		20—		25		30	
	M	F.	M.	F.	M.	F.	M.	F.	M	F.	M	F.	M.	F.	M.	F	M.	F.	M.	F	M.	F	M.	F.	M.	F	M	F.	M	F
Class III.—LOCAL DISEASES.																														
Order 4.—*Digestive.*																														
Perineal Abscess	....	1	....	....			....	....									....	....	..	..	..									..
Hypertrophy of the Spleen	1	....	....	....	..	..	....									..	....	....	..	..	..		..	..			1			
Displacement of Spleen	....	....	....	1	..	..	....	....									....	....	..	..	..	..	..	1	..	..	..	..	..	
Fibroid Abdominal Tumor	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..		
Cystic Pancreas	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..		
Total Digestive Diseases	451	385	320	355	17	19	251	186	35	30	5	12	5	7	5	3	301	23	24	11	14	18	12	10	23	17	26	2	38	40
Order 5.—*Urinary.*																														
Nephritis	1	93	132	115	6	5	3	1	2	3	2	1	4	2	1	1	12	10	11	5	4	4	2	2	9	4	2	10	14	19
Nephria (Bright's Disease)	204	156	334	330	14	14	2	....	2	..	1	..	3	..	2	1	10	1	8	7	7	3	10	9	13	19	34	37	40	5
Uræmia	3	5	2	2	..	..	1	....	1	..	..	1	..	..	..	..	2	1	..	..	..	..	..	..	..		..			
Diabetes	9	12	15	8	..	..	....	....	..	..	..	1	..	..	..	..	....	1	..	..	..	..	1	2	1	1	2	1	1	1
Calculus	2	....	4	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	
Cystitis	10	4	32	9	1	..	....	....	..	..	..	4	..	..	..	..	....	....	..	..	..	..	..	..	1	1	1	..	1	
Prostatitis	2	1	5	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	1	..	..	..			..	..	..	
Suppression of Urine	4	....	2	....	..	..	3	....	..	..	..	..	1	..	..	..	4	....	..	..	..	..	..	..	..	..		..		

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class III.—LOCAL DISEASES.																																
Order 4.—*Digestive.*																																
Perineal Abscess	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Hypertrophy of the Spleen	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Displacement of Spleen	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.0 3
Fibroid Abdominal Tumor	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Cystic Pancreas	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Total Digestive Diseases	46	49	44	40	54	48	47	45	44	47	39	41	34	41	17	30	14	26	6	11	..	6	1	2	..	..	..	..	771	740	1,511	4.73
Order 5.—*Urinary.*																																
Nephritis	22	14	15	18	20	16	27	19	15	16	14	11	21	12	12	9	8	8	3	1	..	..	..	..	..	..	..	..	216	178	394	1.23
Nephria (Bright's Disease)	51	53	54	54	56	54	56	49	59	37	61	46	38	30	20	27	14	12	6	8	..	4	1	1	..	..	..	..	538	486	1,024	3.21
Uræmia	1	..	..	..	1	1	1	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	7	12	.04
Diabetes	2	..	..	1	5	1	..	1	..	1	6	5	2	2	2	..	2	2	..	1	..	..	..	..	..	..	..	..	24	20	44	.14
Calculus	..	..	..	..	1	..	..	1	..	..	1	..	2	..	1	..	1	1	..	..	..	..	..	..	..	..	..	..	6	2	8	.01
Cystitis	1	3	1	1	1	1	2	..	5	1	9	2	7	2	6	1	11	..	4	..	..	..	..	1	..	..	..	..	51	13	64	.20
Prostatitis	1	..	..	..	..	..	..	..	1	..	1	..	..	..	1	1	1	..	1	..	..	..	..	..	..	..	..	..	7	1	8	.03
Suppression of Urine	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	6	....	6	.02

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M	F
Class III.—LOCAL DISEASES.																														
Order 5.—*Urinary:*																														
Stricture of Urethra	8	....	13	....	3	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	1	..	1	..
Congestion of Kidneys	3	1	....	3	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	1	3
Cirrhosis of Kidneys	2	2	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	..	..	..	1
Fatty Degeneration of Kidneys	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Pyelitis	1	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Hypertrophy of Prostate Gland	6	....	8	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Addison's Disease	....	1	3	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	1	..	..	..
Hæmaturia	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Total Urinary Diseases	348	245	551	471	24	19	10	1	5	3	3	5	8	2	3	2	29	13	19	12	12	7	13	13	24	27	48	48	58	59
Order 6.—*Generative.*																														
Abscess of Uterus	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	1	..	..
" of Ovary	....	1	....	2	..	..	....	....	..	..	..	..	..	..	..	..	....	..	..	..	..	..	..	..	..	..	..	1	..	..
Anteversion of Prolapsus Uteri	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Amenorrhœa	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	1	..	..	..	..	..	..
Ovarian Tumor	....	7	....	18	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	2	..	..	..	2	..	3

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class III.—LOCAL DISEASES.																																
Order 5.—*Urinary.*																																
Stricture of Urethra	2	..	3	..	3	..	3	..	3	..	3	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	21	....	21	.07
Congestion of Kidneys	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	3	4	7	.02
Cirrhosis of Kidneys	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	2	3	5	.02
Fatty Degeneration of Kidneys	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Pyelitis	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.006
Hypertrophy of Prostate Gland	..	..	..	..	..	..	..	..	..	..	1	..	3	..	5	..	1	..	3	..	1	..	..	..	..	..	..	..	14	....	14	.04
Addison's Disease	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	1	4	.01
Hæmaturia	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Total Urinary Diseases	82	73	74	74	88	73	90	70	83	56	97	65	74	48	49	39	40	23	17	10	1	4	1	2	..	..	..	..	899	716	1,615	5.06
Order 6.—*Generative.*																																
Abscess of Uterus	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" of Ovary	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	3	3	.01
Anteversion of Prolapsus Uteri	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Amenorrhœa	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Ovarian Tumor	..	2	..	3	..	3	..	1	..	3	..	3	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	....	25	25	.08

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F	M	F.	M.	F.	M	F.	M.	F.	M	F.	M.	F	M	F.	M	F	M	F
Class III.—Local Diseases.																														
Order 6.—*Generative*																														
Ovarian Cyst	....	2	....	5	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	1	..	..	..	..
" Dropsy	....	1	....	..	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	1
Metritis and Metro-Peritonitis (not puerperal)	....	8	....	11	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	1	..	..	..	1	..	1	..	4	..	..
Fibroid Uterine Tumor	....	6	....	7	..	2	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	1	..	..	..	..
" Ovarian Tumor	....	....	....	3	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	1	..	..	..	..
Fibro-Cystic Tumor of Ovary	....	2	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Ovaritis	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Uterine Polypus	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Fibroid Uterine Polypus	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Ulceration of Scrotum	1	....	....	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Vagina	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	1	..	..	..	..
Chlorosis	....	..	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	2	..	..	..	..	..	..
Metrorrhagia	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Menorrhagia	....	1	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Corroding Ulcer of Cervix Uteri	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Ulceration of Uterus	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Cysto-Sarcoma of Ovary	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880 *(Continued)*.

Causes of Death	35–		40–		45–		50–		55–		60–		65–		70–		75–		80–		85–		90–		95–		100 and Upwards.		Total by Sexes.		Total Both Sexes.	Percentage of each Cause on Total.
	M.	F.	M	F.	M.	F	M.	F	M.	F	M	F.	M	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F		
Class III.—LOCAL DISEASES.																																
Order 6.—*Generative.*																																
Ovarian Cyst	..	1	..	..	..	1	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	....	7	7	.02
" Dropsy	..	1	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	4	4	.01
Metritis and Metro-Peritonitis (not puerperal)	..	4	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	19	19	.06
Fibroid Uterine Tumor	..	1	..	1	..	2	..	4	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	13	13	.04
" Ovarian Tumor	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Fibro-Cystic Tumor of Ovary	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	2	2	.006
Ovaritis	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Uterine Polypus	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Fibroid Uterine Polypus	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Ulceration of Scrotum	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Vagina	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Chlorosis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	2	2	.006
Metrorrhagia	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Menorrhagia	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	...	2	2	.006
Corroding Ulcer of Cervix Uteri	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Ulceration of Uterus	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	....	1	1	.003
Cysto-Sarcoma of Ovary	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M	F.	M.	F	M	F	M	F.	M.	F	M	F	M.	F.	M	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F
Class III.—Local Diseases.																														
Order 6.—*Generative.*																														
Retro-Uterine Abscess	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	1		
Hypertrophy of Uterus and Ovaries	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	1
Cirrhosis of Cervix Uteri	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	
Hysteria	....	2	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	1	..	1	..	..	..	
Total Generative Diseases	1	39	....	56	..	3	1	....	..	..	..	..	..	..	..	..	1	....	..	1	..	..	..	7	..	6	..	9	..	13
Order 7.—*Locomotory and Osseous.*																														
Arthritis	1	1	1	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	2	..	..	..	..	..	..
Spinal Disease	13	14	2	1	..	..	....	....	..	1	..	1	..	3	2	1	2	6	4	5	3	2	3	..	..	1	..	..	..	..
Hip Disease	19	9	1	....	2	..	....	....	..	1	1	..	..	..	2	..	3	1	11	3	4	3	1	..	..	..	..	..	..	1
Periostitis of Tibia	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	1	..	..	..	..	..	..	..	..	..	..
Pelvic Cellulitis	....	4	....	1	..	1	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	2	..	..	..	..	..	1
Cellulitis of Thigh and Arms	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	1	..	..	..	..	..	..
Abscess of Ankle Joint	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	...	....	..	1	..	..	..	..	..	..	..	..	..	..
Pelvic Hæmatocele	....	1	....	....	..	.	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	1	..	..	..	..	..	
Osteo-Sarcoma of Orbit	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	1	

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class III.—LOCAL DISEASES.																																
Order 6.—*Generative.*																																
Retro-Uterine Abscess	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Hypertrophy of Uterus and Ovaries	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Cirrhosis of Cervix Uteri	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Hysteria	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	3	3	.01
Total Generative Diseases	..	12	..	11	..	12	..	7	..	6	..	6	..	2	..	2	..	..	..	1	..	..	..	..	..	..	..	..	1	95	96	.30
Order 7.—*Locomotory and Osseous*																																
Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	2	2	4	.01
Spinal Disease	2	..	..	.	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	15	15	30	.09
Hip Disease	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	20	9	29	.09
Periostitis of Tibia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Pelvic Cellulitis	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	5	5	.02
Cellulitis of Thigh and Arms	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Abscess of Ankle Joint	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Pelvic Hæmatocele	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Osteo-Sarcoma of Orbit	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880.—*(Continued).*

Causes of Death.	Nativity. United States. M.	Nativity. United States. F.	Nativity. Foreign. M.	Nativity. Foreign. F.	Colored M	Colored F.	Under 1 Year. M.	Under 1 Year. F.	1— M	1— F	2— M.	2— F	3— M.	3— F	4— M.	4— F	Total Under 5 Years. M.	Total Under 5 Years. F	5— M	5— F.	10— M	10— F	15— M.	15— F	20— M	20— F	25— M	25— F	30— M.	30— F
Class III.—LOCAL DISEASES.																														
Order 7.—*Locomotory and Osseous.*																														
Osteo-Sarcoma of Knee	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	..	..	..	..	..	..	..	..	..	..	..	..	1
Osteo-Myelitis of Femur	....	....	1	....	..	..	....	..	..	..	..	..	..	..	..	..	....	..	..	..	..	..	..	..	..	..	..	..	..	..
Myxo-Osteo-Sarcoma of Left Ilium	....	....	1	....	..	..	..	..	..	..	..	..	..	..	..	..	....	..	..	..	..	..	..	..	1	..	..	..	..	..
Synovitis of Knee	1	....	3	....	..	..	1	..	1	..	..	..	..	..	..	..	....	..	..	..	..	..	..	..	..	..	..	..	..	..
Caries of Cervical Portion of Spinal Column	....	1	....	....	..	..	....	....	..	..	..	..	..	1	..	..	....	1	..	..	..	..	..	..	..	..	..	..	..	..
Caries of Face and Nasal Bone	....	1	....	....	..	..	..	..	..	..	..	..	..	..	..	..	....	..	..	..	..	..	..	..	..	..	..	1	..	..
" of Femur	1	....	2	1	..	1	....	....	..	..	..	..	..	..	..	..	....	..	..	..	..	..	1	..	..	..	..	..	1	..
" of Head	1	....	....	....	..	..	....	..	..	..	..	..	..	..	..	..	....	..	..	..	1	..	..	..	..	..	..	..	..	..
" of Knee	1	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	..	..	..	1	..	..	..	..	..	..	..	..	..
" of Spine	12	12	5	1	..	..	....	1	..	..	..	..	1	..	1	..	1	1	4	2	2	1	1	1	..	..	..	1	..	..
" of Tibia	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Tarsal Bone	....	....	1	....	..	..	..	..	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	1	..
" of Ischium	....	1	....	....	..	1	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Necrosis of Cartilage	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	..	..	..	..	..	..	..	..	..	1	..	..	..
" of Femur	....	1	2	....	..	..	....	....	..	..	..	..	..	..	..	..	....	..	..	1	..	..	..	..	..	..	..	..	1	..
" of Hand	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	..	..	..	..	..	..	..	..	..	..	..	..	..
" of Head	....	1	1	....	..	..	....	....	..	..	..	1	..	..	..	..	....	1	..	..	..	..	..	..	..	..	..	..	..	..

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total
	M.	F.	M.	F.	M	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F	M.	F.	M	F.	M.	F.	M.	F		
Class III.—LOCAL DISEASES.																																
Order 7.—*Locomotory and Osseous.*																																
Osteo-Sarcoma of Knee	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Osteo-Myelitis of Femur	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Myxo-Osteo-Sarcoma of Left Ilium	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.001
Synovitis of Knee	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	....	4	.01
Caries of Cervical Portion of Spinal Column	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Caries of Face and Nasal Bone	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.00[illegible]
" of Femur	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	1	4	.01
" of Head	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Knee	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.00[illegible]
" of Spine	2	..	..	..	1	1	1	1	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	17	13	30	.09
" of Tibia	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Tarsal Bone	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	...	1	.003
" of Ischium	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	
Necrosis of Cartilage	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Femur	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	3	.01
" of Hand	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	003
" of Head	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.005

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1885.—*(Continued).*

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M	F	M.	F.	M.	F.	M	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F	M	F	M.	F.	M	F
Class III.—LOCAL DISEASES.																														
Order 7.—*Locomotory and Osseous.*																														
Necrosis of Humerus	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	1	..	..	
" of Jaw	1	....	....	....	1	..	....	....	..	..	..	..	..	..	..	..	....	....	1	..	..	..	..	..	..	..		..	..	
" of Sternum	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	
" —Sacro-Iliac	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	1
" of Tibia	1	....	....	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	
Total Locomotory and Osseous Diseases	51	48	28	7	5	3	2	1	1	2	1	2	1	4	5	1	10	10	23	14	11	7	6	7	2	1	5	2	4	4
Order 8.—*Integumentary.*																														
Abscess of Ankle and Thigh	....	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	1	..	..	..		..	..	
" of Arms	1	....	1	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..		
" of Back	2	....	....	....	1	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	1	
" of Chest	....	1	....	....	..	..	....	1	..	..	..	..	..	..	..	..	....	1	..	..	..	..	..	..	..	..	..	..		
" of Chin	1	....	....	....	..	..	....	....	1	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..		..	..	
" of Ear	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	1	..	..	..	..	..	
" —Gluteal	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	
" of Head	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class III.—LOCAL DISEASES.																																
Order 7.—*Locomotory and Osseous.*																																
Necrosis of Humerus	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Jaw	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Sternum	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" —Sacro-Iliac	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" of Tibia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Total Locomotory and Osseous Diseases	7	3	..	1	5	2	3	1	..	1	3	..	1	1	1	..	1	1	..	..	..	..	..	..	..	..	..	..	79	55	134	.42
Order 8.—*Integumentary.*																																
Abscess of Ankle and Thigh	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
" of Arms	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
" of Back	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
" of Chest	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" of Chin	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Ear	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" —Gluteal	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Head	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F	M.	F.	M	F.	M	F.	M.	F	M.	F.	M	F.	M.	F.	M	F	M.	F.	M.	F.	M.	F	M	F.	M	F	M	F
Class III.—LOCAL DISEASES.																														
Order 8.—*Integumentary.*																														
Abscess—Iliac	....	...	....	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" —Intra-Pelvic	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" in Right Femoral Region	1	....	....	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Neck	3	4	1	2	..	..	2	2	..	..	1	1	..	..	..	..	3	3	..	..	..	..	..	..	..	1	..	1	..	..
" —Pelvic	....	3	1	3	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	1	..	3	..	1
" of Sternum	1	....	...	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
" —Sub-Pectoral	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	1
" of Sub-Maxillary Gland	1	....	....	....	..	..	....	....	1	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Scrotum	1	....	....	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Shoulder	1	1	1	....	..	..	1	1	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..
" of Hand	....	1	....	....	..	..	....	....	..	1	..	..	..	..	..	..	....	1	..	..	..	..	..	..	..	..	..	..	..	..
" of Thigh	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" (not specified)	3	2	....	1	..	..	2	1	1	1	..	..	..	..	..	..	3	2	..	..	..	..	..	..	..	..	..	..	..	..
Pemphigus	2	3	....	....	..	..	1	1	1	1	..	1	..	..	..	..	2	3	..	..	..	..	..	..	..	..	..	..	..	..
Otitis	11	6	2	1	..	1	2	2	..	..	1	1	..	..	..	..	3	3	1	2	4	1	1	..	..	..	..	..	..	..
Ulcer of Foot and Leg	....	..	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Leg	1	2	4	4	..	2	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.		
Class III.—Local Diseases.																																
Order 8.—*Integumentary.*																																
Abscess—Iliac	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" —Intra-Pelvic	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	....	1	1	.003
" in Right Femoral Region	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Neck	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	6	10	.03
" —Pelvic	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	6	7	.02
" of Sternum	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" —Sub-Pectoral	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" of Sub-Maxillary Gland	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Scrotum	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Shoulder	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	3	.01
" of Hand	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" of Thigh	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" (not specified)	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3	6	.02
Pemphigus	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	5	.02
Otitis	..	..	..	..	1	..	..	..	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	13	7	20	.06
Ulcer of Foot and Leg	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" of Leg	..	..	..	..	..	..	..	1	..	..	1	1	..	2	..	..	1	1	3	1	..	..	..	..	..	..	..	..	5	6	11	.03

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.
Class III.—LOCAL DISEASES.																														
Order 8.—*Integumentary.*																														
Ulcer of Head	1	....	....	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Varicose Vein	....	1	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Gangrene of Foot	....	1	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" " (frost-bite)	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Fingers	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Face	1	....	....	....	..	..	....	....	..	..	1	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Leg	....	....	....	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Nates	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Penis	1	....	....	....	..	..	....	....	1	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Scrotum	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Tumor of Abdomen	....	....	3	3	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Neck	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" —Thoracic	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	1	..	..	..	..	..	..	..	..
Recurrent Fibroid Tumor of Back.	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	1	..
Ophthalmia	5	4	....	....	..	..	5	4	..	..	..	..	..	..	..	..	5	4	..	..	..	..	..	..	..	..	..	..	..	..
Eczema	7	5	1	....	..	..	7	4	..	1	..	..	..	..	..	..	7	5	..	..	..	..	..	..	..	..	..	..	..	..

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M	F	M.	F.	M.	F	M	F	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class III.—LOCAL DISEASES.																																
Order 8.—*Integumentary.*																																
Ulcer of Head	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Varicose Vein	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	....	2	2	.006
Gangrene of Foot	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	2	2	.006
" " (frost-bite)	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" of Fingers	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" of Face	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Leg	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	2	2	.006
" of Nates	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Penis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Scrotum	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Tumor of Abdomen	..	..	..	1	..	..	1	1	2	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	3	3	6	.02
" of Neck	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" —Thoracic	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Recurrent Fibroid Tumor of Back	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Ophthalmia	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	4	9	.03
Eczema	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	5	13	.04

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M	F.	M.	F.	M	F	M	F.	M.	F
Class III.—LOCAL DISEASES.																														
Order 8.—*Integumentary.*																														
Fungoid Growth of Orbit	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Furuncles	2	1	....	2	..	..	2	1	..	..	..	..	..	..	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..
Otorrhœa	1	1	....	....	..	..	....	....	..	..	..	1	..	..	..	..	....	1	..	..	..	..	1	..	..	..	..	..	..	..
Lympho-Sarcoma of Neck	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Elephantiasis	....	1	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Lymphangitis	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Inflammation of all Lymphatic Glands	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	1	..	..	..	..	..	..
Suppurative Lymphangitis of Sub-Maxillary Glands	1	....	....	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
Cellulitis of Neck	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	1	..	..	..
Roseola	....	1	....	....	..	..	....	....	..	..	..	1	..	..	..	..	....	1	..	..	..	..	..	..	..	..	..	..	..	..
Total Integumentary Diseases	51	45	21	26	1	3	29	17	5	4	3	5	..	..	..	..	37	26	1	2	4	2	3	3	..	2	1	4	2	2
Total Local Class	3,799	3,213	2,741	2,369	155	150	1,589	1,224	492	472	172	179	99	87	82	44	2,434	2,006	180	142	78	83	96	104	168	139	260	199	266	220

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class III—LOCAL DISEASES.																																
Order 8.—*Integumentary.*																																
Fungoid Growth of Orbit	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	....	1	1	.003
Furuncles	..	..	..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	3	5	.02
Otorrhœa	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.006
Lympho-Sarcoma of Neck	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Elephantiasis	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	2	2	.006
Lymphangitis	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Inflammation of all Lymphatic Glands	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Suppurative Lymphangitis of Sub-Maxillary Glands	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Cellulitis of Neck	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Roseola	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Total Integumentary Diseases	2	2	3	4	2	2	2	4	5	5	5	3	..	3	..	1	2	2	3	1	..	2	..	1	..	..	..	..	72	71	143	.45
Total Local Class	356	290	372	276	389	288	370	314	355	286	359	325	295	275	250	241	180	195	101	114	23	59	5	19	3	6	..	1	6,540	5,582	12,122	37.95

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Class IV.—Developmental Diseases.																														
Order 1.—*Children.*																														
Premature Birth	341	285	....	....	8	3	341	285	..	..	..	..	..	..	..	..	341	285	..	..	..	..	..	..	..	..	..	..	..	..
Preternatural Birth	48	42	....	....	1	..	48	42	..	..	..	..	..	..	..	..	48	42	..	..	..	..	..	..	..	..	..	..	..	..
Cyanosis	47	27	....	....	..	..	46	25	1	1	..	..	..	..	..	..	47	26	..	..	..	1	..	..	..	..	..	..	..	..
Atelectasis Pulmonum	83	43	....	....	1	1	83	42	..	1	..	..	..	..	..	..	83	43	..	..	..	..	..	..	..	..	..	..	..	..
Spina Bifida	5	9	....	....	..	..	5	9	..	..	..	..	..	..	..	..	5	9	..	..	..	..	..	..	..	..	..	..	..	..
Imperforate Anus	4	4	....	....	..	..	4	4	..	..	..	..	..	..	..	..	4	4	..	..	..	..	..	..	..	..	..	..	..	..
Other Malformations	22	7	....	....	..	..	20	6	1	..	1	1	..	..	..	..	22	7	..	..	..	..	..	..	..	..	..	..	..	..
Hæmorrhage from Umbilicus	10	11	....	....	4	3	10	11	..	..	..	..	..	..	..	..	10	11	..	..	..	..	..	..	..	..	..	..	..	..
Cleft Palate	4	3	....	....	..	..	4	3	..	..	..	..	..	..	..	..	4	3	..	..	..	..	..	..	..	..	..	..	..	..
Total Developmental Diseases of Children	564	431	....	....	14	7	561	427	2	2	1	1	..	..	..	..	564	430	..	..	..	1	..	..	..	..	..	..	..	..
Order 2.—*Women.*																														
Childbirth	....	14	....	26	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	1	..	7	..	15	..	5
Flooding	....	7	....	12	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	4	..	4	..	4
Puerperal Metritis and Metro-Peritonitis	....	43	....	97	..	5	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	8	..	32	..	39	..	30
Puerperal Uræmia	....	5	....	6	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	2	..	2	..	3
" Septicæmia	....	14	....	20	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	4	..	14	..	6	..	4

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.		
Class IV.—DEVELOPMENTAL DISEASES.																																
Order 1.—*Children*.																																
Premature Birth	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	341	285	626	1.96
Preternatural Birth	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	48	42	90	.28
Cyanosis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	47	27	74	.23
Atelectasis Pulmonum	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	83	43	126	.39
Spina Bifida	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	9	14	.04
Imperforate Anus	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4	8	.03
Other Malformations	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	22	7	29	.09
Hæmorrhage from Umbilicus	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	11	21	.07
Cleft Palate	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	3	7	.02
Total Developmental Diseases of Children	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	564	431	995	3.11
Order 2.—*Women*.																																
Childbirth	..	10	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	40	40	.13
Flooding	..	5	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	19	19	.06
Puerperal Metritis and Metro-Peritonitis	..	24	..	6	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	140	140	.44
Puerperal Uræmia	..	1	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	11	11	.03
" Septicæmia	..	5	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	34	34	.11

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M	F.	M	F	M	F.	M.	F.	M	F.	M	F.	M.	F
Class IV.—DEVELOPMENTAL DISEASES.																														
Order 2.—*Women.*																														
Puerperal Convulsions	....	16	....	13	..	1	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	4	..	9	..	8	..	5	
" Mania	....	4	....	7	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	5	..	2	
" Phlebitis	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	1	
" Albuminuria	....	2	....	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	1	..	..	..	..	..	3	
" Fever (see Miasmatic Order)	....	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	
Miscarriage and Abortion	....	16	....	30	..	1	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	1	..	4	..	11	..	8	
Placenta Prævia	....	1	....	8	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	..	..	3	
Phlegmasia Dolens	....	2	....	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	2	..	..	
Albuminuria of Pregnancy	....	1	....	3	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	1	..	1	
Uræmia of Pregnancy	....	1	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	1	..	..	
Pregnancy and Vomiting	....	3	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	1	..	..	
Total Developmental Diseases of Women	....	129	....	229	..	7	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	19	..	78	.	95	..	69	
Order 3.—*Old Age.*																														
Senile Debility	27	60	128	244	4	8	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	
Senile Gangrene	2	....	3	10	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	
Total Diseases of Old Age	29	60	131	254	4	8	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class IV.—DEVELOPMENTAL DISEASES.																																
Order 2.—*Women.*																																
Puerperal Convulsions	..	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	29	29	.09
" Mania	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	11	11	.03
" Phlebitis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" Albuminuria	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	4	4	.01
" Fever (see Miasmatic Order)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....
Miscarriage and Abortion	..	13	..	8	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	46	46	.14
Placenta Prævia	..	3	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	9	9	.03
Phlegmasia Dolens	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	4	4	.01
Albuminuria of Pregnancy	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	4	4	.01
Uræmia of Pregnancy	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	2	2	.006
Pregnancy and Vomiting	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	4	4	.01
Total Developmental Diseases of Women	..	66	..	25	..	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	358	358	1.12
Order 3.—*Old Age.*																																
Senile Debility	..	..	..	..	..	..	1	2	2	6	4	14	12	15	23	39	27	55	58	78	23	53	2	24	2	11	1	7	155	304	459	1.43
Senile Gangrene	..	..	..	..	..	..	..	..	..	..	..	2	1	2	1	2	1	1	..	3	2	..	..	..	..	..	..	..	5	10	15	.05
Total Diseases of Old Age	..	..	..	..	..	..	1	2	2	6	4	16	13	17	24	41	28	56	58	81	25	53	2	24	2	11	1	7	160	314	474	1.48

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M	F
Class IV.—DEVELOPMENTAL DISEASES.																														
Order 4.—*Nutrition.*																														
Atrophy	16	8	....	....	..	..	15	8	..	..	..	..	..	..	1	..	16	8	..	..	..	..	..	..	..	..	..	..	..	..
Asthenia (Debility)	47	49	1	1	2	2	46	47	2	1	..	..	..	..	..	..	48	48	..	..	..	..	..	..	..	..	..	..	..	..
Total Diseases of Nutrition	63	57	1	1	2	2	61	55	2	1	..	..	..	..	1	..	64	56	..	..	..	..	..	..	..	..	..	..	..	..
Total Developmental Class	656	677	132	484	20	24	622	482	4	3	1	1	..	..	1	..	628	486	..	..	..	1	..	19	..	78	..	95	..	69
Class V.—VIOLENT DEATHS.																														
Order 1.—*Accident and Negligence.*																														
Fractures and Contusions	55	8	100	13	1	..	....	....	2	..	1	1	1	1	..	2	4	4	5	..	6	..	10	..	9	1	18	2	10	2
Wounds of Foot by Stepping on a Nail	....	....	1	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	..	..	..	..
Wounds of Foot by Stepping on Broken Bone	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	1	..	..	..	..	..	..	..	..	..	..	..
Wounds of Foot by Stepping on Broken Glass	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	1	..	..	..	..	..	..	..	..	..	..	..
Wounds of Foot by a Splinter	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	1	..	..	..	..	..	..	..	..	..	..	..
" of Heel, Stepping on a Nail	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	1	..	..	..	..	..	..	..	..	..	..	..
" of Knee	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	1	..	..
" of an Artery by a Penknife	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	1	..	..	..	..	..	..	..
" of Side by a Penknife	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	1

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F	M.	F.	M	F.	M.	F.	M	F.	M.	F		
CLASS IV.—DEVELOPMENTAL DISEASES.																																
Order 4.—*Nutrition.*																																
Atrophy	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	16	7	24	.08
Asthenia (Debility)	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	48	50	98	.36
Total Diseases of Nutrition	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	64	58	122	.38
Total Developmental Class	..	66	..	26	..	6	1	3	2	6	4	16	13	17	24	41	28	56	58	81	25	53	2	24	2	11	1	7	788	1,161	1,949	6.10
CLASS V.—VIOLENT DEATHS.																																
Order 1.—*Accident and Negligence.*																																
Fractures and Contusions	22	..	25	1	17	3	12	1	9	1	3	4	2	..	2	1	..	1	1	..	..	..	..	..	..	..	..	..	155	21	176	.55
Wounds of Foot by Stepping on a Nail	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	3	.01
Wounds of Foot by Stepping on Broken Bone	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Wounds of Foot by Stepping on Broken Glass	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Wounds of Foot by a Splinter	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Heel, Stepping on a Nail	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Knee	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of an Artery by a Penknife	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Side by a Penknife	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M	F.	M.	F.	M.	F	M.	F	M.	F.	M.	F
Class V.—VIOLENT DEATHS. Order 1.—*Accident and Negligence.* Wounds of Thumb by a Splinter	1	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	1	..
" of Hand by a Toy Pistol	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	1	..	..	..	..	..	..	..	..	..
" of Hand by a Saw	....	...	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" of Scalp	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" from a Rat Bite	1	....	....	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
" from Self-produced Abortion	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	1
Killed by Vehicles in the Street	36	7	42	10	3	..	1	....	2	1	3	..	3	4	1	..	10	5	8	1	12	1	3	..	2	1	6	1	3	..
Falls (Various)	105	41	137	49	3	..	2	2	5	7	7	4	7	6	5	3	26	22	12	5	13	1	13	2	21	4	19	5	28	2
Burns and Scalds	35	46	18	23	..	2	3	2	6	5	10	9	4	4	5	6	28	26	3	4	1	5	2	3	2	3	2	6	3	8
" and Scalds on Steamer "Seawanhaka"	1	2	....	1	1	..	....	....	..	..	..	..	..	1	..	..	....	1	..	..	..	..	..	..	..	..	..	..	..	..
Poison by Arsenic	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	1	..	..	..
" by Absorption of Grease into Wound of Hand	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" by Brandy (overdose)	2	....	....	....	..	..	....	....	..	..	..	..	..	..	2	..	2	....	..	..	..	..	..	..	..	..	..	..	..	..
" by Carbolic Acid	2	....	....	....	..	..	....	....	2	..	..	..	..	..	..	..	2	....	..	..	..	..	..	..	..	..	..	..	..	..
" by Chloral	....	1	....	....	..	.	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" by Creosote	1	....	....	....	..	..	....	....	1	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
" by Chloroform	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" by Hydrate of Chloral	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	1	..	..

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class V.—VIOLENT DEATHS.																																
Order 1.—*Accident and Negligence.*																																
Wounds of Thumb by a Splinter...	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
" of Hand by a Toy Pistol..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Hand by a Saw.....	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" of Scalp.....	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" from a Rat Bite.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" from Self-produced Abortion	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Killed by Vehicles in the Street...	10	1	6	..	3	..	5	1	2	1	3	1	2	2	1	1	2	1	..	..	..	..	..	..	..	..	..	..	78	17	95	.30
Falls (Various).....	24	4	22	11	22	1	13	4	11	4	7	9	5	3	2	4	3	6	..	..	1	3	..	..	..	..	..	..	242	90	332	1.04
Burns and Scalds.....	5	4	2	3	2	2	..	2	1	1	1	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	53	69	122	.38
" and Scalds on Steamer "Seawanhaka"	..	..	..	..	..	..	..	1	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	4	.01
Poison by Arsenic.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" by Absorption of Grease into Wound of Hand.	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" by Brandy (overdose).....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
" by Carbolic Acid.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
" by Chloral.....	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" by Creosote.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" by Chloroform.....	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" by Hydrate of Chloral.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Class V.—VIOLENT DEATHS.																														
Order 1.—*Accident and Negligence.*																														
Poison by Lead	3	....	4	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	1	..	..	..	1	..	1	..	..	..
" by Laudanum	3	....	....	....	..	..	....	....	1	..	1	..	..	..	..	..	2	....	..	..	..	..	..	..	..	..	1	..	..	..
" by Morphine	1	....	2	....	..	..	....	....	1	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	1	..
" by Muriatic Acid	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" by Opium	1	2	....	....	..	..	1	....	..	1	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..
" by Oxalic Acid	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
" by Pickles	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	1	..	..	..	..	..	..	..	..
" by Stramonium	1	....	....	....	..	..	....	....	1	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
" by Wormwood	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	..	..	..	..
Suffocation (Asphyxia by	22	14	7	2	..	..	13	13	2	..	1	1	..	..	..	..	16	14	1	..	..	..	..	1	1	1	3	..	..	..
Wounds by Gunshot	3	....	2	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	1	..	..	..	1	..	..	..
Drowning	53	11	121	9	..	1	....	1	1	5	1	..	..	..	..	2	2	8	12	..	12	2	6	1	14	1	9	..	2	1
" (Steamer "Seawanhaka")	12	7	8	3	2	1	1	3	..	..	..	..	..	1	1	..	2	4	..	..	..	..	..	..	2	1	1	2	3	..
Neglect and Exposure	8	7	....	....	..	..	8	6	..	..	..	..	..	..	..	..	8	6	..	..	..	..	..	..	..	..	..	..	..	..
Surgical Operations	8	11	8	13	..	..	2	1	..	..	1	..	..	..	..	..	3	1	1	1	..	..	..	..	1	..	1	5	2	2
Struck by Lightning	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..
Total Deaths from Accident and Negligence	361	160	458	128	11	3	32	28	24	19	25	15	15	17	14	13	110	92	46	11	46	10	36	7	55	12	63	22	72	17

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M	F.	M	F.	M.	F.	M	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.		
Class V.—VIOLENT DEATHS.																																
Order 1.—*Accident and Negligence.*																																
Poison by Lead	1	..	..	..	2	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	7	....	7	.02
" by Laudanum	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	....	3	.01
" by Morphine	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	....	3	.01
" by Muriatic Acid	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" by Opium	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	2	3	.01
" by Oxalic Acid	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" by Pickles	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
" by Stramonium	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
" by Wormwood	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Suffocation (Asphyxia by)	2	..	1	..	2	..	2	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	29	16	45	.14
Wounds by Gunshot	..	..	1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	....	5	.02
Drowning	25	2	28	2	16	..	15	1	6	1	6	..	1	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	174	20	194	.61
" (Steamer "Scawanhaka")	3	1	3	..	1	1	3	1	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	20	10	30	.09
Neglect and Exposure	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	8	7	15	.05
Surgical Operations	3	5	1	3	..	2	3	1	..	1	..	3	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	16	24	40	.13
Struck by Lightning	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Total Deaths from Accident and Negligence	95	18	90	22	65	9	56	12	35	9	20	22	13	5	8	7	7	9	1	1	1	3	..	..	..	..	..	..	819	288	1,107	3.47

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F	M.	F.	M.	F
Class V.—VIOLENT DEATHS.																														
Order 2.—*Homicide.*																														
By Asphyxia, by Bandage	1	....	....	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
By Blows	8	1	13	5	..	..	1	....	..	..	..	..	1	..	..	..	2	....	..	..	1	..	2	..	1	..	2	..	1	1
By Cutting	5	1	3	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	4	1	3	..	..	1
By a Kerosene Oil Lamp, thrown at her by her husband	....	1	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	1
By Kicks	1	1	1	....	1	..	....	....	..	..	..	..	..	..	..	..	....	....	..	1	1	..	..	..	..	..	..	..	..	..
By Strangulation	....	2	....	....	..	..	....	1	..	..	..	..	..	..	..	..	....	1	..	..	..	..	..	..	..	1	..	..	..	..
By Shock from Rape	....	1	....	....	..	..	....	....	..	..	..	..	..	1	..	..	....	1	..	..	..	..	..	..	..	..	..	..	..	..
By being Thrown from a Cart	1	....	....	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	1	..	..	..
By being Thrown on the Floor by its Mother	1	....	....	....	..	..	1	....	..	..	..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..
By Gunshot	3	1	4	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	1	..	..	..	..	..	3	1
By Violence producing Flooding	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	1
By being Pushed from Window	....	....	....	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	1
Total Homicidal Deaths	20	8	21	9	1	..	3	1	..	..	..	..	1	1	..	..	4	2	..	1	2	..	3	..	5	2	6	..	4	6
Order 3.—*Suicide.*																														
By Cutting	4	1	14	1	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	2	..	..	..	1	1
By Drowning	2	....	8	4	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	..	1	1	1
By Gunshot	11	....	28	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	2	..	5	..	6	..	6	..

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—(*Continued*).

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F	M.	F.	M.	F.	M.	F.	M	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class V.—Violent Deaths.																																
Order 2.—*Homicide.*																																
By Asphyxia, by Bandage	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
By Blows	2	2	2	..	3	1	1	..	1	1	2	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	21	6	27	.08
By Cutting	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	3	11	.03
By a Kerosene Oil Lamp, thrown at her by her Husband	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
By Kicks	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	3	.01
By Strangulation	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	2	2	.006
By Shock from Rape	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
By being Thrown from a Cart	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
By being Thrown on the Floor by its Mother	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
By Gunshot	..	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	1	8	.03
By Violence producing Flooding	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
By being Pushed from Window	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	1	.003
Total Homicidal Deaths	2	2	4	1	5	1	1	..	2	1	2	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	41	17	58	.18
Order 3.—*Suicide.*																																
By Cutting	6	..	3	..	..	..	2	..	..	..	3	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	18	2	20	.06
By Drowning	1	..	2	..	2	..	2	1	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	4	14	.04
By Gunshot	5	..	7	..	3	..	3	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	39	....	39	.12

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	Nativity. United States. M.	Nativity. United States. F.	Nativity. Foreign. M.	Nativity. Foreign. F.	Colored M.	Colored F.	Under 1 Year. M.	Under 1 Year. F.	1— M.	1— F.	2— M.	2— F.	3— M.	3— F.	4— M.	4— F.	Total Under 5 Years. M.	Total Under 5 Years. F.	5— M.	5— F.	10— M.	10— F.	15— M.	15— F.	20— M.	20— F.	25— M.	25— F.	30— M.	30— F.
Class V.—VIOLENT DEATHS.																														
Order 3.—*Suicide.*																														
By Hanging	4	....	21	3	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	2	..	..	..	1	..	..	1
By Illuminating Gas	....	....	2	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	..	..	..	..
By Leap	1	1	5	2	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	1	1	1	..
By Poison (various)	7	5	13	15	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	3	3	4	1	1
Total Suicidal Deaths	29	7	91	25	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	4	..	11	3	11	6	10	4
Order 4.—*Judicial Execution.*																														
Chastine Cox, July 16	1	....	....	....	1	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	1	..
Pietro Balbo, August 6	....	....	1	....	..	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	..	..	..	..
Total Judicial Executions	1	....	1	....	1	..	....	....	..	..	..	..	..	..	..	..	....	....	..	..	..	..	..	..	1	..	..	..	1	..
Total Violent Deaths Class	411	175	571	162	13	3	35	29	24	19	25	15	16	18	14	13	114	94	46	12	48	18	43	7	72	17	80	28	57	27
Grand Total from all Causes	11,120	9,827	5,711	5,279	368	324	4,810	3,915	1,581	1,420	703	675	459	427	359	301	7,912	6,738	606	574	209	214	315	336	626	633	777	774	748	701
Percentage of each Sex on Total Mortality	34.82	30.77	17.88	16.53	....	....	15.06	12.26	4.95	4.44	2.20	2.11	1.44	1.34	1.12	.94	24.77	21.09	1.90	1.80	.65	.67	.99	1.05	1.96	1.98	2.43	2.42	2.34	2.19

DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Class V.—VIOLENT DEATHS.																																
Order 3.—*Suicide.*																																
By Hanging	4	1	3	..	4	..	6	..	2	1	1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	25	3	28	.09
By Illuminating Gas	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
By Leap	1	..	1	1	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	6	3	9	.0[illegible]
By Poison (various)	..	5	4	3	2	2	2	2	2	..	3	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	20	20	40	.13
Total Suicidal Deaths	17	6	20	4	11	2	15	3	5	1	7	1	6	1	1	1	2	..	..	..	..	..	..	..	..	..	..	..	120	32	152	.48
Order 4.—*Judicial Execution.*																																
Chastine Cox, July 16	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Pietro Balbo, August 6	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	.003
Total Judicial Executions	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	2	.006
Total Violent Deaths Class	114	26	114	27	81	12	72	15	42	11	29	23	20	6	9	8	9	10	1	1	1	3	..	..	..	..	..	..	982	337	1,319	4.13
Grand Total from all Causes	864	757	824	648	767	562	701	570	589	481	561	509	445	435	371	397	254	326	186	242	59	134	11	47	5	19	1	9	16,831	15,106	31,937	
Percentage of each Sex on Total Mortality	2.70	2.37	2.58	2.03	2.40	1.76	2.19	1.78	1.84	1.51	1.76	1.59	1.39	1.36	1.16	1.24	.79	1.02	.58	.76	.18	.42	.03	.15	.02	.06	.03	.03	52.70	47.30		

RECAPITULATION.

CONSOLIDATED ABSTRACTS OF DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored.		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
First Quarter	2,247	1,984	1,340	1,243	69	53	822	637	24	302	182	160	97	93	82	61	1,507	1,253	111	107	38	51	63	77	154	151	192	205	159	181
Second Quarter....	3,079	2,678	1,509	1,366	94	76	1,496	1,222	439	399	162	152	99	97	68	61	2,264	1,931	146	124	50	55	86	86	151	158	203	200	179	190
Third Quarter... .	3,142	2,693	1,329	1,259	53	46	1,641	1,311	473	408	140	131	80	84	68	65	2,402	1,999	149	136	58	50	79	79	158	157	178	168	202	151
Fourth Quarter...	2,652	2,472	1,533	1,411	59	48	851	745	345	311	219	232	183	153	141	114	1,737	1,555	200	207	63	58	87	94	163	167	204	201	208	179
Classes:																														
Zymotic.....	4,389	3,956	626	602	73	65	2,022	1,733	902	781	451	432	311	295	238	223	3,924	3,464	328	373	52	66	42	45	68	56	82	75	64	58
Constitutional..	1,865	1,806	1,641	1,662	107	82	542	447	159	145	54	48	33	27	24	21	812	688	52	47	31	54	134	161	318	343	355	377	331	327
Local.....	3,799	3,213	2,741	2,369	155	150	1,589	1,224	492	472	172	179	99	87	82	44	2,434	2,006	180	142	78	83	96	104	168	139	260	199	266	220
Developmental..	656	677	132	484	20	24	622	482	4	3	1	1	..	..	1	..	628	486	..	..	..	1	..	19	..	78	..	95	..	69
Violence.....	411	175	571	162	13	3	35	29	24	19	25	15	16	18	14	13	114	94	46	12	48	10	43	7	72	17	80	28	87	27

RECAPITULATION—(*Continuea*).

CONSOLIDATED ABSTRACTS OF DEATHS IN THE CITY OF NEW YORK, FROM ALL CAUSES, FOR THE YEAR 1880.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.	Percentage of each Cause on Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
First Quarter.....	207	191	191	137	178	122	179	127	157	111	127	125	112	94	100	83	63	89	35	61	10	43	3	10	1	5	..	4	3,587	3,227	6,814	21.34
Second Quarter....	247	185	219	163	214	151	182	154	139	122	161	125	106	123	102	92	72	77	41	58	18	33	6	10	1	5	1	2	4,588	4,044	8,632	27.03
Third Quarter.....	182	183	199	173	178	141	146	132	147	115	129	120	90	87	70	86	44	68	45	67	13	23	..	13	2	3	..	1	4,471	3,952	8,423	26.37
Fourth Quarter ...	228	198	215	175	197	148	194	157	146	133	144	139	137	131	99	136	75	92	65	56	18	35	2	14	1	6	..	2	4,185	3,883	8,068	25 26
Classes:																																
Zymotic.....	82	65	68	50	63	46	68	40	37	34	34	39	36	31	32	41	14	33	13	28	5	10	3	2	..	1	..	1	5,015	4,558	9,573	29.97
Constitutional.	312	310	270	269	234	210	190	198	153	144	135	105	81	106	56	66	23	32	13	18	5	9	1	2	..	1	..	..	3,506	3,468	6,974	21.84
Local.....	356	290	372	276	389	288	370	314	355	286	359	325	295	275	250	241	180	195	101	114	23	59	5	19	3	6	..	1	6,540	5,582	12,122	37.95
Developmental.	..	66	..	26	..	6	1	3	2	6	4	16	13	17	24	41	28	56	58	81	25	53	2	24	2	11	1	7	788	1,161	1,949	6.10
Violence.....	114	26	114	27	81	12	72	15	42	11	29	23	20	6	9	8	9	10	1	1	1	3	..	..	..	..	..	..	982	337	1,319	4.13

NATIVITY OF PERSONS WHO DIED IN NEW YORK CITY

Out of a total mortality of 31,937, there were 10,990 deaths, or, important contributors under this caption being England, Germany, parentage of the decedents was not stated in the death certificate of

Nativity of Deceased.	Country.	Nativity of Father.	Nativity of Mother.										
			Austro-Hungary.	Bohemia.	British America.	Belgium.	Denmark.	England.	France.	Germany.	Holland.	Ireland.	Italy.	Norway.
126	Austro-Hungary...	279	24	1	..	1	..	2	1	17	..	2	1	..
75	Bohemia.....	333	1	310	..	..	..	2	..	4	..	4	..	..
148	British America....	2 3	..	..	125	..	..	5	..	2	..	15	..	..
47	Belgium..... ...	21	..	1	..	13	..	....	4	....	..	1	..	..
24	Denmark.....	56	..	..	..	..	36	1	..	5	..	5	..	..
621	England.....	1,072	2	3	12	..	..	717	5	11	1	132	..	..
157	France.....	339	..	2	1	2	..	7	243	22	..	14	..	..
3,258	Germany.....	7,938	13	14	6	2	4	35	26	6,918	5	110	1	1
34	Holland	88	..	..	..	..	..	6	2	11	59	2	..	..
5,563	Ireland.....	11,026	..	2	14	..	..	88	5	8	1	10,235	2	..
265	Italy	621	..	..	1	..	..	4	1	4	..	7	585	..
34	Norway.....	50	..	..	..	..	..	....	..	4	..	3	..	36
68	Poland	263	..	..	..	..	..	4	4	21	2	....	..	..
63	Russia.....	226	3	2	..	..	..	4	..	16	1	....	..	..
191	Scotland.....	405	..	1	1	..	..	16	1	1	..	48	..	..
77	Sweden.....	134	..	..	..	..	..	3	..	1	..	7	..	5
102	Switzerland.....	174	1	..	..	..	..	....	5	16	..	4	1	..
14	Spain.....	2	..	..	..	..	..	3	..	....	..	1	..	..
20,829	United States.....	6,930	6	11	37	1	3	141	8	152	2	472	1	1
103	(Unknown, or not stated .....)	1,519	..	1	1	..	..	5	..	8	..	39	1	..
23	Wales...	43	..	..	..	..	..	1	..	....	..	2	..	..
71	West Indies.....	122	..	1	..	..	..	3	1	4	..	7	..	..
5	Africa	3	..	..	..	..	..	....	..	....	..	....	..	..
1	Asia.....	....	..	..	..	..	..	....	..	....	..	....	..	..
16	China.....	21	..	..	..	.	..	....	1	....	..	....	..	..
6	East Indies.....	5	..	..	..	..	..	....	..	....	..	1	..	..

To use the above table, find a figure under the columns headed "Nativity of Mother" and run the father. For instance, you find near the centre of the table the figures 34 under "Scotland; going to the left whose fathers were natives and whose mothers were Scotch.

DURING THE YEAR ENDING DECEMBER 31, 1880.

in round numbers, 11,000, among those of foreign birth, the most Ireland and the United States. In a little over 1,500 cases the the medical attendant.

NATIVITY OF MOTHER.

Poland.	Russia.	Scotland.	Sweden.	Switzerland.	Spain.	United States.	Unknown, or not stated.	Wales.	West Indies.	At Sea.	China.	Europe.	East Indies.	Mexico.	Portugal.	South America.	Egypt.	Africa.	Australia.	Gibraltar.	Finland.	Roumania.	Greece.	Isle of Man	Central America
1	..	..	..	2	..	11	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	..	..	..	10	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	2	..	1	..	51	....	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	5	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	3	..	..	6	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	1	4	..	1	..	181	....	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	1	..	5	..	37	1	..	1	..	..	..	..	..	..	2	..	..	..	..	..	..	1	..	..
3	5	3	2	18	..	761	8	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
1	..	..	..	..	..	7	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	22	..	..	..	642	2	..	..	1	..	..	1	..	1	..	1	..	1	..	..	..	..	..	..
..	..	1	1	1	..	15	....	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..
..	..	1	1	..	..	5	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
225	1	..	..	..	..	6	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
7	181	..	..	..	..	12	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	272	..	..	..	63	....	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	109	..	..	8	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	132	..	15	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	11	9	....	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	1	34	4	2	1	6,028	8	3	11	1	..	..	..	1	..	..	..	..	1	..	..	..	..	..	..
..	..	1	..	1	..	42	1,420	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	8	....	32	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	2	..	..	1	30	1	..	71	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	3	..	..	..	..	..	..	..
..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	5	....	..	..	..	15	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	2	....	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..

column up to the nation; then, taking the same figure, run the column to the left and find the nativity of the of the figure, you reach the "United States." From this it is learned that 34 people died during the year

NATIVITY OF PERSONS WHO DIED IN NEW YORK CITY

Nativity of Deceased.	Country.	Nativity of Father.	Nativity of Mother.												
			Austro-Hungary.	Bohemia.	British America	Belgium.	Denmark.	England.	France.	Germany.	Holland.	Ireland.	Italy.	Norway.
5	Mexico	3	..	..	..	..	..	....	..	....	..	....	..	..
15	South America	12	..	..	..	..	..	1	..	....	..	....	..	..
....	Europe	2	..	..	..	..	..	....	..	....	..	....	..	..
2	Portugal	4	..	..	..	..	..	....	..	....	..	2	..	..
....	Gibraltar	3	..	..	..	..	..	....	..	....	..	....	..	..
1	Greece	3	..	..	..	..	..	....	..	1	..	1	..	..
11	At Sea	1	..	..	..	..	..	....	..	....	..	....	..	..
....	Finland	5	..	..	..	..	..	....	..	....	..	....	..	..
....	Roumania	1	..	..	..	..	..	....	..	....	..	....	..	..
....	Isle of Man	1	..	..	..	..	..	....	..	....	..	....	..	..
....	Central America	1	..	..	..	..	..	....	..	....	..	....	..	..
31,937	Total	31,937	256	349	198	19	43	1 048	307	7,226	71	11,114	592	43

ZYMOTIC DISEASES.

The total mortality for the year having been 31,937, the zymotic diseases will be seen to have contributed 9,573 deaths to it, or 29.97 per cent.

In the first quarter there were 1,413 deaths from zymotic diseases; in the second quarter, 2,580; in the third quarter, 3,315; and in the fourth quarter, 2,265.

This mortality was distributed among the principal zymotic diseases, as follows: Small-pox, 31; measles, 479; scarlatina, 618; diphtheria, 1,390; croup, 910; malarial fevers, 470; and diarrhœal diseases, 3,947.

It is interesting to observe the relative prevalence of these diseases in the different seasons. As regards small-pox, the preceding quarters of 1879 had but one death from it, and indeed there were but 25

DURING THE YEAR ENDING DECEMBER 31, 1880—*(Continued)*.

NATIVITY OF MOTHER.

Poland.	Russia.	Scotland.	Sweden.	Switzerland.	Spain.	United States	Unknown, or not stated.	Wales.	West Indies.	At Sea.	China.	Europe.	East Indies.	Mexico.	Portugal.	South America.	Egypt.	Africa.	Australia.	Gibraltar.	Finland.	Roumania.	Greece.	Isle of Man.	Central America.
..	..	..	..	..	..	....	....	..	..	..	..	..	..	3	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	2	....	..	2	..	..	..	..	..	..	7	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	....	....	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..
..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	1	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	..	..
..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..
..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
..	..	..	..	..	..	....	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
237	189	344	120	163	13	7,966	1,443	40	90	4	15	2	3	4	3	9	2	3	2	2	3	1	1	1	1

deaths from it during all that year. So, there having been no new cases imported, there was no death from small-pox in the first quarter of 1880, and but two in the second. In the third a body of laborers from a sister city brought it to us, and soon we had four deaths. As the disease escaped detection until many unprotected persons had been exposed to it, there was a mortality of 25 in the fourth quarter.

In the first quarter the deaths from measles exceeded those from either scarlatina, diphtheria, or croup, but in the third and fourth quarters these diseases regained their usual supremacy.

The deaths from malarial fevers were at a minimum of 83 in the first quarter, rose to 108 in the second, reaching a maximum of 150 in the third quarter, and declining to 108 in the fourth.

The minimum deaths from diarrhœal diseases occurred in the first quarter, viz., 128, and the maximum, 2,171, in the third quarter.

DEATHS FROM ZYMOTIC DISEASES.

NEW YORK.—Deaths from Measles, Scarlatina, Diphtheria, Croup, Whooping Cough, Typhoid Fever, Malarial Fevers, Puerperal Fever, Diarrhœal Maladies, Cerebro-Spinal Fever, and other Zymotic Diseases. Actual Mortality during the Quarter ending March 31, 1880.

Wards.	Area in Acres.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.	Typhoid Fever.	Malarial Fevers.	Puerperal Fever.	All Diarrhœal Diseases	Cerebro-Spinal Fever	Other Zymotic Diseases	Total Deaths from Zymotic Diseases.
First	154	2	..	4	7	1	1	(1) 3	..	(1) 4	3	2	(2) 27
Second	81	..	..	..	..	..	..	..	..	..	..	..	..
Third	95	2	..	..	(1) 1	..	..	..	..	..	..	1	(1) 4
Fourth	83	4	..	12	17	1	..	1	1	2	1	7	46
Fifth	168	2	2	1	3	..	1	2	..	1	1	3	16
Sixth	80	2	..	8	9	1	1	1	..	2	2	9	35
Seventh	198	7	2	11	14	2	..	2	2	3	2	7	52
Eighth	183	14	2	3	6	7	..	..	1	4	1	12	50
Ninth	322	15	1	8	11	1	..	(1) 5	1	4	1	(2) 10	(3) 57
Tenth	110	4	3	8	16	2	2	1	..	5	1	4	46
Eleventh	196	6	4	11	19	1	(1) 1	3	1	7	(1) 2	(1) 10	(3) 65
Twelfth	5,504.13	(1) 15	5	13	6	4	(4) 8	9	(1) 1	(9) 16	2	35 42	(50) 121
Thirteenth	107	4	6	9	11	2	2	1	1	5	2	5	48
Fourteenth	66	9	2	6	4	2	1	3	..	3	1	6	37
Fifteenth	198	10	1	7	5	..	..	1	..	1	..	1	26
Sixteenth	348 77	16	5	6	2	2	2	3	..	1	1	(1) 8	(1) 46
Seventeenth	331	13	5	24	21	6	2	4	2	9	1	9	96
Eighteenth	449 89	7	17	13	4	6	(3) 9	(2) 5	(1) 1	9	1	1 14	(6) 86
Nineteenth	1,480.60	(6) 29	(5) 12	21	(1) 24	(4) 18	(4) 6	14	3	(10) 26	5	(35) 56	(65) 214
Twentieth	444	42	6	(2) 21	8	9	2	4	..	11	3	(1) 16	(3) 122
Twenty-first	411	(1) 6	5	12	7	8	(3) 3	8	..	(1) 3	(2) 2	(1) 16	(18) 70
Twenty-second	1,529 42	48	12	14	17	8	2	7	1	12	1	5	127
Twenty-third	4,267.023	4	2	1	..	1	1	4	..	..	..	3	16
Twenty-fourth	8,050.323	..	..	1	..	..	..	2	..	..	1	(1) 2	(1) 6
Totals	24,833.156	(8) 261	(5) 92	(2) 214	(2) 212	(4) 82	(15) 44	(3) 83	(2) 15	(21) 128	(3) 34	(88) 248	(153) 1,413

The figures in parenthesis represent the Deaths in Institutions.

Total Deaths from all Causes.	Total Deaths, exclusive of those in Public Institutions.	Total Population (in Wards), Census of 1886.	Annual Death-rate per 1,000 Inhab. Wards (in Wards), exclusive of Hospitals and other Institutions.	Annual Death-rate, with the Total Number of Deaths in Hospitals and Institutions, distributed to the Wards pro rata to their Population.	Remarks.	Total in Institutions.
125	110	17,939	24 53	28 32	Castle Garden and Emigrant Depot, 3; U. S. Marine Hosp., 11; Lutheran Emigrant Home, 1	15
8	8	1,608	19.90	22.39		
29	9	3,582	10.05	13.40	House of Relief, 160 Chambers street, 20	20
149	148	21,015	28.17	32.21	St. James' Home, 1	1
96	91	16,134	22 56	26.53	Trinity Infirmary, 50 Varick street, 5	5
142	137	20,193	27.14	31.10	City Prison, 2; Home of Industry, 3	5
280	280	50,066	22.37	26.28		
236	236	35,880	26.31	30.21		
310	265	54,593	19.41	23 37	St. Vincent's Hospital, 44; St. Luke's Home, 1	45
238	238	47,553	20.02	23.97		
346	286	68,779	16.63	20.59	St. Francis' Hospital, 60	60
544	316	81,802	15 45	19.41	Reception Hosp., 99th street, 6; Infants' Hosp., 63; N. Y. City Asy. for the Insane, 32; Colored Orphan Asy., 3; Ward's Island, 21; Randall's Island, 15; Bloomingdale Lunatic Asy., 4; St. Joseph's Asy., 2; House of Refuge, 2; Idiot Asy., Randall's Island, 4; House of Good Shepherd, 2; St. Luke's Home, 1; Homœopathic Hosp., 7; Home for Aged and Infirm Hebrews, 1; Unsectarian Home, 2	228
213	213	37,797	22 54	26.45		
205	202	30,172	26.78	30.76	R. C. Orphan Asy., 1; Fourteenth Precinct Station, 1; House of Mercy, 1	3
110	110	31,873	13.80	17.70		
223	217	52,186	16.63	20.62	Samaritan Home for the Aged, 1; St. Joseph's Home for the Aged, 4; Home for Incurables, 1	6
420	418	104,895	15.94	19.94	Office of Charities and Correction, 1; Eye Infirmary, 1	2
366	318	66,610	19.10	23.06	New York Hosp., 46; Reception Hosp., 1; New York Infirmary for Women and Children, 1	48
1,067	618	158,108	15.64	19.63	Presbyterian Home, 10; German Hosp., 20; Mt. Sinai Hosp., 32; Foundling Hosp., 81; Women's Hosp., 6; City Lunatic Asy., 24; Almshouse, 55; Penitentiary, 2; Small-pox Hosp., 1; Charity Hosp., 73; Colored Home Hosp., 31; Nursery and Child's Hosp., 19; St. Luke's Hosp., 46; Workhouse, 6; R. C. Orphan Asy., 1; Hospital for Ruptured and Crippled, 2; Infirmary Sisters of Mercy, 5; Home for the Aged Little Sisters of the Poor, 16; Chapin Home for the Aged, 4; Hahnemann's Hosp., 2; St. Joseph's Industrial Home, 4; Maternity Hosp., 1; Baptist Home, 2; St Joseph's Infirmary, 5; Hebrew Shelter, 1	449
469	453	86,023	21.06	25.06	St. Elizabeth's Hosp., 3; St. Mary's Hosp., 9; St. Martha's Rest, 1; Institution for the Blind, 2; St. Vincent de Paul's Orphan Asylum, 1	16
506	271	66,538	16 29	20.24	Bellevue Hosp., 228; In Ambulances, 2; St Stephen's Home, 1; Emergency Hosp., 4	235
582	537	111,605	19.25	23 22	Roosevelt Hosp., 39; Old Ladies' Home, 2; N. Y. Infant Asy., 4	45
100	100	28,338	14.11	18.07		
50	38	13,288	11.44	15.35	House of Rest for Consumptives, 6; Home for Incurables, 6	12
6,814	5,619	1,206,577	18.63	22.59	Total Mortality in Public Institutions	1,195

DEATHS FROM ZYMOTIC DISEASES.

NEW YORK.—Deaths from Small-pox, Measles, Scarlatina, Diphtheria, Croup, Whooping Cough, Typhoid Fever, Typhus Fever, Malarial Fevers, Puerperal Fever, Diarrhœal Maladies, Cerebro-Spinal Fever, and other Zymotic Diseases. Actual Mortality during the Quarter ending June 30, 1880.

Wards.	Area in Acres.	Small-pox.	Measles.	Scarlatina	Diphtheria.	Croup.	Whooping Cough.	Typhus Fever.	Typhoid Fever.	Malarial Fevers.	Puerperal Fever.	All Diarrhœal Diseases.	Cerebro-Spinal Fever.	Other Zymotic Diseases	Total Deaths from Zymotic Diseases.
First	154	..	(1) 3	(1) 2	5	5	2	1 1	(2) 2	(1) 1	..	(9) 23	1	(1) 5	(16) 50
Second	81	..	..	..	1	1	..	..	..	..	..	1	..	1	4
Third	95	..	..	..	..	..	..	..	..	..	..	....	1	(3) 5	(3) 6
Fourth	83	..	3	2	14	10	1	..	..	4	..	23	1	(1) 3	(1) 61
Fifth	168	..	1	3	3	..	..	..	..	3	1	18	1	3	33
Sixth	86	..	5	3	7	8	..	..	1	2	..	23	1	(1) 3	(1) 53
Seventh	198	..	5	2	8	8	4	..	1	4	2	59	..	9	102
Eighth	183	..	4	5	5	8	2	..	1	2	..	61	..	10	98
Ninth	322	..	8	2	3	3	..	..	1	2	1	(1) 57	1	(1) 2	(2) 80
Tenth	110	..	5	6	17	22	6	..	4	..	1	66	4	6	137
Eleventh	196	..	3	4	8	16	5	..	(2) 3	3	1	86	(1) 5	4 11	(7) 145
Twelfth	5,504.13	(1) 1	(3) 8	(2) 13	(6) 17	(2) 5	(4) 7	..	(3) 4	(2) 11	..	(24) 111	(1) 6	(50) 59	(98) 242
Thirteenth	107	..	5	1	5	8	2	..	2	3	1	58	2	5	92
Fourteenth	96	..	10	1	9	8	1	..	1	1	..	45	1	(1) 6	(1) 83
Fifteenth	198	..	..	1	4	3	1	..	..	2	..	16	3	..	30
Sixteenth	348.77	..	5	7	(1) 6	(1) 3	1	..	3	3	..	43	..	(1) 4	(3) 75
Seventeenth	331	..	7	13	17	25	3	..	1	4	1	119	4	5	199
Eighteenth	449.89	..	6	7	7	3	3	..	2	(3) 7	..	58	(1) 4	2 15	(6) 112
Nineteenth	1,480.60	(1) 1	(40) 45	(1) 12	(5) 38	23	(2) 11	..	6	(1) 16	2	(52) 197	(1) 9	(31) 52	(134) 412
Twentieth	444	..	(2) 14	7	13	5	9	..	3	12	1	85	3	(1) 16	(3) 168
Twenty-first	411	..	1	5	9	3	2	..	(3) 3	5	(3) 3	(3) 67	(3) 5	(12) 23	(24) 126
Twenty-second	1 529.42	..	15	16	19	8	7	..	(1) 3	13	1	102	5	(1) 16	(2) 205
Twenty-third	4,267 023	..	11	..	2	..	1	..	1	5	1	26	..	5	52
Twenty-fourth	8,050.323	..	..	2	1	..	..	..	..	5	..	5	..	2	15
Totals	24,893.156	(2) 2	(46) 164	(4) 114	(12) 218	(3) 175	(6) 68	(1) 1	(11) 42	(7) 108	(3) 16	(89) 1,349	(7) 57	(110) 266	(301) 2,580

Total Deaths from all Causes.	Total Deaths, exclusive of those in Public Institutions.	Total Population (in Wards), Census of 1880.	Annual Death-rate per 1,000 Inhabitants (in Wards), exclusive of Hospitals and other Institutions.	Annual Death-rate, with the Total Number of Deaths in Hospitals and Institutions, distributed to the Wards pro rata to their Population.	Remarks.	Total in Institutions.
177	138	17,939	30.77	35.90	Castle Garden and Emigrant Depot, 24; United States Marine Hospital, 15	39
10	10	1,608	24.88	29.85		
54	18	3,582	20.10	25.68	House of Relief, 160 Chambers street, 36	36
183	181	21,015	34.45	39.59	Fourth Precinct Station, 1; St. James' Home, 1	2
114	114	16,134	28.26	33 22		
164	159	20,193	31.49	36.64	City Prison, 1; Home of Industry, 4	5
304	303	50,066	24 21	29.32	Seventh Precinct Station, 1	1
272	272	35,880	30.32	35 45		
355	305	54,593	22.35	27.48	St. Vincent's Hosp., 47; Home for Old Men and Aged Couples, 1; Ninth Precinct Station, 1; Northern Dispensary, 1	50
336	336	47,553	28.26	33.31		
455	386	68,779	22.45	27.57	St. Francis' Hospital, 69	69
774	449	81,802	21.96	27.04	Reception Hosp., Ninety-ninth street, 9; Infants' Hosp., 99; N. Y. City Asy. for the Insane, 53; Colored Orphan Asylum, 1; Ward's Island, 65; Randall's Island, 18; Bloomingdale Lunatic Asy., 6; St. Joseph's Asy., 3; House of Good Shepherd, 5; Homœopathic Hosp., 61; Home for Aged and Infirm Hebrews, 3; Deborah Nursery, 1; N. Y. Juvenile Asy., 1.	325
270	270	37,797	28.57	33.65		
234	233	30,172	30.89	35.93	Fourteenth Precinct Station, 1	1
125	123	31,873	15.44	20.46	N. Y. Juvenile Asy., 1; Protestant Half-Orphan Asy., 1.	2
298	286	52,186	21 92	27.06	Samaritan Home for the Aged, 1; St. Joseph's Home for the Aged, 9; Shelter of Church of Holy Communion, 1; Child's Nursery, 1	12
609	607	104,895	23.15	28.26	Eye Infirmary, 2	2
438	375	66,610	22.52	27.61	Home for Respectable Aged and Indigent Females, 1; N. Y. Hosp., 60; N. Y. Infirmary for Women and Children, 1; N. Y. Ophthalmic Hosp., 1	63
1,348	787	158,108	19 91	25.00	Presbyterian Home, 7; German Hosp., 22; Mt. Sinai Hosp., 39; Foundling Hosp., 171; Women's Hosp., 10; City Lunatic Asy., 35; Almshouse, 52; Small-pox Hosp., 6; Charity Hosp., 91; Baptist Home, 3; Colored Home Hosp., 33; Nursery and Child's Hosp., 24; St. Luke's Hosp., 31; Workhouse, 9; Hospital for Ruptured and Crippled, 2; Hahnemann's Hosp., 3; Home for the Aged (Little Sisters of the Poor, 12; Chapin Home for the Aged, 1; St. Joseph's Infirmary, 4; Orphan's Home and Asy. (Prot. Episc.), Forty-ninth street and Lexington avenue, 1; Maternity Hosp., 4; Infirmary Sisters of Mercy, 1	561
557	548	86,023	25.48	30.60	St. Elizabeth's Hosp., 3; Twentieth Precinct Station, 2; Inst'n for the Blind, 2; Refuge of Arkansas Refugee, 2	9
641	353	66,538	21 22	26.32	Bellevue Hosp., 277; in Ambulances, 4; Home of the Friendless, 1; Emergency Hosp., 6	288
698	638	111,605	22.87	27.96	Roosevelt Hosp., 56; Old Ladies' Home, 2; N. Y. Infant Asy., 1; Twenty-second Precinct Station, 1	60
145	145	28,338	20.47	25.55		
71	58	13,288	17.46	22.58	House of Rest for Consumptives, 7; Home for Incurables, 5; Thirty-fifth Precinct Station, 1	13
8,632	7,094	1,206,577	23.52	28.62	Total Mortality in Public Institutions	1,538

DEATHS FROM ZYMOTIC DISEASES.

NEW YORK.—Deaths from Small-Pox, Measles, Scarlatina, Diphtheria, Croup, Whooping Cough, Typhoid Fever, Yellow Fever, Malarial Fevers, Puerperal Fever, Diarrhœal Maladies, Cerebro-Spinal Fever, and other Zymotic Diseases. Actual Mortality during the Quarter Ending September 30, 18[illegible].

Wards	Area in Acres.	Small-Pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.	Yellow Fever.	Typhoid Fever.	Malarial Fevers.	Puerperal Fever.	All Diarrhœal Diseases.	Cerebro-Spinal Fever.	Other Zymotic Diseases.	Total Deaths from Zymotic Diseases.
First	154	..	2	1	2	..	2	..	3 3	6	..	(7) 34	..	4 6	(14) 56
Second	81	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Third	95	..	..	..	..	..	..	..	..	..	..	4	..	(1) 1	(1) 5
Fourth	83	..	1	1	7	6	1	..	..	1	..	36	3	3	59
Fifth	168	..	2	1	3	3	3	..	..	3	..	31	..	..	46
Sixth	86	..	1	..	6	7	2	..	1	1	..	33	..	3	54
Seventh	198	..	1	..	22	19	1	..	3	5	..	94	..	4	149
Eighth	183	..	1	1	14	8	3	..	1	2	..	67	..	4	101
Ninth	322	..	..	1	(1) 8	4	2	..	(3) 8	(1) 9	..	5 73	..	(1) 4	(11) 109
Tenth	110	..	2	3	14	10	2	..	(1) 4	..	1	99	3	5	(1) 143
Eleventh	196	..	3	2	15	7	4	..	(2) 7	12	..	(1) 130	2	(1) 4	(4) 186
Twelfth	5,504.13	(1) 1	(3) 7	(1) 6	(4) 18	5	(3) 8	..	(3) 8	(3) 21	..	61 191	(1) 7	75 90	(155) 362
Thirteenth	107	..	3	3	10	6	5	..	2	..	..	64	3	2	98
Fourteenth	96	..	..	3	12	6	1	..	4	1	..	81	..	7	115
Fifteenth	198	..	1	..	..	1	..	..	..	4	..	29	1	5	41
Sixteenth	348.77	..	..	1	7	4	2	..	2	4	1	(2) 73	1	4	(3) 99
Seventeenth	331	..	2	7	30	8	10	..	8	5	2	180	5	7	264
Eighteenth	449.89	..	2	6	27	(1) 8	4	..	(1) 4	(1) 12	..	(1) 101	..	(1) 9	(5) 173
Nineteenth	1,480.60	(3) 3	2	(2) 17	44	(1) 20	(2) 8	..	(8) 10	(2) 19	2	(7) 323	5	(16) 33	(107) 486
Twentieth	444	..	..	6	17	6	2	..	3	5	1	157	6	13	216
Twenty-first	411	..	5	1	12	3	(1) 6	(1) 1	(4) 8	(2) 14	(2) 2	16 120	2	(11) 16	(39) 190
Twenty-second	1,529.42	..	2	11	27	11	5	..	..	8	1	(1) 187	2	7	(1) 261
Twenty-third	4,267.023	..	..	..	15	2	..	..	1	6	..	44	..	1	69
Twenty-fourth	8,050.323	..	..	..	1	..	..	..	..	12	..	(1) 20	..	..	(1) 33
Totals	24,893.156	(4) 4	(3) 37	(3) 71	(5) 311	2) 144	(6) 71	(1) 1	(25 77	(9 150	2) 10	(169) 2,171	(3) 49	(110) 228	(342 3,315

Total Deaths from all Causes.	Total Deaths, exclusive of those in Public Institutions.	Total Population (in Wards), Census of 1880.	Annual Death-rate per 1,000 Inhabitants (in Wards), exclusive of Hospitals and other Institutions.	Annual Death-rate, with the Total Number of Deaths in Hospitals and Institutions, distributed to the Wards pro rata to their Population.	Remarks.	Total in Institutions.
138	108	17,939	24.08	28.76	Castle Garden and Emigrant Depot, 17; U. S. Marine Hospital, 12; Trinity Mission, 1	30
5	5	1,608	12.44	17.41		
34	9	3,582	10.05	14.52	House of Relief, 160 Chambers street, 25	25
149	147	21,075	27.98	32.64	Fourth Precinct Station, 2	2
107	107	16,134	26.53	31.24		
137	134	20,193	26 54	31.29	City Prison, 2; Home of Industry, 1	3
344	314	50,066	27 48	32.20		
263	263	35,880	29.32	34.00		
325	271	54,593	19.86	24 55	St Vincent's Hosp., 52; Northern Dispensary, 1; Home for Old Men and Aged Couples, 1	54
338	336	47,553	28.26	32.89	Essex Street Prison, 1; Tenth Precinct Station, 1	2
487	436	68,779	25.36	30.67	St. Francis' Hospital, 51	51
764	449	81,802	21.96	26.65	Reception Hosp., 99th Street, 5; Infants' Hosp., 128; N. Y. City Asy. for the Insane, 34; Ward's Island, 55; Randall's Island, 18; Bloomingdale Lunatic Asy., 5; House of Refuge, 1; Union Home and School, 1; House of Good Shepherd, 3; Homœopathic Hosp., 56; Home for Aged and Infirm Hebrews, 2; Sheltering Arms, 1; Unsectarian Home, 1; St. Luke's Home, 2; Convent of Sacred Heart, 1; N.Y. Juvenile Asy., 2	315
252	252	37,797	26 67	31.43		
236	235	30,172	31.15	35.93	Fourteenth Precinct Station, 1	1
112	111	31,873	13.03	18.70	St. Clement's Mission, 1	1
259	252	52,186	19.32	24.07	Samaritan Home for the Aged, 2; St. Joseph's Home for the Aged, 4; House of Holy Comforter, 1	7
628	624	104,895	23 79	28.52	Seventeenth Precinct Station, 1; Eye and Ear Infirmary, 3	4
437	378	66,610	22.70	27.29	New York Hospital, 59	59
1,318	804	158,108	20.34	25.05	Presbyterian Home, 15; German Hosp., 16; Mt. Sinai Hosp., 40; Foundling Hosp., 109; Women's Hosp., 1; City Lunatic Asy., 26; Almshouse, 73; Penitentiary, 4; Small-pox Hosp., 5; Charity Hosp., 112; Colored Home Hosp., 25; Nursery and Child's Hosp., 22; St. Luke's Hosp., 35; Workhouse, 12; Hospital for Ruptured and Crippled, 1; Home for the Aged (Little Sisters of the Poor), 10; Hahnemann's Hosp., 5; Maternity Hosp., 3	514
511	509	86,023	23.67	28.41	St. Elizabeth's Hosp., 1; Institution for the Blind, 1	2
635	345	66,538	20.74	25.41	Bellevue Hosp, 271; In Ambulances, 1; Peabody Home for the Aged, 1; Home of the Friendless, 3; Emergency Hospital, 14	290
693	646	111,605	23.15	27.88	Roosevelt Hosp., 43; Old Ladies' Home, 1; N. Y. Infant Asylum, 3	47
167	167	28,338	23.57	28.23		
83	68	13,288	20.47	25.29	House of Rest for Consumptives, 9; Home for Incurables, 7	16
8,423	7,000	1,206,577	23.21	27.92	Total Mortality in Public Institutions	1,423

DEATHS FROM ZYMOTIC DISEASES.

NEW YORK.—Deaths from Small-pox, Measles, Scarlatina, Diphtheria, Croup, Whooping-Cough, Typhoid Fever, Typhus Fever, Malarial Fevers, Puerperal Fever, Diarrhœal Maladies, Cerebro-Spinal Fever, and other Zymotic Diseases. Actual Mortality during the Quarter ending December 31, 1880.

Wards.	Area in Acres.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.	Typhus Fever.	Typhoid Fever.	Malarial Fevers.	Puerperal Fever.	All Diarrhœal Diseases.	Cerebro-Spinal Fever.	Other Zymotic Diseases.	Total Deaths from Zymotic Diseases.
First	154	..	..	3	17	5	..	..	(1) 2	1	..	(2) 5	..	3	(3) 36
Second	81	..	..	..	1	1	..	..	..	..	..	..	..	..	2
Third	95	..	..	..	..	..	..	..	..	..	..	1	..	(1) 2	(1) 3
Fourth	83	..	..	4	7	6	..	..	..	..	..	8	1	(1) 7	(1) 33
Fifth	168	..	..	18	18	6	1	..	1	1	..	5	..	5	55
Sixth	86	1	1	1	(2) 13	12	1	..	1	2	1	4	..	(1) 11	(3) 48
Seventh	198	..	..	16	45	25	..	..	2	4	..	10	..	5	107
Eighth	183	..	2	5	14	22	3	..	3	1	1	16	..	(1) 8	(1) 75
Ninth	322	..	..	17	23	20	1	..	(2) 4	4	..	6	2	(2) 7	(4) 84
Tenth	110	..	2	12	19	21	2	..	4	1	..	13	3	(2) 9	(2) 86
Eleventh	196	..	3	8	69	27	2	..	(3) 7	3	1	(3) 19	4	(6) 6	(12) 149
Twelfth	5,504.13	..	(1) 2	(4) 49	31	(1) 18	3	..	(5) 8	26	1 1	(9) 21	5	(48) 56	(69) 220
Thirteenth	107	..	1	6	8	24	2	..	2	2	..	6	2	1 8	(1) 61
Fourteenth	96	..	..	8	13	17	1	2	1	..	2	8	..	9	61
Fifteenth	198	..	1	2	9	3	1	..	..	..	..	(4) 8	..	(2) 2	(6) 26
Sixteenth	348.77	1	..	7	18	10	..	..	4	3	..	9	1	5	58
Seventeenth	331	..	2	23	56	37	5	..	8	9	..	28	2	13	183
Eighteenth	449.89	..	..	8	36	9	4	..	(4) 7	(1) 5	1	16	2	(4) 13	(10) 101
Nineteenth	1,480.60	(22) 22	..	(4) 58	(7) 91	(4) 50	(11) 21	..	4 11	(1) 13	1	(17) 48	5	(22) 34	(92) 354
Twentieth	444	..	..	34	41	24	7	..	3	(1) 11	..	24	3	7	(1) 154
Twenty-first	411	1	1	20	19	7	..	..	(1) 2	(1) 6	..	(6) 16	(1) 3	(6) 15	151 90
Twenty-second	1,529.42	..	2	36	57	27	1	..	5	16	..	21	2	(2) 16	(2) 183
Twenty-third	4,267.023	..	..	6	40	6	1	..	2	11	..	6	3	..	75
Twenty-fourth	8,050.323	..	..	..	2	2	..	..	1	10	..	1	1	4	21
Totals	24,893.156	(22) 25	(1) 17	(8) 311	(9) 647	(5) 379	(11) 56	2	(20) 78	(4) 129	1 8	(41) 299	(2) 39	99 245	(223) 2,265

Total Deaths from all Causes.	Total Deaths, exclusive of those in Public Institutions.	Total Population (in Wards), Census of 1880.	Annual Death-rate per 1,000 Inhabitants (in Wards), exclusive of Hospitals and other Institutions.	Annual Death-rate, with the Total Number of Deaths in Hospitals and Institutions, referred to the Wards proportionately to their Population.	REMARKS.	TOTAL IN INSTITUTIONS.
120	105	17,939	23.41	27.87	Castle Garden and Emigrant Depot, 7; United States Marine Hospital, 8	15
10	10	1,608	24.88	29.85		
39	17	3,582	18.98	23.45	Twenty-seventh Precinct Station, 3; House of Relief, 160 Chambers street, 19	22
139	137	21,015	26.08	30.64	Fourth Precinct Station, 2	2
143	143	16,134	35.45	39.91		
167	161	2 ,193	31.89	36.45	City Prison, 1; Home of Industry, 5	6
332	331	50,066	26.44	31.00	Seventh Precinct Station, 1	1
254	251	35,880	27.98	32.44	Eighth Precinct Station, 3	3
336	285	54,593	20.88	25.42	St. Vincent's Hospital, 51	51
306	302	47,553	25.43	29.95	Tenth Precinct Station, 4	4
462	402	68,779	23.38	27.92	St. Francis' Hospital, 60	60
662	427	81,802	20.88	25.38	Reception Hosp., Ninety-ninth street, 10; Infants' Hosp., 63; N. Y. City Asy. for the Insane, 37; Colored Orphan Asy., 1; Ward's Island, 33; Randall's Island, 23; Bloomingdale Lunatic Asy., 4; House of Refuge, 1; House of Mercy, 1; House of Good Shepherd, 3; Deaf and Dumb Asy., 2; Sheltering Arms, 1; Homœopathic Hosp., 36	235
245	244	37,797	25.82	30.37	Thirteenth Precinct Station, 1	1
193	192	30,172	25.45	29.96	Fourteenth Precinct Station, 1	1
147	123	31,873	15.44	19.95	Fifteenth Precinct Station, 1; N. Y. Infant Asy., 1; Society for the Care of Infants and Young Children, 22	24
302	292	52,186	22.38	26.90	Samaritan Home for the Aged, 1; St. Joseph's Home for the Aged, 9	10
558	555	104,895	21.16	25.66	House of the Holy Family, 1; Association for Befriending Young Girls, 1; Eye and Ear Infirmary, 1	3
399	336	66,610	20.18	24.68	Home for Respectable Aged and Indigent Females, 1; New York Hospital, 62	63
1,257	745	158,108	18.85	23.35	Presbyterian Home, 17; German Hosp., 12; Mt. Sinai Hosp., 34; Foundling Hosp., 85; Women's Hosp., 8; City Lunatic Asy., 11; Almshouse, 57; Penitentiary, 1; Small-pox Hosp., 25; Charity Hosp., 107; Colored Home Hosp., 33; Nursery and Child's Hosp., 20; St. Luke's Hosp., 55; Workhouse, 11; R. C. Orphan Asy., 6; Baptist Home, 2; Home for the Aged (Little Sisters of the Poor), 16, Hahnemann's Hosp., 2; Maternity Hosp., 7; Nineteenth Precinct Station, 1; St. Joseph's Infirmary, 2	512
532	530	86,023	24.64	29.15	St. Elizabeth's Hospital, 2	2
579	292	60,538	17.55	22.05	Bellevue Hospital, 281; St. Stephen's Home, 2; Emergency Hospital, 4	287
649	606	111,605	21.72	26.23	Roosevelt Hospital, 38; N. Y. Infant Asylum, 4; N. Y. Orphan Asylum, 1	43
165	163	28,338	23.01	27.52	Old Gentlemen's Unsectarian Home, 2	2
72	57	13,288	17.16	21.67	House of Rest for Consumptives, 9; Home for Incurables, 4; Thirty-fourth Precinct Station, 1; St. Joseph's Institution for Deaf and Dumb, 1	15
8,068	6,706	1,206,577	22.23	26.75	Total Mortality in Public Institutions	1,362

DEATHS FROM ZYMOTIC DISEASES.

NEW YORK.—Deaths from Small-pox, Measles, Scarlatina, Diphtheria, Croup, Whooping Cough, Typhus Fever, Yellow Fever, Typhoid Fever, Malarial Fevers, Puerperal Fever, Diarrhœal Maladies, Cerebro-Spinal Fever, and other Zymotic Diseases. Actual Mortality during the Year 1880.

Wards	Area in Acres.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.	Typhus Fever.	Yellow Fever.	Typhoid Fever.	Malarial Fevers.	Puerperal Fever.	All Diarrhœal Diseases.	Cerebro-Spinal Fever.	Other Zymotic Diseases.	Total Deaths from Zymotic Diseases.
First	154	..	(1) 7	(1) 6	28	17	5	(1) 1	..	(6) 8	(2) 11	..	(19) 66	4	(5) 16	(35) 169
Second	81	..	..	..	2	2 (1)	..	..	..	..	..	..	1	..	1 (5)	6 (6)
Third	95	..	2	..	..	1	..	..	..	..	..	..	5	1	9 (2)	18 2)
Fourth	83	..	8	7	40	39	3	..	..	..	6	1	69	6	20	199
Fifth	168	..	5	24	25 (2)	12	4	..	..	2	9	1	55	2	11 (2)	150 (4)
Sixth	86	1	9	4	34	36	4	..	..	4	6	1	62	3	26	190
Seventh	198	..	13	20	86	66	7	..	..	6	15	4	166	2	25 (1)	410 (1)
Eighth	183	..	21	13	36 (1)	44	15	..	..	5 5)	5 (2)	2	148 (6)	1	34 (6)	324 (20)
Ninth	322	..	23	21	42	38	4	..	..	13 (1)	20	2	140	4	23 (2)	330 (3)
Tenth	110	..	13	24	58	69	12	..	..	14 8)	2	2	183 (4	11 2)	24 (12)	412 26)
Eleventh	196	..	15	18	103	69	12	..	..	18	21	3	242	13	31	545
Twelfth	5,504.13	(2) 2	(8 32	(7) 73	(10) 79	(3) 34	7) 22	..	..	(15) 28	5) 67	(2) 2	103) 339	2) 20	208 247	(372) 945
Thirteenth	107	..	13	16	32	49	11	..	..	8	6	2	133	9	(1) 20	(1) 299
Fourteenth	96	..	19	14	40	35	5	2	..	7	5	2	137	2	(1) 28	1) 296
Fifteenth	198	..	12	4	20	12	2	..	..	..	7	..	(4) 54	4	(2 8	(6) 123
Sixteenth	348.77	1	21	20	(1) 37	1) 19	5	..	..	11	13	1	(3) 126	3	(2) 21	(7) 278
Seventeenth	331	..	24	48	127	91	24	..	..	19	22	5	336	12	34	742
Eighteenth	449.89	..	15	38	83	(1) 24	17	..	..	(8) 22	6) 29	(1) 2	(1 184	(2) 7	(8) 51	(27) 472
Nineteenth	1,480.60	(26) 26	(46) 76	(12) 99	(12) 194	(6) 117	(19) 58	..	..	(16 33	(4) 62	8	(152) 594	(1 24	104) 175	(398) 1,466

Total Deaths from all Causes.	Total Deaths, exclusive of those in Public Institutions.	Total Population (in Wards), Census of 1880.	Death-rate per 1,000 Inhabitants (in Wards), exclusive of Hospitals and other Institutions.	Death-rate, with the Total Number of Death in Hospitals and Institutions, distributed to the Wards pro rata to their Population.	Remarks.	Total in Institutions.
560	461	17,939	25.70	30.21	Castle Garden and Emigrant Depot, 51; U. S. Marine Hospital (Bedloe's Island), 46; Lutheran Emigrant Home, 1; Trinity Mission, 1	99
33	33	1,608	20.52	24.88		
156	53	3,582	14.80	19.26	Twenty-seventh Precinct Station, 3; House of Relief, 160 Chambers street, 100	103
620	613	21,015	29.17	33.79	Fourth Precinct Station, 5; St. James' Home, 2	7
460	455	16,134	28.20	32.72	Trinity Infirmary, 50 Varick street, 5	5
610	591	20,193	29.27	33 87	City Prison, 6; Home of Industry, 13	19
1,260	1,258	50,066	25.13	29.70	Seventh Precinct Station, 2	2
1,025	1,022	35,880	28.48	33.03	Eighth Precinct Station, 3	3
1,326	1,126	54,593	20.63	25.20	St. Vincent's Hosp., 194; 9th Precinct Station, 1; Home for Old Men and Aged Couples, 2; Northern Dispensary, 2; St. Luke's Home 1	200
1,218	1,212	47,553	25.49	30.03	Essex Street Prison, 1; Tenth Precinct Station, 5	6
1,750	1,510	68,779	21.95	26.53	St. Francis' Hospital, 240	240
2,744	1,641	81,802	20.06	24.62	Reception Hosp., 99th st., 30; Infants' Hosp., 353; N. Y. City Asy. for the Insane, 156; Colored Orphan Asy., 5; Ward's Island, 194; Randall's Island, 74; Bloomingdale Lunatic Asy., 19; St. Joseph's Asy., 5; House of Refuge, 4; House of Mercy, 1; Idiot Asy., Randall's Island, 4; Union Home and School, 1; House of Good Shepherd, 13; Deaf and Dumb Asy., 2; Homœopathic Hosp., 223; Home for Aged and Infirm Hebrews, 6; Sheltering Arms, 2; Unsectarian Home, 3; St. Luke's Home, 3; N. Y. Juvenile Asy., 3; Deborah Nursery, 1; Convent of Sacred Heart, 1	1,103
980	979	37,797	25.90	30 48	Thirteenth Precinct Station, 1	1
868	862	30,172	28.57	33.14	R. C. Orphan Asy., 1; Fourteenth Precinct Station, 4; House of Mercy, 1	6
494	467	31,873	14.65	19.20	15th Prec. Station, 1; N. Y. Juvenile Asy., 2; Society for Care of Infants and Young Children, 21 University pl., 22; Prot. Half-Orphan Asy., 1; St. Clement's Miss., 1	27
1,082	1,047	52,186	20.06	24.66	Samaritan Home for the Aged, 5; St. Joseph's Home for the Aged, 26; Home for Incurables, 1; Child's Nursery, 1; Shelter of Church of Holy Communion, 1; House of Holy Comforter, 1	35
2,215	2,204	104,895	21.01	25.60	17th Prec. Station, 1; Eye and Ear Infirmary, 7; Office of Charities and Correction, 1; House of Holy Family, 1; Association for Befriending Young Girls, 1	11
1,640	1,407	66,610	21.12	25.70	Home for Respectable Aged and Indigent Females, 2; N. Y. Hosp., 227; N. Y. Infirmary for Women and Children, 2; Reception Hosp., 1; N. Y. Ophthalmic Hosp., 1	233
4,990	2,954	158,108	18.69	23.26	Presbyterian Hosp., 49; German Hosp., 70; Mt. Sinai Hosp., 145; Foundling Hosp., 446; Women's Hosp., 25; City Lunatic Asy., 96; Almshouse, 237; Penitentiary, 7; Small-pox Hosp., 37; Charity Hosp., 383; Colored Home Hosp., 122; Nursery and Child's Hosp., 85; St. Luke's Hosp., 167; Workhouse, 38; R. C. Orphan Asy., 7; Hosp. for Ruptured and Crippled, 5; Baptist Home, 7; Home for the Aged (Little Sisters of the Poor), 54; Chapin Home for the Aged, 5; St. Joseph's Industrial Home, 4; Orphan's Home and Asy. (Prot. Epis.), 49th st. and Lex. ave., 1; Maternity Hosp., 15; 19th Prec. Station, 1; Hahnemann's Hosp., 12; Infirmary of the Sisters of Mercy, 6; St. Joseph's Infirmary, 11; Hebrew Shelter, 1	2,036

DEATHS FROM ZYMOTIC DISEASES *(Continued).*

NEW YORK.—Deaths from Small-pox, Measles, Scarlatina, Diphtheria, Croup, Whooping Cough, Typhus Fever, Yellow Fever, Typhoid Fever, Malarial Fever, Puerperal Fever, Diarrhœal Maladies, Cerebro-Spinal Fever, and other Zymotic Diseases. Actual Mortality during the Year 188[illegible].

Wards.	Area in Acres.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough	Typhus Fever.	Yellow Fever.	Typhoid Fever	Malarial Fevers.	Puerperal Fever	All Diarrhœal Diseases.	Cerebro-Spinal Fever.	Other Zymotic Diseases	Total Deaths from Zymotic Diseases.
Twentieth....	444	..	(2) 50	53	2 92	43	27	..	..	11	(1) 32	2	277	15	(2) 52	(7) 660
Twenty-first...	411	1	1 13	31	52	20	(1) 16	..	1	1 16	3 33	5	(26) 206	8	(40) 70	(96) 470
Twenty-second.	1,529.42	..	67	75	117	63	21	..	..	1 10	44	3	(1) 322	10	(3) 44	5 776
Twenty-third..	4,267.023	..	15	8	58	8	3	..	..	5	26	1	76	3	9	212
Twenty-fourth.	8,050.323	..	..	2	5	2	..	..	..	1	29	..	1) 26	2	(1) 8	2 75
Totals.....	24,893.156	(28) 31	(5[illegible]) 479	20 618	(28) 1,390	(12) 910	(27) 277	1 3	(1) 1	(71) 241	23 470	(8) 49	(320) 3,947	15 170	(107) 927	1,019 9,573

The figures in parenthesis represent the deaths in Institutions

DEATHS OCCURRING EACH WEEK, BY CLASSES.

First Quarter ending March 31, 188[illegible].

Classes	Weeks. 1 Three days ending January 3.	2 Week ending January 10	3 Week ending January 17.	4 Week ending January 24.	5 Week ending January 31.	6 Week ending February 7.	7 Week ending February 14.	8 Week ending February 21	9 Week ending February 28.	10 Week ending March 6.	11 Week ending March 13.	12 Week ending March 20.	13 Eleven days ending March 31	Total each Class.
Zymotic	44	94	105	120	128	105	98	130	120	105	103	95	165	1,412
Constitutional.....	53	124	117	133	131	128	132	125	129	136	143	143	227	1,721
Local.....	105	263	209	210	210	214	242	212	262	256	204	228	347	2,962
Developmental	15	46	26	38	41	39	37	27	35	38	39	42	52	475
Violence	5	24	24	18	19	12	17	25	18	17	11	19	35	244
Total.....	222	551	481	519	529	498	526	519	564	552	500	527	826	6,814

Total Deaths from all Causes.	Total Deaths, exclusive of those in Public Institutions.	Total Population (in Wards), Census of 1880.	Death-rate per 1,000 Inhabitants (in Wards), exclusive of Hospitals and other Institutions.	Death-rate with the Total Number of Deaths in Hospitals and Institutions, distributed to the Wards pro rata to their Population.	Remarks.	Total in Institutions.
2,069	2,040	86,023	23.71	28.31	Home for Aged Poor, 5; St. Elizabeth's Hosp., 9; St. Mary's Hosp., 9; 29th Prec. Station, 2; St. Martha's Rest, 1; St. Vincent de Paul's Orphan Asylum, 1; Refuge of Arkansas Refugees, 2.....	29
2,361	1,261	66,538	18.95	23.51	Bellevue Hospital, 1,057; in Ambulances, 7; Peabody Home for the Aged, 1; St. Stephen's Home, 3; Home of the Friendless, 4; Emergency Hosp., 28.	1,100
2,622	2,427	111,605	21.75	26.32	Roosevelt Hosp., 176; Old Ladies' Home, 5; N. Y. Infant Asylum, 12; N. Y. Orphan Asylum, 1; 22d Precinct Station, 1.....	195
577	575	28,338	20.29	24.84	Old Gentlemen's Unsectarian Home, 2.....	2
277	221	13,288	16.63	21.22	House of Rest for Consumptives, 31; Home for Incurables, 22; 34th Precinct Station, 1; 35th Precinct Station, 1; St. Joseph's Institution for Deaf and Dumb, 1	56
31,937	26,419	1,206,577	21.90	26.47	Total Mortality in Public Institutions.....	5,518

DEATHS OCCURRING EACH WEEK, BY CLASSES—(*Continued*).

Second Quarter ending June 30, 1880.

Classes.	Weeks. 1 Three days ending April 3.	2 Week ending April 10	3 Week ending April 17.	4 Week ending April 24.	5 Week ending May 1.	6 Week ending May 8.	7 Week ending May 15.	8 Week ending May 22.	9 Week ending May 29.	10 Week ending June 5.	11 Week ending June 12.	12 Week ending June 19.	13 Eleven days ending June 30.	Total each Class.
Zymotic.	55	111	115	95	123	117	112	131	158	93	147	271	1,052	2,580
Constitutional	70	110	157	149	97	129	126	112	139	126	114	142	255	1,726
Local.....	98	265	287	274	255	289	243	225	352	200	211	230	455	3,384
Developmental.....	13	43	34	41	31	48	30	45	36	24	36	43	86	510
Violence.....	15	19	29	23	30	32	36	31	29	27	29	34	98	432
Total.....	251	548	622	582	536	615	547	544	714	470	537	720	1,946	8,632

DEATHS OCCURRING EACH WEEK BY CLASSES—*(Continued)*.

THIRD QUARTER ENDING SEPTEMBER 30, 1880.

CLASSES.	WEEKS.													TOTAL EACH CLASS.
	1	2	3	4	5	6	7	8	9	10	11	12	13	
	Three days ending July 3.	Week ending July 10	Week ending July 17.	Week ending July 24.	Week ending July 31.	Week ending August 7.	Week ending August 14.	Week ending August 21.	Week ending August 28.	Week ending September 4.	Week ending September 11.	Week ending September 18.	Twelve days ending September 30.	
Zymotic	236	441	339	276	272	242	230	255	197	184	181	171	291	3,315
Constitutional	62	146	129	135	142	125	153	135	124	111	132	140	217	1,751
Local	98	249	213	169	173	153	202	179	178	184	192	187	346	2,563
Developmental	24	41	34	44	34	36	34	35	25	27	35	39	56	464
Violence	9	39	30	25	20	27	23	19	27	25	28	16	42	330
Total	429	916	745	649	641	623	642	623	551	531	568	553	952	8,423

FOURTH QUARTER ENDING DECEMBER 31, 1880.

CLASSES	WEEKS.													TOTAL EACH CLASS.
	1	2	3	4	5	6	7	8	9	10	11	12	13	
	Two days ending October 2.	Week ending October 9.	Week ending October 16.	Week ending October 23.	Week ending October 30.	Week ending November 6.	Week ending November 13.	Week ending November 20.	Week ending November 27.	Week ending December 4	Week ending December 11.	Week ending December 18.	Thirteen days ending December 31.	
Zymotic	51	166	187	154	159	171	159	168	193	200	180	165	312	2,265
Constitutional	35	141	161	117	118	128	109	137	129	147	137	159	257	1,775
Local	59	222	214	234	216	236	214	241	229	272	253	266	554	3,210
Developmental	11	32	31	36	31	30	38	39	37	49	47	44	80	505
Violence	9	16	23	25	19	36	29	22	26	31	19	19	39	313
Total	165	577	616	566	543	601	549	607	614	699	636	653	1,242	8,068

ABSTRACT OF DEATHS BY CLASSES, IN QUARTERS.

Classes.	First Quarter.	Second Quarter.	Third Quarter.	Fourth Quarter.
Zymotic	1,512	2,580	3,315	2,265
Constitutional	1,721	1,726	1,752	1,775
Local	2,962	3,384	2,563	3,210
Developmental	475	510	464	505
Violence	244	432	330	313

Total Mortality, 31,937.

The following tables of mortality from Phthisis Pulmonalis give the number of annual deaths from this disease since the year 1816, with the percentages on the total mortality.

It will be seen that during the year 1880 there were 4,706 deaths from Phthisis Pulmonalis in this city, being a percentage of 14.73 on the deaths from all causes. As is usually the case, the male mortality was slightly in excess of the female. Of this whole number, 1,047 died in our Hospitals and other Institutions.

The effect of the different seasons on the mortality was not very marked. Thus, in the first quarter there were 1,189 deaths; in the second, 1,110; in the third, 1,141; while in the fourth they rose to 1,266, the most fatal months having been January, March, October and December.

The years between the ages of 20 and 50 will be seen to have been the most fatal ones.

The nativity of the decedents was as follows:

Natives	2,060
Irish	1,469
Germans	646
Other countries	531
Total	4,706

Of this number, 115 were of African descent.

ABSTRACT OF THE RECORD OF DEATHS BY PHTHISIS PULMONALIS IN THE CITY OF NEW YORK,

FOR THE YEAR ENDING DECEMBER 31, 1880.

Showing Nativity, Color, Ages, Sexes, Classes of Occupations, Length of Residence in this City, also the Months and Wards in which these Deaths Occurred; also the Number of said Deaths in various Public Institutions.

NATIVITY—LENGTH OF RESIDENCE IN THIS CITY—COLOR.

Months, 1880	Nativity.												Length of Residence in this City.				Color.		Total.		Total both Sexes.
	Native.			Irish.			German.			Other Countries.											
	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Less than 5 Years.	From 5 to 10 Years.	10 Years and Upwards.	Unknown.	White.	Black.	Male.	Female.	
January	100	84	184	53	60	113	36	21	57	25	23	48	25	24	327	26	396	6	214	188	402
February	86	76	162	61	52	113	24	16	40	37	23	60	24	31	286	34	367	8	208	167	375
March	88	84	172	74	63	137	38	25	63	23	17	40	29	33	316	34	4 4	8	223	189	412
April	84	77	161	55	75	130	31	25	56	25	22	47	16	30	312	36	384	10	195	199	394
May	75	70	145	65	64	129	30	20	50	23	18	41	23	20	298	24	357	8	193	172	365
June	80	85	165	51	44	95	33	22	55	23	13	36	22	26	268	35	335	16	187	164	351
July	84	82	166	54	81	135	28	21	49	14	21	35	22	45	293	25	375	10	180	205	385
August	85	88	173	54	60	114	32	20	52	25	16	41	28	36	287	29	368	12	196	184	380
September	81	82	163	60	62	122	34	18	52	21	18	39	29	21	286	40	371	5	196	180	376
October	95	80	175	66	63	129	33	28	61	23	20	43	27	22	331	28	394	14	217	191	408
November	83	100	183	57	60	117	28	21	49	25	25	50	19	21	327	32	392	7	193	206	399
December	108	103	211	69	66	135	39	23	62	28	23	51	25	28	386	20	448	11	244	215	459
Total	1,049	1,011	2,060	719	750	1,469	386	260	646	292	239	531	289	337	3,717	363	4,591	115	2,446	2,260	4,706

ABSTRACT OF THE RECORD OF DEATHS BY PHTHISIS PULMONALIS IN THE CITY OF NEW YORK,

For the Year ending December 31, 1880—(*Continued*).

AGES OF DECEDENTS.

Months, 1880.	Under 1 Year.		From 1 to 2 Years.		From 2 to 3 Years.		From 3 to 4 Years.		From 4 to 5 Years.		Total under 5 Y'rs.		From 5 to 10 Years.		From 10 to 15 Years.		From 15 to 20 Years.		From 20 to 25 Years.		From 25 to 30 Years.		From 30 to 35 Years.		From 35 to 40 Years.		From 40 to 45 Years.	
	M.	F	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F
January	5	..	1	4	2	2	2	..	1	..	11	6	1	..	4	3	9	15	35	32	27	32	25	25	17	18	26	17
February	1	1	4	1	1	..	..	1	1	..	7	3	3	3	2	8	9	7	30	23	29	30	24	21	28	22	18	18
March	7	1	3	4	4	..	1	1	..	1	15	7	1	5	3	3	8	10	20	24	49	39	27	27	27	22	17	12
April	4	2	2	1	1	1	3	..	1	..	11	4	1	1	2	4	9	11	24	28	29	28	18	26	25	19	19	16
May	4	5	1	3	2	2	2	..	..	..	9	10	2	2	1	5	9	8	19	16	25	25	17	25	31	17	14	21
June	5	5	2	4	2	..	..	1	..	1	9	11	4	2	2	3	12	13	20	31	31	22	22	21	21	16	16	13
July	4	4	1	1	..	1	..	..	..	2	5	8	2	3	1	4	10	13	26	36	24	26	25	20	23	30	12	23
August	4	4	5	1	3	..	..	1	..	..	12	6	3	2	4	1	2	10	28	30	26	25	23	30	26	25	21	21
September	4	2	..	1	..	2	..	..	..	1	4	6	..	..	..	3	13	20	16	23	29	28	34	26	23	21	21	16
October	2	3	2	..	..	..	1	..	1	..	6	3	1	..	..	3	10	13	35	24	32	41	33	23	27	23	26	16
November	5	2	2	..	..	..	1	..	..	..	8	2	1	1	1	1	14	20	24	33	26	30	27	27	21	24	24	18
December	3	1	..	2	..	1	..	1	..	..	3	5	4	2	..	4	15	13	35	33	20	39	40	25	24	21	27	20
Total	48	30	23	22	15	9	10	5	4	5	100	71	23	21	20	42	120	153	312	333	347	365	315	299	293	258	241	211

ABSTRACT OF THE RECORD OF DEATHS BY PHTHISIS PULMONALIS IN THE CITY OF NEW YORK,

For the Year ending December 30, 1880—(*Continued*).

AGES OF DECEDENTS.

Months, 1880.	From 45 to 50 Years.		From 50 to 55 Years.		From 55 to 60 Years.		From 60 to 65 Years.		From 65 to 70 Years.		From 70 to 75 Years.		From 75 to 80 Years.		From 80 to 85 Years.		From 85 to 90 Years.		From 90 to 95 Years.		From 95-100 Years.		Total.		Total both sexes.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
January	15	14	20	7	8	7	6	4	6	5	4	..	..	2	..	1	..	..	..	..	..	..	214	188	402
February	28	13	9	6	10	2	2	5	2	3	4	2	1	..	2	..	..	1	..	..	..	..	208	167	375
March	18	6	13	10	12	8	7	4	2	7	2	4	2	1	..	..	..	..	..	..	..	..	223	189	412
April	12	15	17	14	11	11	9	10	2	6	2	2	2	2	1	..	1	2	..	..	..	..	195	199	394
May	19	10	7	13	6	4	15	6	9	2	5	3	3	3	1	1	1	..	..	1	..	..	193	172	365
June	12	7	10	7	6	7	11	1	4	5	5	2	1	..	1	..	..	..	..	..	..	..	187	164	351
July	13	11	15	14	13	3	4	5	7	4	..	2	..	2	..	1	..	..	..	.	..	..	180	205	385
August	23	12	7	9	10	3	4	3	3	4	3	..	..	1	..	2	1	..	..	..	..	..	196	184	380
September	15	11	12	5	13	15	9	3	2	2	2	1	1	..	1	..	1	..	..	..	..	..	196	180	376
October	16	13	14	8	6	4	8	4	1	9	2	2	..	2	..	1	..	1	..	..	..	1	217	191	408
November	13	10	10	9	5	5	12	3	2	9	2	9	2	3	1	1	..	1	..	..	..	..	193	206	399
December	17	13	14	11	15	8	10	5	13	7	1	3	4	1	2	4	..	1	..	..	..	..	244	215	459
Total	201	135	148	113	115	77	97	53	53	63	32	30	16	17	9	11	4	6	..	1	..	1	2,446	2,260	4,706

TABLE SHOWING THE TOTAL MORTALITY FROM ALL CAUSES, WITH DEATHS BY PHTHISIS PULMONALIS,

And Percentage of Deaths from Phthisis Pulmonalis on Total Mortality from all Causes, in New York City, for each Year from 1816 to 1850, inclusive.

Years.	1816.	1817.	1818.	1819.	1820.	1821.	1822.	1823.	1824.	1825.	1826.	1827.	1828.	1829.	1830.	1831.	1832.	1833.
Total Mortality from all Causes	2,651	2,409	3,106	3,008	[illegible]	[illegible]	3,026	3,221	4,091	4,774	4,771	4,8[illegible]	4,843	4,734	[illegible]	5,091	9,975	5,454
Deaths by Pulmonary Consumption	678	574	591	577	625	715	624	683	736	843	820	829	[illegible]	88[illegible]	974	1,033	1,415	1,251
Percentage of Deaths from Phthisis Pulmonalis on Total Mortality from all Causes each Year.	25.58	23.83	19.03	19.18	18.79	21.23	20.62	21.20	17.99	17.65	17.56	16.95	18.77	18.59	18.74	17.24	14.19	23.[illegible]

Years.	1834.	1835.	1836.	1837.	1838.	1839.	1840.	1841.	1842.	1843.	1844.	1845.	1846.	1847.	1848.	1849.	1850.
Total Mortality from all Causes	8,590	6,6[illegible]	7,5[illegible]3	8,182	[illegible]	[illegible]	7,[illegible]8	8,531	8,475	[illegible]	8,118	10,122	[illegible]	14,[illegible]44	[illegible]	[illegible]	[illegible]
Deaths by Pulmonary Consumption	1,471	1,437	1,514	1,458	1,225	1,318	1,2[illegible]	1,479	1,319	[illegible]	1,438	1,559	[illegible]	[illegible]	[illegible]	[illegible]	1,92[illegible]
Percentage of Deaths from Phthisis Pulmonalis on Total Mortality from all Causes each Year.	17.12	21.75	20.18	17.82	16.26	17.91	16.47	17.23	15.8[illegible]	18.77	17.56	16.39	16.27	12.23	12.55	9.23	12.18

TABLE SHOWING THE TOTAL MORTALITY FROM ALL CAUSES, WITH DEATHS BY PHTHISIS PULMONALIS,

And Percentage of Deaths from Phthisis Pulmonalis on Total Mortality from all Causes, for each Year from 1816 to 1880, inclusive— *Continued.*

Years.	1851.	1852.	1853.	1854.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.
Total Mortality from all Causes	20,738	20,196	21,127	26,953	21,478	20,102	21,775	22,196	21,645	22,710	22,117	21,244	25,196	25,645	24,843	26,815
Deaths by Pulmonary Consumption	2,374	2,487	2,739	3,032	2,635	2,478	2,814	3,046	3,239	3,186	3,025	3,170	3,485	3,615	3,394	3,481
Percentage of Deaths from Phthisis Pulmonalis on Total Mortality from all Causes each Year.	11.44	12.31	12.96	11.29	12.27	12.33	12.92	13.72	14.96	14.03	13.67	14.92	13.83	14.14	13.66	12.98

Years.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	Grand Total.
Total Mortality from all Causes	23,103	24,889	25,167	27,175	26,976	32,647	29,084	28,727	30,709	29,152	26,203	27,008	28,342	31,937	1,010,104
Deaths by Pulmonary Consumption	3,256	3,414	3,364	4,030	4,186	4,274	4,134	4,034	4,172	4,194	4,044	4,466	4,343	4,706	146,218
Percentage of Deaths from Phthisis Pulmonalis on Total Mortality from all Causes each Year.	14.09	13.72	13.37	14.82	15.52	13.09	14.21	14.04	13.59	14.39	15.43	16.54	15.32	14.73	14.47

DEATHS IN

Wards.	Under 1 Year.	From 1 to 2 Years.	From 2 to 3 Years.	From 3 to 4 Years.	From 4 to 5 Years.	From 5 to 10 Years.	From 10 to 15 Years.	From 15 to 20 Years.	From 20 to 25 Years.	From 25 to 30 Years.
First	..	..	..	..	..	..	..	3	7	9
Second	..	..	..	..	..	..	..	..	1	..
Third	..	..	..	..	..	..	1	1	3	..
Fourth	4	..	..	..	1	1	1	7	12	10
Fifth	..	..	2	2	..	..	..	5	9	12
Sixth	2	2	..	..	..	1	2	11	11	12
Seventh	5	2	..	..	..	4	2	19	25	24
Eighth	2	2	2	..	..	..	4	6	29	24
Ninth	2	1	1	..	..	3	5	10	42	36
Tenth	3	4	..	..	2	1	2	5	24	28
Eleventh	3	3	1	1	..	..	5	16	35	52
Twelfth	7	2	..	1	..	5	4	13	59	54
Thirteenth	..	2	2	..	..	1	3	3	17	23
Fourteenth	5	1	..	..	..	2	3	8	16	31
Fifteenth	..	..	1	..	..	2	1	4	10	12
Sixteenth	6	1	..	1	..	1	1	6	18	15
Seventeenth	5	2	..	..	..	3	1	16	39	50
Eighteenth	3	2	..	1	..	..	7	15	26	30
Nineteenth	16	12	7	4	3	9	6	46	97	122
Twentieth	10	2	2	2	3	4	3	21	42	41
Twenty-first	2	2	..	..	..	3	6	27	62	59
Twenty-second	3	4	6	3	..	3	4	21	45	59
Twenty-third	..	1	..	..	..	1	1	6	12	5
Twenty-fourth	..	..	..	..	..	..	..	4	4	4
Total	78	45	24	15	9	44	62	273	645	712

WARDS.

From 30 to 35 Years.	From 35 to 40 Years.	From 40 to 45 Years.	From 45 to 50 Years.	From 50 to 55 Years.	From 55 to 60 Years.	From 60 to 65 Years.	From 65 to 70 Years.	From 70 to 75 Years.	From 75 to 80 Years.	From 80 to 85 Years.	From 85 to 90 Years.	From 90 to 95 Years.	From 95 to 100 Years.	TOTAL.
6	4	4	7	8	5	2	1	..	..	1	..	..	..	57
..	..	..	..	1	..	1	..	1	..	..	..	..	..	4
1	2	1	..	..	..	2	1	..	1	..	..	..	..	13
12	11	8	7	7	4	2	3	..	1	..	..	..	..	91
5	5	6	3	2	1	1	1	..	..	..	..	..	..	54
5	7	13	4	6	1	5	4	1	..	1	1	..	..	89
13	18	21	8	5	9	3	5	1	3	1	..	..	..	168
15	11	15	15	7	7	2	6	..	..	..	..	..	..	147
36	34	19	24	8	5	9	6	5	..	3	1	..	..	250
15	5	21	13	7	11	7	2	2	..	..	1	..	..	153
32	33	28	18	20	12	7	3	1	..	..	..	..	..	270
56	55	35	29	26	12	13	14	4	2	2	1	..	..	394
20	14	14	5	10	4	3	6	2	..	1	..	..	..	130
10	15	10	10	6	8	2	5	..	1	..	..	.	..	133
4	4	3	3	4	4	4	3	2	2	1	..	..	..	63
15	29	7	13	9	8	5	1	3	3	1	1	..	..	144
60	28	41	26	18	14	13	5	4	5	..	1	..	..	331
30	16	18	19	15	8	10	4	2	1	..	..	..	..	207
117	103	60	41	33	34	13	14	20	8	7	4	1	..	777
37	26	23	17	13	8	13	8	4	2	1	..	..	..	282
63	74	49	31	30	18	14	6	3	3	1	..	..	1	454
46	50	37	30	17	14	16	15	5	1	..	..	..	..	379
6	3	5	6	7	5	2	1	2	..	..	..	..	..	63
10	4	14	7	2	..	1	3	..	..	..	..	..	..	53
614	551	452	336	261	192	150	116	62	33	20	10	1	1	4,706

OCCUPATION OF DECEDENTS FROM PHTHISIS PULMONALIS,

During the Year ending December 31, 1890.

Occupation.	No.	Occupation.	No.
Actors	4	Confectioners	4
Authors	3	Contractors	3
Agents	5	Cooks (Male)	13
Architect	1	Cooks (Female)	10
Artists	2	Coopers	6
Bakers	16	Domestics (Female)	139
Bankers	2	Dress-makers	46
Bartenders	42	Drivers and Carmen	66
Barbers	20	Dentists	2
Blacksmiths	18	Druggists	2
Basket-maker	1	Dyers	2
Box-makers	3	Expressmen	3
Boiler-makers	3	Engineers	5
Bookbinders	13	Engravers	3
Brass-moulders	2	Farmers and Gardeners	11
Brokers	7	Fringe-makers	3
Brewers	7	Firemen	10
Builders and Contractors	5	Feather-makers	2
Bricklayers	2	Fish and Oyster men	8
Brush-makers	6	Furrier	1
Butchers	32	Flower-makers	2
Carpenters	60	Glass-blower	1
Carriage-makers	4	Grocers	6
Carvers	2	Groom	1
Caterer	1	Gilders	5
Calkers	3	Hat pressers and makers	8
Chemists	2	House-cleaners	3
Cigar-makers	69	House-keepers	91
Clerks and Salesmen	156	Janitors	6
Clergymen	3	Jewelers	4
Coachmen	10	Japanners	2
Compositors	2	Junkmen	4
Conductors	6	Laborers	310

OCCUPATION OF DECEDENTS FROM PHTHISIS PULMONALIS,

During the Year ending December 31, 1880—(*Continued*).

Occupation.	No.	Occupation.	No.
Lace-makers	3	Rag-picker	1
Laundresses	21	Saddler	1
Lithographers	2	Sail-maker	1
Lawyers	6	Saloon-keepers	12
Letter-carriers	3	Seamen and Sailors	34
Liquor-dealers	10	Seamstresses	83
Longshoremen	19	Shoemakers	37
Mechanics	8	Sisters of Mercy	3
Machinists	14	Soldiers	2
Marble Cutters and Polishers	5	Stablemen	5
Manufacturers	7	Stevedore	1
Masons	10	Stone-cutters	4
Matron	1	Tailors	47
Merchants	30	Tanner	1
Milkman	1	Teachers (Female)	16
Messengers	4	Teachers (Male	8
Moulders	4	Tinsmiths	5
Millers	2	Undertaker	1
Milliners	5	Upholsterers	8
Painters	40	Varnishers	5
Pedlers	15	Veterinary Surgeon	1
Physicians	2	Waiters	26
Piano-makers	3	Washerwomen	5
Plane-maker	1	Whitewasher	2
Plasterers	4	Weavers	8
Plumbers and Gas-fitters	12	Children and no Occupation given	2,784
Policemen and Watchmen	15	Other Occupations	10
Porters	26		
Printers	28	Total	4,706

MORTALITY FROM PHTHISIS PULMONALIS IN PUBLIC INSTITUTIONS OF THE CITY OF NEW YORK,

For the Year ending December 31, 1880.

Public Institutions.	No. of Deaths.	Location by Wards.
United States Marine Hospital	1	1
Bedloe's Island Hospital	1	1
Castle Garden and Emigrant Depot	3	1
Fourth Precinct Station-house	1	4
City Prison	1	6
Home of Industry	5	6
Eighth Precinct Station-house	1	8
St. Vincent's Hospital	63	9
House of the Holy Family	1	11
St. Franciscus' Hospital	65	11
Ward's Island Emigrant Depot and Refuge	31	12
New York City Asylum for the Insane (Ward's Island)	27	12
Randall's Island Nursery Hospital	11	12
Reception Hospital (West Ninety-ninth street)	2	12
Bloomingdale Lunatic Asylum	1	12
House of Refuge	1	12
House of Good Shepherd	11	12
Colored Orphan Asylum	1	12
Infant's Hospital (Ward's Island)	5	12
House of Mercy	2	12
Homœopathic Hospital (Ward's Island)	39	12
Convent of the Sacred Heart	1	14
New York Infants' Asylum	1	15
St. Joseph's Home for the Aged	15	16
New York Hospital	9	18
Lunatic Asylum (Blackwell's Island)	20	19
Almshouse " "	50	19
Penitentiary " "	4	19
Charity Hospital " "	153	19
Workhouse " "	3	19
Foundling Asylum	9	19
Colored Home Hospital	39	19
Nursery and Child's Hospital	2	19
St. Luke's Hospital	54	19
German Hospital	10	19
Roman Catholic Orphan Asylum	3	19
Presbyterian Home	6	19
Mt. Sinai Hospital	16	19
Institution for the Blind	1	20
Bellevue Hospital	302	21
St. Elizabeth's Hospital	3	21
Hahnemann's Hospital	2	22
House of Rest	37	24
Roosevelt Hospital	33	22
Ambulance	1	23
Total	1,047	..

A study of the following tables shows a mortality of 1,024 from Bright's Disease of the Kidneys during the year, or a percentage of 3.21 on the total mortality. Of this number 538 were males and 486 were females. Of native-born there were 360, while Ireland was responsible for 396 deaths and Germany for 139. The period of greatest fatality was between the thirtieth and sixtieth year.

TABLE SHOWING THE DEATHS FROM BRIGHT'S DISEASE,

With its Complicating Causes, during the Year 1880.

Nephria, or Bright's Disease, complicated with—	
Cholera morbus	1
Diarrhœa	7
Dysentery	1
Enteritis	1
Erysipelas	1
" and Enlargement of Heart	1
Scarlatina and Convulsions	1
Intemperance	35
Delirium tremens	1
" and Uræmia	1
Dropsy	15
" and Ascites	1
" and Old Age	2
" and Œdema of Lungs	1
" and Uræmia	4
" of Feet	1
Rheumatism	4
Marasmus	1
Diseases of the Brain and Nervous System.	
Apoplexy	12
Brain, Congestion of	1
" " and Alcoholism	1
" Œdema of	2
" Softening of	3
" " and Valvular Disease of Heart	1

Nephria, or Bright's Disease, complicated with—	
Diseases of the Brain and Nervous System.	
Brain, Softening of, and Pneumonia	1
Convulsions	13
Hemiplegia	1
Insanity	2
Meningitis	1
Paralysis	2
Cerebral Hæmorrhage	2
Epilepsy	1
Meningitis, Cerebral	1
Diseases of the Heart and Circulatory System.	
Endocarditis	1
Heart, Disease of	12
" " and Convulsions	1
" Valvular Disease of	24
" " and Inanition	1
" Valvular Disease of, and Peritonitis	1
" Fatty Degeneration of	1
" Fatty Degeneration of, and Hydropercardium	1
" Fatty Degeneration of, and Syncope	1
" Hypertrophy of	16
" " and Ebrietas	1
" Hypertrophy of and Œdema of Lungs	1
" Enlargement of	6

TABLE SHOWING THE DEATHS FROM BRIGHT'S DISEASE,

WITH ITS COMPLICATING CAUSES, DURING THE YEAR 1886— *Continued*.

	Nephria, or Bright's Disease, complicated with—	
Diseases of the Heart and Circulatory System.	Hydropericardium	2
	Pericarditis	6
	" and Uræmia	1
	" and Œdema of Lungs	1
	" and Mycarditis	1
	Angina Pectoris	1
Diseases of the Lungs and Respiratory System.	Emphysema and Asthma	4
	Emphysema and Asthma and Mitral Disease of the Heart	1
	Emphysema and Asthma and Œdema of Lungs	1
	Bronchitis	9
	" and Pneumonia	1
	Hydrothorax	2
	" and Œdema of Lungs	1
	Lungs, Œdema of	26
	" " and Ebrietas	2
	" Œdema of and Valvular Disease of Heart	1
	Pleuritis	4
	Pneumonia	14
Diseases of the Digestive Organs.	Ascites	1
	Hepatitis and Old Age	1
	Liver, Fatty Degeneration of	4
	" Fatty Degeneration of, and Alcoholism	1
	" Fatty Degeneration of, and Œdema Pulmonum	1
	" Cirrhosis of	5
	" " and Pregnancy	1
	" Cirrhosis of and Valvular Disease of Heart	1

	Nephria, or Bright's Disease, complicated with—	
Diseases of the Digestive Organs.	Liver, Amyloid, and Congestion of Brain	1
	" Atrophy of	1
	" Waxy	1
	Peritonitis	3
Diseases of the Urinary System.	Albuminuria	14
	" and Asthma	2
	" and Amyloid Degeneration of Liver	1
	" and Congestion of Brain	1
	" " " Lungs	1
	" and Convulsions	1
	" and Hydrocephalus	1
	" and Intemperance	3
	" and Uræmia	4
	Nephritis	1
	Cystitis	2
	Suppression of Urine	2
	Uræmia	69
	" and Intemperance	3
	" and Cirrhosis of Liver	1
	" and Chronic Alcoholism	1
	" and Toxhemia	1
	" and Œdema of Lungs	1
	Miscarriage and Abortion	1
	Pregnancy	1
	Debility	1
	Ulcer of Leg	1
	Carbuncle	1
	Bright's Disease, no complicating causes specified	621
	Total	1,024

ABSTRACT OF DEATHS CERTIFIED AS DEPENDENT UPON NEPHRIA OR BRIGHT'S DISEASE OF THE KIDNEYS,

With Complicating Causes, Age, Sex, Condition, and Occupation of Decedents, during the Year ending December 31, 1880.

Nativity.				Colored.		Ages.																							
United States.		Foreign.				Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.
204	156	334	330	10	9	2	..	2	..	1	..	3	..	2	1	10	1	8	7	7	3	10	9	13	19	34	37	40	35

Ages.																														
35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90 to 95		Total by Sexes.		Total
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
51	53	54	54	56	54	56	49	59	37	61	46	38	30	20	27	14	13	6	8	..	4	1	1	538	486	1,024

Sex.			Condition.					Nativity.																				
Male.	Female.	Total.	Single.	Married.	Widowed.	Unknown.	Total.	Austria.	Bohemia.	British America	Denmark.	England.	France.	Germany.	Ireland	Italy.	Norway.	Poland.	Russia.	Scotland.	Sweden.	Switzerland.	Spain.	Wales.	West Indies.	United States.	Unknown.	Total.
538	486	1,024	166	435	136	287	1,024	2	8	6	2	35	8	139	396	13	1	4	2	15	1	4	1	3	1	360	23	1,024

OCCUPATION OF DECEDENTS FROM BRIGHT'S DISEASE,

During the Year ending December 31, 1880.

Occupation.	No.	Occupation.	No.
Actors	2	Jewelers	3
Agent	1	Laborers	64
Artists	3	Laundresses	7
Bakers	6	Lawyers	3
Bar-tenders	5	Letter-carrier	1
Blacksmiths	5	Liquor-dealers	6
Brass-moulder	1	Longshoremen	3
Brewers	2	Marble-cutter	1
Bricklayers	2	Masons	5
Brokers	2	Merchants	18
Butchers	6	Moulder	1
Cabinet-makers	3	Musician	1
Carpenters	14	Nurse	1
Chandelier-makers	3	Painters	11
Cigar-makers	6	Peddlers	5
Clerks and Salesmen	29	Pilots	2
Clergyman	1	Physicians	2
Coachman	1	Piano-makers	1
Confectioners	4	Plumber and Gas-fitter	1
Cooks (Male)	2	Policemen and Watchmen	2
Coopers	4	Porters	7
Dentist	1	Printers	5
Domestics (Female)	54	Sail-makers	2
Dress-makers	3	Saloon-keepers	5
Drivers and Carmen	10	Seamen and Sailors	7
Dyer	1	Seamstresses	3
Engineers	2	Shoe-fitter	1
Farmers and Gardeners	4	Shoemakers	10
Furriers	2	Stevedore	1
Fireman	1	Stone-cutters	3
Fish and Oyster man	1	Tailors	9
Gilder	1	Teachers (Female)	3
Grocers	3	Venders	8
Hat-presser	1	Waiters	8
House-keepers	25	Washer-women	4
Janitors	3	Whitewasher	1

Of the 302 deaths which the medical attendant or the Coroner certified as having been due directly or remotely to Intemperance, 74 were native-born, 137 were from Ireland, and 51 were from Germany.

While in 50 cases the social condition of the decedent was not ascertained, 65 of them were single, 142 were married, and in 45 cases they were either widows or widowers.

The complicating diseases will be seen to have been those usually associated with alcoholic excess, and the brain, the stomach, the liver and the kidneys will be observed to have suffered in about the usual proportions.

The stress of mortality fell, naturally, on middle life, although the ripe age of 70, and even 85, was reached in a few instances.

The avocations of the deceased are also given, when known.

DEATHS DUE DIRECTLY OR REMOTELY TO INTEMPERANCE.

SHOWING THE ORGANIC DISEASES CONNECTED THEREWITH, WITH NATIVITY, AGE, ETC., OF EACH VICTIM, DURING THE YEAR ENDING DECEMBER 31, 1880.

Causes of Death.	Total.	Condition.				Nativity.														
		Single.	Married.	Widowed.	Unknown.	United States.	Ireland.	Germany.	Canada.	Denmark.	England.	France.	Italy.	Scotland.	Switzerland.	West Indies.	Bohemia.	Alsace.	Norway.	Unknown.
Accidents—Falls	2	..	1	1	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..
" " and Valvular Disease of the Heart	1	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
" Jumps	1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
" Poison by an Overdose of Morphine	1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
Apoplexy	2	..	2	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	..
Asthenia	2	..	2	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..
Abscess of Thigh, Gangrene of Feet	1	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..
Age	1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
Bright's Disease	46	8	24	8	6	11	28	5	..	..	1	1	..	..	..	..	..	..	..	..
" and Uræmia	5	1	2	1	1	1	2	2	..	..	..	..	..	..	..	..	..	..	..	..
" and Fatty Liver	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" and Hypertrophy of the Heart	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
Bronchitis	2	..	1	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..
" and Narcotism	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..
Congestion of the Brain	10	3	4	3	..	2	7	1	..	..	..	..	..	..	..	..	..	..	..	..
" Lungs	3	..	1	2	..	1	1	..	..	..	..	..	..	..	1	..	..	..	..	..

DEATHS DUE DIRECTLY OR REMOTELY TO INTEMPERANCE—(*Continued*).

SHOWING THE ORGANIC DISEASES CONNECTED THEREWITH, WITH NATIVITY, AGE, ETC., OF EACH VICTIM, DURING THE YEAR ENDING DECEMBER 31, 1880.

Causes of Death.	Age.																									
	20-25		25-30		30-35		35-40		40-45		45-50		50-55		55-60		60-65		65-70		70-75		75-80		Unknown.	
	M.	F.	M	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Accidents—Falls	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
" " and Valvular Disease of the Heart	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Jumps	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Poison by an Overdose of Morphine	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
Apoplexy	..	..	..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
Asthenia	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
Abscess of Thigh, Gangrene of Feet	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Age	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
Bright's Disease	1	3	2	4	1	2	5	3	3	4	3	3	2	1	2	1	1	..	1	..	2	1	..	1	..	..
" and Uræmia	..	..	1	1	..	..	..	1	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
" and Fatty Liver	..	..	1	..	..	..	..	.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" and Hypertrophy of the Heart	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Bronchitis	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..
" and Narcotism	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Congestion of the Brain	..	..	1	..	..	3	..	1	2	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
" Lungs	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..

DEATHS DUE DIRECTLY OR REMOTELY TO INTEMPERANCE—(*Continued*).

SHOWING THE ORGANIC DISEASES CONNECTED THEREWITH, WITH NATIVITY, AGE, ETC., OF EACH VICTIM, DURING THE YEAR ENDING DECEMBER 31, 18

Causes of Death.	Total.	Condition.				Nativity.														
		Single.	Married.	Widowed.	Unknown.	United States.	Ireland.	Germany.	Canada.	Denmark.	England.	France.	Italy.	Scotland.	Switzerland.	West Indies.	Bohemia	Alsace.	Norway.	Unknown.
Cystitis	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	
Cancer	1	..	1	..	..	..	.	1	..	..	..	..	..	..	..	..	..			..
Convulsions	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	
Delirium Tremens	28	6	16	2	4	6	11	9	..	..	..	1	..	..	1	..	..	..	..	..
" and Encephalitis	2	..	2	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..
" and Pneumonia	3	2	1	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	1
" and Meningitis	2	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1
" and Epistaxis	1	..	1	..	..	..	..	1	..	..	..	..	.	..	..	..	..	..	..	..
" and Congestion of Brain	1	..	..	1	..	..	1	..	..	..	..	..	..	..	..	.		..	.	
" and Phthisis Pulmonalis and Hydrocephalus	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..		
" and Erysipelas	1	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..			
" and Bright's Disease and Œdema of Lungs	1	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	
Diarrhœa	4	1	2	1	..	2	1	1	..	..	..	..	..	..	..	..	..	..		..
" and Diphtheria	1	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	
Enteritis	1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
Gastritis	17	2	7	5	3	4	10	2	..	..	..	..	..	1	..	..	..	..	..	..

DEATHS DUE DIRECTLY OR REMOTELY TO INTEMPERANCE—(*Continued*).

SHOWING THE ORGANIC DISEASES CONNECTED THEREWITH, WITH NATIVITY, AGE, ETC., OF EACH VICTIM, DURING THE YEAR ENDING DECEMBER 31, 1880.

Causes of Death.	Age.																									
	20-25		25-30		30-35		35-40		40-45		45-50		50-55		55-60		60-65		65-70		70-75		75-80		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F
Cystitis	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cancer	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..
Convulsions	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Delirium Tremens	..	1	3	3	5	..	1	..	7	..	4	..	1	..	1	.	1	..	1	..	..	..	..	..	..	..
" and Encephalitis	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" and Pneumonia	1	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" and Meningitis	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" and Epistaxis	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" and Congestion of Brain	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
" and Phthisis Pulmonalis and Hydrocephalus	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..		..	..
" and Erysipelas	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" and Bright's Disease and Œdema of Lungs	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	.	..	..
Diarrhœa	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	1
" and Diphtheria	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Enteritis	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Gastritis	..	1	1	..	2	2	2	1	1	..	1	1	..	1	..	..	2	1	..	1	..	..	..	..	..	..

DEATHS DUE DIRECTLY OR REMOTELY TO INTEMPERANCE—(*Continued*).

SHOWING THE ORGANIC DISEASES CONNECTED THEREWITH, WITH NATIVITY, AGE, ETC., OF EACH VICTIM, DURING THE YEAR ENDING DECEMBER 31, 188

Causes of Death	Total.	Condition.				Nativity.														
		Single.	Married.	Widowed.	Unknown.	United States.	Ireland.	Germany.	Canada.	Denmark.	England.	France.	Italy.	Scotland.	Switzerland.	West Indies.	Bohemia.	Alsace.	Norway.	Unknown.
Gastro-Enteritis	3	1	1	1	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..
Hæmatemesis	1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
Heart Disease	3	1	1	1	..	1	..	..	..	..	..	..	..	1	..	..	..	1	..	..
" Valvular Disease of	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Valvular Disease of, and Fatty Degeneration of Kidney and Liver	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
Intemperance	93	26	32	9	26	23	49	10	1	..	3	..	..	..	..	..	..	..	..	7
" and Concussion of Brain	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
Liver, Cirrhosis of, and Bright's Disease	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..		..
" Fatty Degeneration	2	1	..	..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..
Jaundice	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	.	..	..
Meningitis	6	..	4	2	..	2	3	1	..	..	..	..	..	..	..	..	..	..	..	..
" Fatty Heart and Alcoholism	1	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
" and Cerebro-Meningitis	1	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
" Alcoholic	1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
" Tubercular	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Nephritis	2	1	1	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..

DEATHS DUE DIRECTLY OR REMOTELY TO INTEMPERANCE—(*Continued*).

SHOWING THE ORGANIC DISEASES CONNECTED THEREWITH, WITH NATIVITY, AGE, ETC., OF EACH VICTIM, DURING THE YEAR ENDING DECEMBER 31, 1886.

Causes of Death.	Age.																									
	20-25		25-30		30-35		35-40		40-45		45-50		50-55		55-60		60-65		65-70		70-75		75-80		85	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Gastro-Enteritis	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..
Hæmatemesis	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
Heart Disease	..	..	..	..	1	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Valvular Disease of	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
" Valvular Disease of, and Fatty Degeneration of Kidney and Liver	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Intemperance	2	1	6	6	8	7	9	4	8	4	6	5	13	..	2	2	3	1	3	..	1	1	..	1	..	..
" and Concussion of Brain	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Liver, Cirrhosis of, and Bright's Disease	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Fatty Degeneration	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Jaundice	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Meningitis	..	..	..	1	..	1	..	1	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
" Fatty Heart and Alcoholism	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
" and Cerebro-Meningitis	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Alcoholic	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Tubercular	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Nephritis	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

DEATHS DUE DIRECTLY OR REMOTELY TO INTEMPERANCE—(*Continued*).

SHOWING THE ORGANIC DISEASES CONNECTED THEREWITH, WITH NATIVITY, AGE, ETC., OF EACH VICTIM, DURING THE YEAR ENDING DECEMBER 31, 1880.

Causes of Death.	Total.	Conditions.				Nativity.															
		Single.	Married.	Widowed.	Unknown.	United States.	Ireland.	Germany.	Canada.	Denmark.	England.	France.	Italy.	Scotland.	Switzerland	West Indies.	Bohemia	Alsace.	Norway	Unknown.
Œdema Pulmonum	2	..	2	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..		..
" of Lungs	1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
Phthisis Pulmonalis	8	1	4	2	1	1	3	1	..	1	..	..	..	1	..	..		..	..	1
" " and Diarrhœa	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Pneumonia	16	2	10	2	2	2	3	6	..	1	1	..	1	..	..	1	..	..	..	1
Paralysis	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	
Pleuritis	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	
Pyæmia	1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..		
Rheumatism and Delirium Tremens	1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..			1	
Stomach, Hæmorrhage of	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..		..	
Rupture of an Abscess of the Tonsil	1	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..		..	..	..
Typhoid Fever	1	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	
Uræmia	3	1	2	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..		..
Suicide by Cutting his Throat	1	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
Grand Total	302	65	142	45	50	74	137	51	2	2	6	3	1	4	3	1	4	1	1	12

DEATHS DUE DIRECTLY OR REMOTELY TO INTEMPERANCE—(*Continued*).

SHOWING THE ORGANIC DISEASES CONNECTED THEREWITH, WITH NATIVITY, AGE, ETC., OF EACH VICTIM, DURING THE YEAR ENDING DECEMBER 31, 188

CAUSES OF DEATH.	AGE.																									
	20-25		25-30		30-35		35-40		40-45		45-50		50-55		55-60		60-65		65-70		70-75		75-80		85	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F
Œdema Pulmonum	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
" of Lungs	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	.	..	..	..	..
Phthisis Pulmonalis	..	..	1	..	..	..	..	1	2	1	1	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..
" " and Diarrhœa	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Pneumonia	1	..	..	..	4	..	..	..	3	1	1	..	3	..	1	..	1	1	..	..	..	..	..	..	..	..
Paralysis	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Pleuritis	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
Pyæmia	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rheumatism and Delirium Tremens	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Stomach, Hæmorrhage of	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rupture of an Abscess of the Tonsil	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Typhoid Fever	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Uræmia	..	..	..	..	1	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Suicide by Cutting his Throat	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..
Grand Total	6	9	19	18	26	18	30	17	34	13	23	10	26	5	9	4	11	5	7	2	4	3	..	2	1	

OCCUPATION OF DECEDENTS FROM INTEMPERANCE,

During the Year ending December 31, 1880.

Occupation.	No.	Occupation.	No.
Army Officer	1	Lawyer	1
Bakers	4	Liquor-dealers	5
Barbers	2	Machinists	2
Bar-tenders	5	Manufacturer	1
Boiler-maker	1	Marble-cutter	1
Brass moulder	1	Mason	1
Brewers	2	Merchants	4
Bricklayers	2	Miller	1
Butcher	1	Musicians	2
Butler	1	Painters	3
Carpenters	2	Peddlers	7
Chandelier-maker	1	Plumbers and Gas-fitters	2
Cigar-makers	2	Policemen and Watchmen	1
Clerks and Salesmen	12	Porters	3
Coachmen	2	Printers	4
Contractor	1	Ragpicker	1
Cooks (Male	2	Saloon-keepers	11
Cook (Female)	1	Seamen and Sailors	2
Domestics (Female	13	Sexton	1
Dress-makers	2	Ship-carpenter	1
Drivers and Carmen	6	Shoemakers	9
Farmer and Gardener	1	Tailors	6
Grocers	4	Varnisher	1
Hat-presser	1	Waiters	2
Hotel-keeper	1	Washerwomen	3
House-keepers	15	Whitewasher	1
Janitor	1	Children and no occupation given	114
Junkman	1		
Laborers	23	Total	302
Laundress	1		

The following tables give the deaths from cancer during the last eight years, with the nativity, sex and ages of the deceased. The number of deaths from cancer of the various organs is also specified.

Referring to the year 1880, it will be seen that the mortality was somewhat in excess of that of former years, though not, it is believed, disproportioned to our increasing population.

Year.	Mortality from Cancer.
1873	425
1874	416
1875	416
1876	459
1877	495
1878	570
1879	572
1880	659

Out of these 659 deaths in 1880, there were 172 of native, and 487 of foreign birth, while, as regards sex, 219 were males, and 440 were females.

ABSTRACT OF DEATHS FROM CANCEROUS AFFECTIONS SINCE 1873.

Causes of Death	Natives United States		Natives Foreign		Colored		Under 1 Year		1—		2—		3—		4—		Total Under 5 Years		5—		10—		15—		20—		25		30	
	M	F	M.	F	M	F.	M	F	M	F	M	F	M	F	M.	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1873																														
Cancer of Breast		10	1	9			..								..	..	..	..									1			
" Stomach	11	7	44	22		..				..	..				..	..	..	..	..											
" Liver		4	1	10					..	..	..		..				..											..		
" Uterus	..	30	..	71		..			..		..			..	..	..	..	..										..		
" Ovaries	..	..	..	1		..				..	..	..	..			..	..	..	..	..										..
" other organs	10	5	43	44						..		..	..	..																
Total, 1873		6	1	207			1		..		1				1		1		1		1									
1874.																														
Cancer of Breast	1	13		38		1	1		1		1		1			1			1		..								..	
" Stomach	1		3	37	1																1									
" Liver		1	1						..																					
" Uterus													..	..	..	..					..									
" Ovaries	..	2	..	4		1	..	..	..		..	..	..	..	..	..	..	..			..				..				..	
" other organs	15	18	3	40	..	1	..	..	1		1	..	1	..	..	..	..	..	2		1		2	1	1					
Total, 1874	16	72	88	210	1	2	..	..	1	..	1	..	1						3	..	1	1								

ABSTRACT OF DEATHS FROM CANCEROUS AFFECTIONS SINCE 1873—*(Continued)*.

Causes of Death.	35—		40—		45—		50		55—		60—		65—		70—		75—		80—		85—		90—		95—		100—		Total by Sexes.		Total both Sexes
	M	F.	M.	F.	M.	F.	M	F	M.	F.	M.	F.	M	F.	M.	F.	M	F.	M.	F.	M.	F.	M	F.	M	F.	M	F.	M.	F	
1873																															
Cancer of Breast	..	[illegible]	..	7	..	14	..	[illegible]	..	4	..	6	..	..	1	3	..	..	..	1	..	..	..	..	..	..	..	..	1	53	54
" Stomach	1	6		3	5		1	[illegible]	6	7	5	5	5	6	6	..	1	3	..	1	..	..	..	..	..	..	..	..	55	[illegible]	[illegible]
" Liver	2	1	4	3	3	2	2	6	3	1	2	4	2	3	1	1	1	..	..	..	..	..	..	..	..	..	..	..	20	23	43
" Uterus	..	20	..	16	..	16	..	9	..	15	..	8	..	6	..	5	..	2	..	..	..	..	..	..	..	..	..	..	..	111	111
" Ovaries	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1
" other organs	5	..	4	3	9	5	7	11	9	5	5	7	5	5	1	3	..	4	..	1	..	..	..	..	..	..	..	..	62	56	118
Total, 1873	10	35	13	32	17	42	21	38	18	32	12	30	12	20	9	12	2	9	..	3	..	..	..	..	..	..	..	..	139	287	42[illegible]
1874																															
Cancer of Breast	..	4	..	[illegible]	..	7	..	7	..	7	..	[illegible]	..	1	..	4	..	..	..	..	..	..	..	..	..	..	..	..	[illegible]	50	77
" Stomach	2	4	3	[illegible]	5	3	7	4	7	5	7	7	4	7	4	2	2	1	..	..	..	1	..	..	..	..	..	..	47	42	89
" Liver	..	4	4	4	1	1	5	6	3	5	3	5	3	4	..	3	1	..	..	..	1	..	..	..	..	..	..	..	[illegible]	[illegible]	58
" Uterus	..	17	..	21	..	13	..	9	..	12	..	4	..	4	..			..	..	..	..	..	..	..	..	..	..	..	[illegible]	[illegible]	[illegible]
" Ovaries	..	1	..	2	..	2	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	[illegible]	6
" other organs	1	3	5	2	9	9	6	5	6	4	4	8	6	5	3	4	..	4	1	..	..	..	1		..	..	..		[illegible]	40	11
Total, 1874	3	33	12	37	15	35	18	31	16	33	14	33	13	21	7	14	3	5	1	..	1	1	1	..	..	..	..	..	124	[illegible]	41[illegible]

ABSTRACT OF DEATHS FROM CANCEROUS AFFECTIONS SINCE 1873—*(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored.		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F.	M.	F.	M.	F.	M	F	M.	F.	M.	F.	M	F.	M.	F	M.	F.	M.	F	M.	F.	M	F	M.	F	M	F
1875.																														
Cancer of Breast	..	24	1	31	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
" Stomach	7	12	41	33	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..
" Liver	3	4	19	22	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
" Uterus	..	36	..	63	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8
" Ovaries	..	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
" other organs	18	16	52	31	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	..	1	3	..	1	..	4	2
Total, 1875	28	93	113	182	..	2	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	..	1	3	3	2	6	5	11
1876.																														
Cancer of Breast	..	25	7	50	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Stomach	12	12	46	29	2	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	3	..	..	..
" Liver	6	6	14	17	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1
" Uterus	..	40	..	65	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	..
" Ovaries	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" other organs	20	25	52	34	1	2	..	..	1	1	..	..	..	..	..	1	1	2	..	..	..	1	2	..	2	1	4	..	4	..
Total, 1876	38	110	114	197	3	4	..	..	1	1	..	..	..	..	..	1	1	2	..	..	..	1	2	..	3	5	7	1	..	17

ABSTRACT OF DEATHS FROM CANCEROUS AFFECTIONS SINCE 1873—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100—		Total by Sexes.		Total both Sexes.
	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	
1875.																															
Cancer of Breast	..	7	..	5	..	16	..	2	..	3	1	10	..	5	..	1	..	4	..	..	..	1	..	..	..	..	..	..	1	55	56
" Stomach	3	5	4	3	5	8	9	8	9	9	6	3	2	1	4	5	3	2	1	1	..	..	..	..	..	..	..	..	48	45	93
" Liver	1	3	3	4	4	3	3	7	4	..	5	4	1	2	..	1	1	1	..	..	..	..	..	..	..	..	..	..	22	26	48
" Uterus	..	20	..	13	..	19	..	12	..	9	..	6	..	3	..	4	..	1	..	..	..	..	..	..	..	..	..	..	..	99	99
" Ovaries	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	3
" other organs	1	4	2	2	9	7	9	6	8	6	9	8	5	2	10	4	5	1	..	..	2	..	..	..	..	..	..	..	70	47	117
Total, 1875	5	39	9	27	18	53	21	36	21	28	21	31	8	13	14	15	9	9	1	1	2	1	..	..	..	..	..	..	141	275	416
1876.																															
Cancer of Breast	..	8	..	6	1	13	1	12	..	5	..	14	..	3	..	5	..	5	..	..	..	..	..	..	..	..	..	..	2	75	77
" Stomach	2	..	5	8	9	7	8	4	12	2	10	..	2	6	1	4	3	5	..	1	..	1	..	..	..	..	..	..	58	41	99
" Liver	..	1	2	3	2	4	3	4	4	1	5	..	1	2	..	4	..	..	..	1	..	..	..	..	..	..	..	..	20	23	43
" Uterus	..	11	..	13	..	19	..	19	..	12	..	5	..	6	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..	105	105
" Ovaries	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	4
" other organs	2	4	4	3	7	6	12	9	7	2	9	10	8	7	2	5	5	5	2	1	1	1	..	..	..	..	..	..	72	59	131
Total, 1876	4	25	11	34	19	50	24	48	23	22	24	29	11	24	3	20	8	15	2	3	1	2	..	..	..	..	..	..	152	307	459

ABSTRACT OF DEATHS FROM CANCEROUS AFFECTIONS SINCE 1873—*(Continued).*

Causes of Death.	Nativity: United States.		Nativity: Foreign.		Colored.		Under 1 Year		1—		2—		3—		4—		Total Under 5 Years		5—		10—		15—		20—		25—		30—	
	M.	F.	M.	F	M	F	M.	F.	M.	F.	M.	F.	M	F.	M	F.	M	F	M	F	M	F.	M	F	M	F	M	F.	M	F
1877.																														
Cancer of Breast	..	16	[illegible]	[illegible]	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	4
" Stomach	9	10	32	37	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Liver	5	6	15	25	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
" Uterus	..	29	..	[illegible]	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Ovaries	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" other organs	22	38	67	54	2	2	1	..	..	..	..	..	..	..	..	..	1	..	2	1	..	..	1	..	4	..	2	..	..	4
Total, 1877	36	84	117	251	2	4	1	..	..	..	..	..	..	..	..	..	1	..	2	1	..	..	1	..	4	..	2	..	..	4
1878.																														
Cancer of Breast	..	34	2	[illegible]	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4
" Stomach	9	12	52	50	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Liver	9	6	26	33	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Uterus	..	44	..	75	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Ovaries	..	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
" other organs	20	22	63	51	..	..	2	..	..	..	..	..	..	..	..	..	2	..	..	..	1	..	1	..	..	1	2	2	1	1
Total, 1878	38	123	143	265	1	10	2	..	..	..	..	..	..	..	..	..	2	..	..	1	1	..	1	..	2	..	..	..	7	19

ABSTRACT OF DEATHS FROM CANCEROUS AFFECTIONS SINCE 1873—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100—		Total by Sexes.		Total both Sexes.
	M.	F.	M	F.	M.	F.	M	F.	M.	F.	M.	F	M.	F.	M	F.	M	F	M	F.	M.	F.	M	F	M.	F.	M	F.	M.	F.	
1877.																															
Cancer of Breast	..	3	..	9	1	8	..	13	..	9	..	2	2	3	..	6	..	1	..	1	..	1	..	..	..	..	..	..	3	62	65
" Stomach	4	1	3	4	5	4	6	7	7	7	4	8	6	7	..	5	5	2	..	..	..	..	..	..	..	1	..	..	41	47	88
" Liver	1	2	1	3	5	..	2	2	3	5	4	1	1	2	3	8	..	3	..	..	..	..	..	1	..	..	..	..	20	31	51
" Uterus	..	14	..	21	..	23	..	16	..	12	..	8	..	9	..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	118	118
" Ovaries	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	2
" other organs	10	10	5	8	7	6	12	11	10	12	11	8	10	5	4	3	4	5	..	2	..	1	..	1	..	..	..	..	89	82	171
Total, 1877	15	31	9	45	18	41	20	49	20	45	19	28	19	26	7	24	9	12	..	3	..	2	..	2	..	1	..	..	153	342	495
1878.																															
Cancer of Breast	..	5	1	11	..	17	..	12	1	10	..	9	..	8	..	5	..	3	..	1	..	..	..	..	..	..	..	..	2	87	89
" Stomach	1	6	5	5	4	5	10	7	19	13	9	10	7	5	1	5	..	2	..	1	..	1	..	..	..	..	..	..	61	62	123
" Liver	2	1	3	6	8	5	4	4	6	8	5	5	2	4	1	1	1	2	..	..	..	..	..	..	..	..	..	..	35	39	74
" Uterus	..	12	..	19	..	20	..	25	..	16	..	7	..	6	..	1	..	5	..	..	..	..	..	..	..	..	..	..	..	119	119
" Ovaries	..	1	..	3	..	1	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	8
" other organs	3	3	9	5	9	11	10	5	7	10	12	8	14	12	7	4	2	3	..	4	..	..	..	..	..	..	..	..	84	73	157
Total, 1878	6	28	18	49	21	59	24	53	33	58	26	39	23	36	9	16	3	15	..	6	..	1	..	..	..	..	..	..	182	388	570

ABSTRACT OF DEATHS FROM CANCEROUS AFFECTIONS SINCE 1873 *(Continued)*.

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored.		Under 1 Year.		1—		2—		3—		4—		Total Under 5 Year.		5—		10—		15—		20—		25—		30—	
	M.	F.	M	F.	M	F.	M.	F	M.	F	M.	F.	M.	F.	M	F.	M.	F	M	F	M	F	M	F.	M	F.	M.	F	M	F
1879.																														
Cancer of Breast	..	24	2	49	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Stomach	7	7	62	49	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	1	..	2
" Liver	9	14	31	28	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	1	2	..
" Uterus	..	47	..	89	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
" Ovaries	..	3	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" other organs	25	20	57	47	1	1	..	..	..	..	..	..	2	..	..	..	2	..	1	..	1	1	1	..	..	1	1	1	1	3
Total, 1879	41	115	152	264	2	5	..	..	..	..	..	..	2	..	..	..	2	..	1	..	1	1	1	2	1	3	3	4	5	24
1880.																														
Cancer of Breast	2	28	..	62	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4
" Stomach	14	17	60	53	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	6	..
" Liver	4	10	30	45	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
" Uterus	..	45	..	106	..	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	1
" Ovaries	..	2	..	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
" other organs	26	24	83	44	2	1	..	..	1	1	2	..	1	1	..	..	4	2	2	..	1	..	2	..	2	1	2	2	4	6
Total, 1880	46	126	173	314	2	10	..	..	1	1	2	..	1	1	..	..	4	2	2	..	1	..	2	1	2	3	4	7	12	19

ABSTRACT OF DEATHS FROM CANCEROUS AFFECTIONS SINCE 1873—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100—		Total by Sexes.		Total both Sexes.
	M.	F.	M.	F	M	F	M.	F.	M.	F.	M.	F	M	F	M.	F	M.	F.	M.	F.	M	F	M.	F.	M.	F.	M.	F.	M.	F.	
1879.																															
Cancer of Breast	..	7	1	12	..	12	..	4	1	8	..	4	..	6	..	7	..	5	..	3	..	..	..	..	..	..	..	..	2	73	75
" Stomach	2	2	9	1	9	3	16	14	13	5	6	5	4	8	3	8	4	2	1	4	..	..	..	..	..	..	..	..	69	56	125
" Liver	1	3	5	4	2	6	3	6	11	3	6	5	6	5	1	5	..	1	1	..	1	..	..	..	..	..	..	..	40	42	82
" Uterus	..	19	..	14	..	21	..	27	..	22	..	12	..	4	..	2	..	1	..	2	..	..	..	..	..	..	..	..	..	136	136
" Ovaries	..	1	..	1	..	..	..	1	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	5
" other organs	4	4	7	5	6	7	11	5	8	11	10	3	7	5	10	4	3	8	2	3	1	..	..	..	..	..	..	..	82	67	149
Total, 1879	7	36	22	37	17	49	31	57	33	49	22	29	17	28	14	26	7	17	4	12	2	..	..	..	..	..	..	..	193	379	572
1880.																															
Cancer of Breast	..	7	..	8	..	13	1	23	1	10	..	12	..	6	..	1	..	2	..	2	..	1	..	1	..	..	..	..	2	90	92
" Stomach	4	4	10	9	7	8	11	10	9	10	8	9	10	5	5	8	1	4	1	..	..	1	..	..	..	..	..	..	74	70	144
" Liver	2	4	6	5	4	4	5	6	5	6	4	9	1	9	3	6	1	1	..	..	..	..	1	..	..	..	..	..	34	52	86
" Uterus	..	22	..	21	..	29	..	23	..	17	..	11	..	8	..	5	..	1	..	1	..	1	..	..	..	..	..	..	..	151	151
" Ovaries	..	..	..	2	..	2	..	2	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	9	9
" other organs	2	6	5	5	11	7	15	7	21	10	15	6	8	8	12	3	..	2	2	3	1	..	..	..	..	..	..	..	109	68	177
Total, 1880	8	43	21	50	22	63	32	71	36	53	27	48	19	36	20	24	2	10	3	6	1	3	1	1	..	..	..	..	219	440	659

ABSTRACT OF DEATHS FROM CANCEROUS AFFECTIONS SINCE 1873—*(Continued).*

Causes of Death.	Nativity. United States.		Nativity. Foreign.		Colored.		Under 1 Year		1—		2—		3—		4—		Total Under 5 Years		5—		10—		15—		20—		25		30	
	M.	F	M.	F	M.	F.	M.	F.	M.	F	M	F.	M.	F.	M.	F.	M.	F.	M.	F	M	F	M	F	M	F.	M.	F	M	F
8 Years.																														
Cancer of Breast	3	185	11	366	..	11	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
" Stomach	81	83	372	323	3	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	16	9
" Liver	43	58	171	213	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	2
" Uterus	...	3[illegible]	...	668	..	12	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
" Ovaries	...	15	...	23	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
" other organs	16[illegible]	165	452	335	6	7	3	..	..	2	..	..	1	..	..	..	15	6	..	1	..	..	..	..	..	..	..	17	..	..
Total for the past 8 years	245	812	1,[illegible]	1,8[illegible]	11	37	3	..	..	2	3	..	4	2	..	1	15	6	..	..	4	9	..	..	..	..	2	6	5	1

ABSTRACT OF DEATHS FROM CANCEROUS AFFECTIONS SINCE 1873—*(Continued)*.

Causes of Death.	35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95—		100—		Total by Sexes.		Total both Sexes.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
8 Years.																															
Cancer of Breast	..	47	2	64	2	100	2	81	3	56	1	75	2	32	1	32	..	20	..	3	..	3	..	1	..	..	..	..	14	551	565
" Stomach	21	18	44	35	49	43	79	57	82	58	55	47	40	45	24	37	19	19	3	6	..	4	..	..	..	1	..	..	453	400	853
" Liver	9	19	28	32	29	25	27	41	39	49	34	33	17	31	9	29	5	8	1	1	2	..	1	1	..	..	..	..	214	271	485
" Uterus	..	137	..	138	..	160	..	140	..	115	..	59	..	46	..	22	..	13	..	3	..	1	..	..	..	..	..	..	....	944	944
" Ovaries	..	5	..	9	..	6	..	5	..	2	..	5	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	....	38	38
" other organs	28	34	41	33	67	58	82	59	76	60	75	58	63	49	49	30	19	32	7	14	5	2	1	1	..	..	..	..	621	500	1,121
Total for the past **8** years	58	270	115	311	147	302	190	383	200	320	165	267	122	204	83	151	43	92	11	34	7	10	2	3	..	1	..	..	1,302	2,710	4,012

COURSE OF MORTALITY FROM PREDOMINANT CAUSES OF DEATH,

Day by Day, in the Year 1880, with the Daily Record of Mean Temperature and Mean Barometric Pressure.

Date.	Total Mortality.	Zymotic Diseases.	Diarrhœal Diseases.	Phthisis Pulmonalis.	Diphtheria and Croup.	Scarlatina.	Children under 5 Years of Age.	Mean Temperature.	Maximum Temperature.	Minimum Temperature.	Range of Temperature	Mean Humidity. (Saturation, 100.)	Mean Barometer.
January 1.....	84	11	..	16	6	..	28	36.0	40	31	9	78	30.204
" 2.....	72	12	3	19	4	1	21	42.3	46	36	10	78	29.987
" 3.....	66	21	2	6	3	..	32	37.7	40	37	3	72	30.401
" 4.....	90	11	2	21	1	1	35	45.7	52	37	15	76	30.143
" 5.....	77	2	1	9	..	..	18	43.3	51	39	12	61	30.282
" 6.....	71	16	3	9	2	2	29	41.0	43	39	4	91	30.206
" 7.....	80	12	..	14	3	..	36	42.3	46	38	8	81	30.258
" 8.....	73	17	2	8	8	1	30	[illegible]	43	33	10	92	30.229
" 9.....	83	19	..	14	11	3	35	40.0	42	38	4	77	30.057
" 10.....	77	17	1	7	6	..	35	46.0	52	39	13	81	30.123
" 11.....	79	16	2	13	7	1	27	4[illegible].0	50	32	18	83	30.266
" 12.....	62	15	..	10	..	2	24	4[illegible].7	53	32	21	8	30.074
" 13.....	51	13	1	7	4	1	21	22.6	32	17	15	96	30.218
" 14.....	62	15	1	7	6	..	23	26.0	35	17	18	93	30.362
" 15.....	72	13	3	17	6	..	31	34.3	37	26	11	94	30.149
" 16.....	87	13	..	20	3	2	29	34.3	38	27	11	97	30.120
" 17.....	68	20	1	12	1	3	31	35.0	38	30	8	84	29.995
" 18.....	70	15	1	12	5	3	25	38.0	44	33	11	79	29.739
" 19.....	78	19	2	18	5	2	32	44.3	50	40	10	66	29.778
" 20.....	83	16	2	17	6	..	29	40.0	42	39	3	85	29.548
" 21.....	83	24	3	18	7	1	36	35.3	41	32	9	63	29.829
" 22.....	71	15	..	11	5	2	29	30.3	32	30	22	74	29.703
" 23.....	78	17	.	18	3	1	32	44.3	52	40	12	57	29.580
" 24.....	56	14	..	10	6	1	22	38.3	43	34	9	58	29.965
" 25.....	64	16	3	11	3	2	27	37.6	43	31	12	67	30.034
" 26.....	66	16	1	8	7	1	30	40.3	50	31	19	69	30.099
" 27.....	89	16	2	21	4	..	38	47.7	53	38	15	80	29.884
" 28.....	74	19	2	10	6	1	27	54.6	65	40	25	59	29.837
" 29.....	73	16	1	12	5	1	23	32.7	40	25	15	60	30.399
" 30.....	84	27	3	11	4	2	35	28.0	52	21	31	67	30.318
" 31.....	79	18	1	16	5	..	28	45.0	51	34	17	58	29.760

COURSE OF MORTALITY FROM PREDOMINANT CAUSES OF DEATH,

Day by Day, in the Year 1880, with the Daily Record of Mean Temperature and Mean Barometric Pressure—(*Continued*).

Date.	Total Mortality.	Zymotic Diseases.	Diarrhœal Diseases.	Phthisis Pulmonalis.	Diphtheria and Croup.	Scarlatina.	Children under 5 Years of Age.	Mean Temperature.	Maximum Temperature.	Minimum Temperature.	Range of Temperature.	Mean Humidity. (Saturation, 100.)	Mean Barometer.
February 1....	66	22	1	11	7	2	33	27.7	40	12	28	63	29.874
" 2 ...	58	9	..	15	1	..	15	14.6	24	7	17	64	30.298
" 3....	80	21	3	12	6	1	35	31.3	37	20	17	82	29.234
" 4....	67	11	..	17	7	..	27	30.0	36	26	10	73	29.811
" 5....	79	14	..	14	5	2	34	24.6	30	19	11	63	30.197
" 6....	79	9	1	13	4	.	26	33.3	39	26	13	56	30.144
" 7....	69	19	1	14	6	3	30	32.7	42	25	17	58	30.150
" 8....	69	12	..	12	6	1	28	27.7	36	19	17	70	30.279
" 9....	60	12	..	8	3	2	25	24.6	35	13	22	71	30.139
" 10....	65	11	..	12	3	1	23	22.6	34	8	26	75	30.173
" 11....	77	16	3	7	5	..	31	36.7	43	28	15	61	30.235
" 12....	107	25	1	18	14	2	41	50.6	54	38	16	72	29.736
" 13....	77	14	3	15	3	3	27	50.0	58	47	11	81	29.496
" 14....	71	8	1	11	1	1	27	43.3	51	36	15	65	29.742
" 15....	79	20	2	14	5	1	28	34.0	36	33	3	57	29.911
" 16....	75	14	2	9	2	2	36	46.3	49	33	16	61	30.303
" 17....	71	18	2	14	5	1	33	47.3	55	35	20	63	30.391
" 18....	68	17	1	16	3	1	29	57.7	63	43	20	57	29.945
" 19....	81	21	2	12	9	3	35	31.0	43	23	20	69	30.131
" 20....	71	16	..	10	4	..	23	26.6	34	19	15	51	30.326
" 21....	74	24	2	11	7	1	39	34.0	38	30	8	64	29.692
" 22....	73	10	1	12	3	..	28	39.0	44	33	11	31	29.770
" 23....	78	18	2	21	6	1	28	37.7	45	30	15	66	29.578
" 24....	83	17	1	16	5	1	33	31.6	41	24	17	58	30.004
" 25....	71	18	2	8	5	1	22	41.0	47	30	17	56	29.895
" 26....	82	23	1	11	8	1	38	47.6	52	43	9	74	29.739
" 27....	93	19	3	17	4	..	38	52.0	68	30	38	61	30.016
" 28....	84	15	2	10	8	1	31	50.0	56	44	12	70	29.997
" 29....	77	13	1	15	4	1	32	59.3	69	46	23	51	29.638

COURSE OF MORTALITY FROM PREDOMINANT CAUSES OF DEATH,

DAY BY DAY, IN THE YEAR 1[illegible], WITH THE DAILY RECORD OF MEAN TEMPERATURE AND MEAN BAROMETRIC PRESSURE—(*Continued*)

Date	Total Mortality	Zymotic Diseases	Tubercular Diseases	Phthisis Pulmonalis	Diphtheria and Croup	Scarlatina	Children under 5 years of age	Mean Temperature	Maximum Temperature	Minimum Temperature	Range of Temperature	Mean Humidity (Saturation, 100)	Mean Barometer
March 1.....	91	18	2	14	[illegible]	8	7	40.[illegible]	47	34	12	52	29.949
" 2.....	53	6	..	9	2	1	..	35.5	47	1	14	53	30.232
" 3.....	77	13	2	10	4	1	31	47.7	55	[illegible]	17	55	30.062
" 4.....	93	24	[illegible]	11	5	1	45	[illegible]	[illegible]	31	18	70	29.609
" 5.....	81	17	1	21	7	1	29	[illegible]	72	48	24	72	29.372
" 6.....	[illegible]	14	[illegible]	13	1	..	23	41.[illegible]	[illegible]	[illegible]	11	72	29.971
" 7.....	64	13	1	12	4	..	[illegible]	38.7	42	14	8	91	30.061
" 8.....	8[illegible]	14	1	10	5	..	27	5[illegible]	4[illegible]	2[illegible]	1[illegible]	88	30.024
" [illegible]	[illegible]	13	1	15	1	2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	29.996
" 10.....	88	[illegible]	1	15	5	1	27	[illegible]	4	24	16	[illegible]	29.921
" 11.....	77	18	..	11	1	1	[illegible]	[illegible]	[illegible]	21	8	100	30.128
" 12.....	[illegible]	11	1	20	3	2	31	27.[illegible]	13	22	11	93	30.282
" 13.....	63	14	[illegible]	12	6	1	[illegible]	[illegible]	[illegible]	23	7	100	29.[illegible]7
" 14.....	7[illegible]	16	[illegible]	15	6	1	4	[illegible]	[illegible]	[illegible]	1	93	30.002
" 15.....	[illegible]	13	2	13	5	..	[illegible]	[illegible]	[illegible]	32	7	75	30.105
" 16.....	[illegible]	13	[illegible]	13	5	..	[illegible]	4.0	[illegible]	[illegible]	[illegible]	100	29.740
" 17.....	7[illegible]	18	1	[illegible]	6	3	7	[illegible]	[illegible]	[illegible]	1	[illegible]	29.965
" 18.....	[illegible]	11	..	7	4	..	[illegible]	[illegible]	[illegible]	24	14	71	30.102
" 19.....	7[illegible]	12	1	1[illegible]	4	..	[illegible]	[illegible]	7	[illegible]	5	[illegible]	29.666
" 20.....	74	12	2	16	1	..	24	4[illegible]	17	[illegible]	15	[illegible]	29.776
" 21.....	7[illegible]	[illegible]	1	19	4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	12	[illegible]	30.001
" [illegible].....	7[illegible]	10	[illegible]	11	7	..	31	41.[illegible]	[illegible]	[illegible]	1[illegible]	70	29.818
" [illegible].....	74	[illegible]	1	1[illegible]	5	..	[illegible]	46.3	[illegible]	[illegible]	[illegible]	[illegible]	29.732
" 24.....	74	[illegible]	1	12	4	..	[illegible]	[illegible]	41	1	[illegible]	[illegible]	29.76[illegible]
" 25.....	71	1	[illegible]	1[illegible]	3	..	[illegible]	[illegible]	[illegible]	14	[illegible]	79	[illegible].84
" [illegible].....	7[illegible]	21	4	13	[illegible]	4	27	[illegible]	17	21	20	[illegible]	30.178
" 27.....	71	1	2	[illegible]	[illegible]	..	27	[illegible]	[illegible]	3[illegible]	[illegible]	4	29.653
" [illegible].....	8[illegible]	[illegible]	[illegible]	15	[illegible]	[illegible]	[illegible]	33.7	[illegible]	[illegible]	6	100	[illegible].347
" [illegible].....	66	11	1	9	4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	12	87	29.766
" [illegible].....	78	1[illegible]	1	15	6	1	34	[illegible]	47	[illegible]	12	[illegible]	29.834
" 31.....	6[illegible]	15	1	12	4	..	[illegible]	[illegible]	54	32	22	63	29.798

COURSE OF MORTALITY FROM PREDOMINANT CAUSES OF DEATH,

Day by Day, in the Year 1880, with the Daily Record of Mean Temperature and Mean Barometric Pressure—*Continued*.

Date.	Total Mortality	Zymotic Diseases.	Diarrhœal Diseases.	Phthisis Pulmonalis.	Diphtheria and Croup.	Scarlatina.	Children under 5 Years of age.	Mean Temperature.	Maximum Temperature.	Minimum Temperature.	Range of Temperature.	Mean Humidity (Saturation, 100.)	Mean Barometer.
April 1.....	78	16	1	15	5	..	28	48.3	63	38	25	65	29.924
" 2.....	92	22	4	14	9	1	39	50.0	60	38	22	66	30.184
" 3.....	81	17	2	18	8	2	25	55.6	63	51	12	77	29.933
" 4.....	83	20	4	7	5	3	[illegible]	55.0	63	49	14	83	29.606
" 5.....	75	17	2	12	3	2	30	57.3	64	52	12	72	29.631
" 6.....	64	14	2	18	5	1	29	46.7	54	37	17	83	29.684
" 7.....	85	18	..	11	6	1	38	34.6	38	28	10	78	29.914
" 8.....	74	17	..	9	9	1	32	35.3	43	28	15	63	30.102
" 9.....	79	9	..	[illegible]	2	1	32	42.7	49	31	18	68	29.942
" 10.....	88	16	1	13	3	2	37	49.0	62	39	23	69	29.558
" 11.....	75	8	1	18	2	..	25	35.7	50	29	21	78	29.636
" 12.....	87	21	..	11	5	1	34	35.3	42	26	16	60	29.909
" 13.....	79	20	1	12	7	1	24	53.3	64	36	28	53	29.829
" 14.....	110	24	3	17	7	1	52	[illegible]	80	54	26	57	29.853
" 15.....	102	12	..	15	4	2	41	64.7	77	49	28	69	29.842
" 16.....	92	14	1	12	9	..	41	[illegible]	68	46	22	86	29.784
" 17.....	77	16	3	17	2	5	24	46.	54	43	11	81	29.7[illegible]
" 18.....	[illegible]	8	1	10	5	1	24	[illegible]	60	40	20	69	3[illegible]
" 19.....	[illegible]	15	1	14	3	..	31	[illegible]	52	42	10	81	3[illegible]23
" 20.....	[illegible]	20	3	18	[illegible]	..	37	[illegible]	54	46	8	83	29.[illegible]
" 21.....	88	12	2	18	[illegible]	..	34	[illegible]	[illegible]	40	24	51	30.[illegible]
" 22.....	[illegible]	13	1	14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	46	20	51	[illegible]
" 23.....	[illegible]	17	[illegible]	[illegible]	4	[illegible]	29	[illegible]	[illegible]	43	7	73	[illegible]
" 24.....	[illegible]	10	..	15	[illegible]	..	21	[illegible]	45	40	5	86	[illegible]
" [illegible]	74	17	1	8	4	[illegible]	30	[illegible]	[illegible]	41	15	78	[illegible]
" [illegible]	[illegible]	21	4	[illegible]	3	3	33	[illegible]	[illegible]	45	13	79	29.6[illegible]
" [illegible]	[illegible]	[illegible]	1	6	12	1	37	[illegible]	59	40	10	71	[illegible]
" [illegible]	[illegible]	9	3	16	4	1	32	[illegible]	[illegible]	42	18	56	[illegible]
" [illegible]	[illegible]	16	1	11	3	..	[illegible]	54.0	[illegible]	40	11	70	[illegible]
" [illegible]	[illegible]	21	1	5	4	1	31	52.6	[illegible]	37	22	68	[illegible]

COURSE OF MORTALITY FROM PREDOMINANT CAUSES OF DEATH,

Day by Day, in the Year 1883, with the Daily Record of Mean Temperature and Mean Barometric Pressure—*Continued*.

Date	Total Mortality.	Zymotic Diseases	Diarrhœal Diseases.	Phthisis Pulmonalis.	Diphtheria and Croup.	Scarlatina.	Children under 5 Years of Age.	Mean Temperature.	Maximum Temperature.	Minimum Temperature.	Range of Temperature.	Mean Humidity. (Saturat on 100.)	Mean Barometer
May 1.....	69	11	2	4	2	..	23	45.7	54	35	19	54	30.069
" 2.....	82	19	2	8	7	..	44	58.3	73	49	24	68	29.953
" 3.....	103	20	2	11	4	1	50	59.7	82	56	26	59	30.005
" 4.....	94	14	3	12	2	1	38	61.[illegible]	[illegible]	56	21	66	30.075
" 5.....	79	23	3	12	5	4	40	63.3	71	54	17	67	29.900
" 6.....	78	12	2	12	..	1	31	63.3	84	57	27	61	29.623
" 7.....	83	17	3	16	5	1	32	56.0	63	51	12	64	30.050
" 8.....	81	12	2	14	3	..	27	60.3	68	54	14	61	29.996
" 9.....	81	19	2	13	6	2	30	70.0	85	55	30	59	29.921
" 10.....	80	16	4	11	2	1	31	76.3	85	69	16	52	29.953
" 11.....	91	17	1	14	8	..	39	73.3	80	65	15	60	29.888
" 12.....	80	14	1	10	4	..	30	65.0	71	60	11	47	29.836
" 13.....	82	18	2	17	3	1	37	54.3	60	49	11	65	29.913
" 14.....	75	18	2	13	8	1	25	51.7	56	47	9	68	30.122
" 15.....	58	10	1	9	3	1	25	56.3	64	43	21	54	30.139
" 16.....	84	19	3	12	5	2	42	67.3	78	51	22	67	30.016
" 17.....	94	29	3	15	12	3	36	76.0	86	63	23	49	29.824
" 18.....	63	17	5	8	5	2	29	64.0	73	56	17	73	29.921
" 19.....	69	15	3	6	5	1	28	57.3	62	54	8	90	29.994
" 20.....	82	14	2	15	3	1	32	70.3	[illegible]1	55	26	72	29.934
" 21.....	87	21	3	11	8	4	33	74.3	83	63	20	65	30.001
" 22.....	65	16	3	8	4	2	33	67.7	76	64	12	76	30.048
" 23.....	74	13	1	9	3	1	33	72.3	88	65	15	72	30.056
" 24.....	75	16	7	13	3	..	35	77.7	86	68	18	63	30.024
" 25.....	111	27	8	10	4	3	56	83.6	95	73	12	52	29.947
" 26.....	141	34	9	10	4	4	67	85.3	95	72	23	46	29.903
" 27.....	128	29	12	16	4	4	62	87.0	96	72	24	47	29.801
" 28.....	112	23	9	10	2	3	62	77.3	86	65	21	63	29.796
" 29.....	73	16	5	9	2	..	26	68.0	76	59	17	59	30.047
" 30.....	63	16	6	9	3	1	28	65.3	69	59	10	86	29.878
" 31.....	75	12	4	19	1	1	27	72.7	79	65	14	66	29.926

COURSE OF MORTALITY FROM PREDOMINANT CAUSES OF DEATH,

Day by Day, in the Year 1880, with the Daily Record of Mean Temperature and Mean Barometric Pressure—(*Continued*).

Date.	Total Mortality.	Zymotic Diseases.	Diarrhœal Diseases.	Phthisis Pulmonalis.	Diphtheria and Croup.	Scarlatina.	Children under 5 Years of Age.	Mean Temperature.	Maximum Temperature.	Minimum Temperature.	Range of Temperature.	Mean Humidity. (Saturation 100.)	Mean Barometer.
June 1.....	68	13	4	8	..	..	25	73.3	84	55	29	62	29.906
" 2.....	65	16	3	12	4	3	26	55.3	61	48	13	90	29.945
" 3.....	76	14	4	12	5	..	30	63.3	70	53	17	68	30.041
" 4.....	59	9	5	6	1	1	26	65.3	72	54	18	63	30.131
" 5.....	64	13	5	13	1	1	27	67.6	72	61	11	65	30.124
" 6.....	72	21	8	10	4	2	38	71.7	81	63	18	73	29.866
" 7.....	84	19	8	16	2	1	29	76.6	86	65	21	63	29.759
" 8.....	60	15	9	5	1	3	26	63.6	68	58	10	75	29.992
" 9.....	58	16	8	7	1	..	23	62.7	70	55	15	82	30.077
" 10.....	72	15	7	10	4	..	32	68.0	74	58	14	70	30.077
" 11.....	82	25	15	8	6	1	37	70.7	79	64	15	75	29.901
" 12.....	109	36	21	12	3	2	59	81.6	88	71	17	55	29.658
" 13.....	105	42	33	19	1	1	65	77.4	87	67	20	65	29.525
" 14.....	90	24	10	5	5	2	44	69.0	76	55	21	64	29.632
" 15.....	96	30	17	14	5	1	45	62.7	66	59	5	88	29.738
" 16.....	93	37	25	12	4	..	51	68.3	76	58	18	65	29.889
" 17.....	103	39	28	10	5	1	58	70.0	79	59	20	64	30.013
" 18.....	106	47	38	11	3	1	65	73.0	82	61	21	55	30.131
" 19.....	126	52	41	17	6	..	74	77.0	84	61	23	56	30.123
" 20.....	135	60	53	16	4	..	89	77.3	87	65	22	58	29.950
" 21.....	138	64	53	11	4	1	90	76.3	86	70	16	62	29.748
" 22.....	145	77	62	18	9	..	95	70.0	73	64	9	66	29.763
" 23.....	143	75	59	16	7	1	86	73.0	84	61	23	60	29.832
" 24.....	178	103	80	11	5	3	135	84.0	93	66	27	52	29.789
" 25.....	224	139	123	10	4	..	175	86.0	94	77	17	56	29.783
" 26.....	232	138	122	8	6	2	169	83.7	91	77	14	59	29.810
" 27.....	197	118	102	16	4	..	135	83.3	92	73	19	54	29.863
" 28.....	209	100	91	14	3	1	127	83.7	94	76	18	63	29.698
" 29.....	182	92	79	14	5	..	115	80.0	87	75	12	68	29.768
" 30.....	163	86	77	10	2	2	105	79.6	84	70	14	57	29.846

COURSE OF MORTALITY FROM PREDOMINANT CAUSES OF DEATH,

Day by Day, in the Year 1[illegible], with the Daily Record of Mean Temperature and Mean Barometric Pressure—*Continued*.

Date	Total Mortality.	Zymotic Diseases.	Diarrhœal Diseases.	Phthisis Pulmonalis.	Diphtheria and Croup.	Scarlatina.	Children under 5 Years of Age.	Mean Temperature.	Maximum Temperature.	Minimum Temperature.	Range of Temperature.	Mean Humidity. (Saturation 100.)	Mean Barometer
July [illegible]	150	8[illegible]	73	1[illegible]	4	3	1[illegible]	7[illegible]	[illegible]	67	19	67	29.961
" [illegible]	136	81	[illegible]	14	[illegible]	..	9[illegible]	71.7	81	[illegible]	15	77	29.678
" [illegible]	137	67	54	11		..	94	71.3	78	66	12	67	29.731
" [illegible]	[illegible]	74	[illegible]	9	4	1	85	71.[illegible]	85	63	22	63	29.914
[illegible]	12[illegible]	63	52	14	4	1	71	7[illegible]	82	71	11	71	29.872
" [illegible]	11[illegible]	53	40	12	4	1	[illegible]	77.7	[illegible]	7[illegible]	13	71	29.7[illegible]3
" 7. [illegible]	120	69	57	13	6	1	8[illegible]	78.[illegible]	[illegible]	71	11	61	29.958
" [illegible]	132	53	41	13	3	..	73	74.3	[illegible]	7[illegible]	18	52	29.938
" 9 [illegible]	139	65	55	14	2	2	8[illegible]	[illegible]	91	74	17	61	29.[illegible]5
" 10.....	14[illegible]	64	[illegible]	12	5	..	78	[illegible]	[illegible]	72	18	63	29.767
" 11.....	113	52	42	1[illegible]	3	..	[illegible]	74.7	87	71	16	67	29.855
" 12.....	112	63	43	1[illegible]	5	1	73	7[illegible]	84	69	15	70	29.969
" 13.....	112	49	35	16	[illegible]	1	[illegible]	7[illegible]	87	70	17	68	29.727
" 14.....	109	45	4[illegible]	7	1	1	[illegible]	[illegible]	[illegible]	72	17	64	29.873
" 15.....	111	53	42	10	1	..	[illegible]	7[illegible]	81	7[illegible]	11	76	29.759
" 16.....	104	37	28	15	5	.	54	78.3	87	74	13	77	29.586
" 17.....	84	40	2[illegible]	8	2	..	49	71.[illegible]	81	68	13	78	29.715
" [illegible]	101	51	35	[illegible]	6	1	64	7[illegible].7	81	64	17	74	29.917
" 19.....	96	38	28	11	1	1	53	75.[illegible]	81	65	16	75	29.961
" [illegible]	82	34	24	9	5	1	48	7[illegible].0	75	[illegible]	6	92	29.824
" 21.....	106	43	34	11	4	..	62	7[illegible].3	74	69	5	82	29.959
" 22.....	69	26	19	7	4	..	41	65.7	70	69	1	86	29.970
" 23.....	101	45	33	1[illegible]	7	..	5[illegible]	[illegible]	7[illegible]	[illegible]	12	93	29.999
" 24.....	94	39	27	16	3	..	4[illegible]	71.[illegible]	78	66	12	89	29.989
" 25.....	82	30	20	14	3	..	42	75.3	82	69	13	80	29.956
" 26.....	114	48	30	18	7	1	52	76.7	86	70	16	78	29.835
" 27.....	91	36	23	19	4	..	43	74.6	84	67	17	85	29.888
" 28.....	90	43	32	16	5	..	38	68.7	73	60	13	69	29.944
" 29.....	75	27	19	11	2	..	37	67.3	74	60	14	65	29.870
" 30.....	81	35	19	13	4	2	40	70.3	79	59	20	65	29.918
" 31.....	108	53	35	9	9	2	60	75.0	85	65	20	64	30.033

COURSE OF MORTALITY FROM PREDOMINANT CAUSES OF DEATH,

Day by Day, in the Year 1880, with the Daily Record of Mean Temperature and Mean Barometric Pressure—(*Continued*).

Date.	Total Mortality.	Zymotic Diseases.	Diarrhœal Diseases.	Phthisis Pulmonalis.	Diphtheria and Croup.	Scarlatina.	Children under 5 Years of Age.	Mean Temperature.	Maximum Temperature.	Minimum Temperature.	Range of Temperature.	Mean Humidity. (Saturation = 100).	Mean Barometer.
August 1.....	114	43	28	17	5	1	60	79.0	88	69	19	65	30.015
" 2.....	110	39	31	15	3	..	61	80.0	87	71	16	68	29.839
" 3.....	91	42	32	8	3	2	47	70.3	76	67	9	95	29.873
" 4.....	79	28	21	13	1	..	33	69.3	75	60	9	97	29.923
" 5.....	61	29	18	8	3	1	33	69.0	74	62	12	79	30.039
" 6.....	82	31	19	19	3	2	37	70.3	74	64	10	67	30.068
" 7.....	78	30	21	8	4	1	42	73.6	83	63	20	61	30.007
" 8.....	82	30	15	10	4	1	42	75.0	85	65	20	67	30.045
" 9.....	94	35	24	13	7	..	42	77.3	85	69	16	64	29.869
" 10.....	102	35	27	17	3	1	53	76.7	88	70	18	72	29.788
" 11.....	91	31	22	15	4	1	51	70.6	81	63	18	86	29.855
" 12.....	97	31	13	19	5	1	38	71.3	75	66	9	73	29.931
" 13.....	76	31	21	9	5	1	38	75.0	83	64	19	61	29.884
" 14.....	100	34	22	17	5	..	45	72.7	78	67	11	75	29.700
" 15.....	72	30	20	6	3	..	38	67.3	73	60	13	75	29.890
" 16.....	68	35	19	9	5	1	38	64.3	72	55	17	70	30.240
" 17.....	94	39	22	12	3	2	47	67.7	76	57	19	68	30.274
" 18.....	93	37	19	12	11	..	49	70.0	75	58	17	68	30.144
" 19.....	87	35	20	13	5	3	46	72.3	77	68	9	76	29.881
" 20.....	96	43	26	14	7	3	52	75.6	82	71	12	79	29.632
" 21.....	113	36	19	20	8	..	56	80.0	89	74	15	71	29.624
" 22.....	76	26	15	9	8	..	36	78.7	85	70	15	64	29.806
" 23.....	71	26	18	11	2	..	35	79.3	88	69	19	73	30.025
" 24.....	93	32	23	11	1	1	43	80.3	86	74	12	78	29.997
" 25.....	87	29	19	12	3	..	43	72.0	87	65	22	92	29.932
" 26.....	71	22	13	14	3	..	35	65.0	69	60	9	82	30.124
" 27.....	61	27	13	5	4	2	38	68.3	75	57	18	85	30.097
" 28.....	92	35	21	10	5	2	56	74.3	81	68	13	84	30.015
" 29.....	91	30	20	8	3	..	46	78.0	88	69	19	85	29.941
" 30.....	62	22	14	10	2	..	28	61.7	69	59	10	100	30.044
" 31.....	78	24	10	14	7	1	34	66.3	72	60	12	90	30.071

COURSE OF MORTALITY FROM PREDOMINANT CAUSES OF DEATH,

Day by Day, in the Year 1850 with the Daily Record of Mean Temperature and Mean Barometric Pressure—(*Continued*).

Date.	Total Mortality.	Zymotic Diseases.	Diarrhœal Diseases.	Phthisis Pulmonalis.	Diphtheria and Croup.	Scarlatina.	Children under 5 Years of age.	Mean Temperature.	Maximum Temperature.	Minimum Temperature.	Range of Temperature.	Mean Humidity. (Saturation 100.)	Mean Barometer.
September 1...	79	28	19	11	5	1	40	69.3	76	63	13	86	30.092
" 2...	61	23	15	10	5	1	28	73.3	80	66	14	83	30.054
" 3...	79	29	12	9	10	..	44	75.3	81	70	11	86	29.902
" 4...	81	29	18	11	4	..	45	81.3	89	73	16	76	29.751
" 5...	91	30	18	19	5	..	40	83.0	88	76	12	69	29.810
" 6...	102	36	19	11	7	..	46	80.0	87	75	12	79	29.806
" 7...	82	24	9	9	6	1	36	66.6	77	65	12	91	29.846
" 8...	74	20	11	19	4	2	28	61.0	66	59	7	90	29.912
" 9...	79	30	16	10	8	1	35	58.0	61	55	6	100	29.813
" 10...	76	25	16	16	3	2	35	60.0	67	54	7	87	29.978
" 11...	64	16	6	17	6	1	23	65.3	75	56	19	67	30.144
" 12...	83	29	13	10	6	1	42	68.7	78	58	20	65	30.064
" 13...	74	25	11	15	8	1	33	65.0	75	58	17	82	29.860
" 14...	66	18	11	13	3	1	31	61.0	68	55	13	81	29.773
" 15...	68	16	8	7	1	..	26	68.6	63	53	10	71	29.732
" 16...	76	22	6	10	11	..	40	65.0	72	56	16	55	29.797
" 17...	97	30	18	20	4	1	45	70.3	79	60	19	62	29.882
" 18...	89	31	16	15	6	..	43	77.0	86	68	18	55	29.957
" 19...	105	36	19	14	3	2	48	69.7	75	66	9	71	30.027
" 20...	75	26	9	9	8	..	31	72.0	80	65	15	70	29.925
" 21...	72	23	9	11	4	..	33	68.0	74	60	14	49	29.885
" 22...	64	23	8	8	10	..	29	59.6	67	53	14	60	30.049
" 23...	82	21	10	12	5	..	38	57.7	65	50	15	63	30.183
" 24...	72	24	9	17	7	1	29	62.3	69	50	19	66	30.206
" 25...	70	19	4	13	5	3	27	66.0	73	59	14	69	30.110
" 26...	79	24	10	13	9	1	34	68.7	77	58	19	74	30.010
" 27...	89	18	10	13	4	1	34	72.3	77	68	9	72	29.829
" 28...	89	27	12	10	8	2	48	65.3	72	58	14	78	29.594
" 29...	76	27	7	14	10	..	30	60.0	67	55	12	63	29.745
" 30...	79	23	7	9	7	1	33	53.6	60	51	9	67	30.015

COURSE OF MORTALITY FROM PREDOMINANT CAUSES OF DEATH,

Day by Day, in the Year 1880, with the Daily Record of Mean Temperature and Mean Barometric Pressure—(*Continued*).

Date.	Total Mortality.	Zymotic Diseases.	Diarrhœal Diseases.	Phthisis Pulmonalis.	Diphtheria and Croup.	Scarlatina.	Children under 5 Years of age.	Mean Temperature.	Maximum Temperature.	Minimum Temperature.	Range of Temperature.	Mean Humidity (Saturation 100.)	Mean Barometer.
October 1.....	71	25	9	14	10	1	33	52.0	59	44	15	72	30.236
" 2.....	94	26	9	10	9	..	31	58.3	66	47	19	73	30.169
" 3.....	85	20	7	20	8	1	39	61.0	69	51	18	77	30.083
" 4.....	104	24	8	16	10	..	42	68.3	79	60	19	76	29.903
" 5.....	85	27	7	20	12	..	32	56.3	64	53	11	87	29.852
" 6.....	79	27	8	14	10	2	34	59.0	68	51	17	75	29.821
" 7.....	63	21	7	10	9	..	25	53.3	62	46	16	73	30.038
" 8.....	69	20	6	7	7	5	27	53.3	63	43	20	72	30.188
" 9.....	92	27	6	14	11	1	45	58.7	67	47	20	74	30.179
" 10.....	85	35	7	11	15	1	42	60.3	74	50	24	83	30.145
" 11.....	108	35	9	20	15	3	47	63.0	74	51	23	81	30.101
" 12.....	90	27	8	15	8	..	38	63.7	78	51	27	76	29.918
" 13.....	77	18	4	18	8	2	30	51.6	60	43	17	69	30.140
" 14.....	79	13	8	18	4	..	25	53.3	63	43	20	76	30.078
" 15.....	86	29	8	18	14	1	35	62.0	72	51	21	81	29.845
" 16.....	91	30	5	16	13	2	38	65.7	71	55	16	79	29.741
" 17.....	69	18	5	10	6	3	32	57.0	71	47	24	93	29.718
" 18.....	73	16	4	15	4	3	28	45.0	50	40	10	80	30.078
" 19.....	71	22	5	11	10	1	28	43.0	49	36	13	77	30.185
" 20.....	84	29	3	11	13	4	35	45.6	52	39	13	85	30.188
" 21.....	93	24	9	12	6	2	40	53.3	60	41	19	89	30.154
" 22.....	90	19	6	8	8	3	43	56.7	59	54	5	94	29.762
" 23.....	86	26	6	9	12	2	42	50.6	57	47	10	90	29.487
" 24.....	76	21	3	14	8	1	30	40.3	47	37	10	89	29.877
" 25.....	80	25	7	13	8	..	32	41.0	48	36	12	89	30.013
" 26.....	87	24	7	7	8	4	39	50.3	59	36	23	86	29.776
" 27.....	64	24	4	10	11	1	23	48.9	55	37	18	91	29.933
" 28.....	81	26	3	15	16	4	26	39.3	42	35	7	88	30.159
" 29.....	64	16	2	8	7	2	30	44.7	50	41	9	89	30.110
" 30.....	91	23	3	16	10	2	40	57.0	61	50	11	87	29.705
" 31.....	102	31	1	12	17	3	42	49.7	61	40	21	79	29.465

COURSE OF MORTALITY FROM PREDOMINANT CAUSES OF DEATH,

Day by Day, in the Year [illegible], with the Daily Record of Mean Temperature and Mean Barometric Pressure—*Continued.*

Date.	Total Mortality.	Zymotic Diseases.	Diarrhœal Diseases.	Phthisis Pulmonalis.	Diphtheria and Croup.	Scarlatina.	Children under 5 Years of Age.	Mean Temperature.	Maximum Temperature.	Minimum Temperature.	Range of Temperature.	Mean Humidity. (Saturation in 100.)	Mean Barometer.
November 1...	82	29	3	17	9	1	28	40	53	[illegible]	14	70	29.866
" 2...	71	22	6	[illegible]	10	1	3	44	[illegible]	40	13	74	30.062
" [illegible]...	[illegible]	29	1	[illegible]	14	[illegible]	34	47	[illegible]	37	18	78	30.259
" 4...	[illegible]	22	3	12	10	[illegible]	23	[illegible]	[illegible]	40	12	79	30.252
" [illegible]...	[illegible]	23	1	11	18	4	42	59	[illegible]	57	5	91	30.006
" [illegible]...	[illegible]	24	[illegible]	15	5	[illegible]	27	[illegible]	[illegible]	[illegible]	9	92	29.762
" [illegible]...	[illegible]	21	[illegible]	10	7	[illegible]	[illegible]	45.7	[illegible]	[illegible]	27	68	29.706
" [illegible]...	[illegible]	28	4	11	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	17	73	29.972
" [illegible]...	[illegible]	27	1	14	12	2	[illegible]	[illegible]	[illegible]	15	15	66	30.113
" 10...	[illegible]	19	2	18	[illegible]	[illegible]	24	[illegible]	[illegible]	44	[illegible]	80	30.154
" 11...	[illegible]	[illegible]	1	[illegible]	[illegible]	4	34	[illegible]	[illegible]	[illegible]	[illegible]	79	29.75
" [illegible]...	78	20	[illegible]	7	11	2	[illegible]	49	[illegible]	41	15	73	29.980
" [illegible]...	[illegible]	27	3	7	13	5	[illegible]	[illegible]	42	[illegible]	4	83	30.216
" [illegible]...	[illegible]	[illegible]	5	9	10	[illegible]	27	[illegible]	[illegible]	[illegible]	[illegible]	94	30.064
" 13...	[illegible]	16	1	12	9	..	35	[illegible]	4	31	[illegible]	91	29.747
" 10...	10[illegible]	27	1	16	14	6	27	[illegible]	45	[illegible]	12	84	30.076
" 17...	8[illegible]	24	..	10	13	5	[illegible]	43	[illegible]	3	13	85	30.263
" 18...	[illegible]	25	3	11	13	5	42	[illegible]	47	24	23	97	29.983
" 19...	[illegible]	20	4	11	12	6	35	27.[illegible]	[illegible]	21	10	96	30.186
" 20...	[illegible]	24	1	12	12	5	[illegible]	[illegible]	41	[illegible]	11	97	29.739
" 21...	100	22	1	15	11	2	33	[illegible]	[illegible]	21	9	89	30.149
" 22...	8[illegible]	27	1	9	17	2	[illegible]	26.[illegible]	23	13	10	86	30.459
" 23...	8[illegible]	25	3	16	11	6	35	19.[illegible]	[illegible]	14	11	91	30.457
" 24...	8[illegible]	29	..	13	20	5	33	24.[illegible]	[illegible]	14	16	89	30.489
" 25...	8	28	1	14	16	3	41	27.[illegible]	31	24	7	100	30.175
" 26...	80	33	2	9	19	3	36	19.7	26	16	10	77	30.307
" 27...	93	29	1	15	16	7	44	26.3	32	22	10	81	30.247
" 28...	10[illegible]	35	5	17	16	4	52	28.3	[illegible]	23	8	85	30.039
" 29...	104	34	2	20	16	9	46	36.[illegible]	41	30	11	60	29.858
" 30...	83	24	1	17	13	4	41	30.6	34	29	5	78	30.162

COURSE OF MORTALITY FROM PREDOMINANT CAUSES OF DEATH,

Day by Day, in the Year 1880, with the Daily Record of Mean Temperature and Mean Barometric Pressure—(*Continued*).

Date.	Total Mortality.	Zymotic Diseases.	Diarrhœal Diseases.	Phthisis Pulmonalis.	Diphtheria and Croup.	Scarlatina.	Children under 5 Years of Age.	Mean Temperature.	Maximum Temperature.	Minimum Temperature.	Range of Temperature.	Mean Humidity. (Saturation 100.)	Mean Barometer.
December 1...	96	16	1	15	9	5	38	33.7	38	29	9	100	29.631
" 2...	112	31	4	15	15	0	52	35.0	38	32	6	81	29.831
" 3...	105	27	2	14	12	4	45	34.3	38	31	7	81	30.005
" 4...	94	33	3	14	12	3	36	33.6	38	27	11	75	29.989
" 5...	87	25	3	17	13	..	33	46.0	49	36	13	87	29.595
" 6...	97	35	..	16	18	9	30	38.7	47	28	19	83	29.647
" 7...	90	23	..	16	13	5	38	25.3	28	19	9	92	29.793
" 8...	94	30	2	8	11	8	46	19.6	23	16	7	91	29.882
" 9...	100	27	..	15	10	10	40	17.0	22	13	9	95	30.236
" 10...	76	19	1	11	10	4	30	9.3	16	6	10	100	30.292
" 11...	83	22	2	13	9	5	32	14.7	22	6	16	90	30.125
" 12...	106	26	..	21	12	7	39	32.0	38	20	18	72	30.741
" 13...	105	30	1	18	14	7	42	36.7	40	35	5	87	29.668
" 14...	93	18	1	21	9	1	30	40.0	44	33	11	79	29.664
" 15...	78	26	2	14	8	9	27	37.3	41	37	4	81	29.622
" 16...	94	10	..	16	10	3	33	33.6	37	26	11	87	29.675
" 17...	87	23	..	12	7	6	36	24.3	29	20	9	92	29.747
" 18...	90	25	1	15	14	6	44	24.3	31	19	12	96	29.674
" 19...	84	17	..	16	7	4	32	27.3	34	19	15	89	29.858
" 20...	81	19	..	10	8	5	32	28.3	31	24	7	96	29.892
" 21...	91	19	..	8	11	2	38	31.0	33	28	5	96	29.615
" 22...	94	27	1	16	19	6	44	24.0	32	20	12	93	29.980
" 23...	89	19	2	13	10	4	34	25.6	33	18	15	90	30.129
" 24...	92	30	1	15	10	8	41	26.6	32	23	9	100	30.168
" 25...	118	25	4	18	11	5	40	34.0	35	32	3	100	30.102
" 26...	95	25	2	16	13	5	39	32.6	36	29	6	93	29.712
" 27...	99	27	2	18	10	6	39	31.3	34	29	5	96	29.611
" 28...	93	22	2	11	6	4	38	16.0	32	10	22	100	29.823
" 29...	102	31	4	16	11	6	46	9.3	10	4	6	100	29.677
" 30...	109	23	2	13	8	6	39	3.0	14	6	8	100	29.977
" 31...	95	23	..	18	16	9	36	4.0	10	3	7	100	30.198

The following tables give the details of 152 voluntary deaths, of which 115 were of foreign as usual, on males, of whom there were 120, against 32 females. April, May, June, July, and by glancing at these tables that the choice of the means of self-murder was evidently somewhat mostly employed by men, while women generally preferred poison, which is supposed to be were by poisons of various kinds, among which Paris green predominated, while of the 30 20 deaths from cuts and stabs, and none whatever among the 39 deaths from gunshot wounds.

SUICIDAL DEATHS—MEANS USED, SEX AND NATIVITY,

Nativity.	Various Means Used by Suicide.																	
	Drowning in Rivers.		Leap from Staten Island Ferryboat—Effect of Immersion.		Cut and Stab by Various Sharp Instruments.		Gunshot wounds.		Leaps from Heights.		Hanging (Asphyxia).		Paris Green.		Opium.		Mercury.	
	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.
Austria	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
British America	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
Bohemia	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
Denmark	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
England	1	..	..	..	..	..	2	..	..	..	..	..	1	..	..	..	..	..
France	..	..	..	..	..	..	5	..	..	..	1	..	..	..	..	..	..	..
Germany	5	2	1	..	11	..	10	..	1	..	19	1	4	1	1	..	..	..
Ireland	1	2	..	..	2	1	2	..	2	1	1	1	1	5	..	..	..	..
Italy	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	..
Norway	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
Poland	..	..	..	..	..	..	2	..	..	..	..	..	..	1	..	..	..	..
Scotland	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..
Switzerland	..	..	..	..	..	..	1	..	..	..	..	1	..	1	..	..	..	..
Spain	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
United States of Columbia	..	..	..	..	..	..	..	..	1	..	..	..	..	..	.	..	..	..
United States	2	..	..	..	4	1	10	..	1	1	4	..	1	1	1	2	..	1
Unknown or not stated	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
Total	9	4	1	..	18	2	39	..	6	3	25	3	7	10	2	2	..	1

SCALE

Nativity.				15-20		20-25		25-30		30-35		35-40		40-45	
United States.		Foreign.													
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
29	7	91	25	4	..	11	3	11	6	10	4	17	6	20	4

birth. Germany, as usual, was the heaviest contributor, having had 64 deaths. The stress fell, November were the most fatal months, May taking the lead with 20 deaths. It will be noticed determined by sex. The more violent methods, such as drowning, cutting or firearms, were less painful and to produce a less revolting appearance. Thus, of the 32 deaths of women, 21 deaths by hanging only two were among women. There were but two female deaths among The most fatal ages were between 35 and 50 years.

WITH AGE BY SEXES—DURING THE YEAR 1880.

Various Means Used by Suicide.																								Total by Sexes.		Total both Sexes.
Nitric Acid.		Potash.		Irritant poison.		Chloroform.		Strychnine.		Morphine.		Prussic Acid.		Arsenic.		Hydrate of Chloral.		Oxalic Acid.		Laudanum.		Illuminating Gas.				
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	1	5
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	..	7
..	1	..	..	1	..	..	..	..	..	..	..	1	..	1	1	..	1	1	..	..	..	1	..	57	7	64
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	10	20
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	1	3
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	3
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1
..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..	..	..	..	1	2	..	..	..	27	8	35
.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	.	1	..	2	..	2
..	1	1	..	1	2	1	..	1	..	..	1	2	..	2	1	..	1	1	1	2	..	2	..	120	32	152

OF AGES.

45-50		50-55		55-60		60-65		65-70		70-75		75-80		Total by Sexes.		Total both Sexes.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	
11	2	15	3	5	1	7	1	6	1	1	1	2	..	120	32	152

SUICIDAL DEATHS DURING THE YEAR 1880.

Date.	Ages			Sex	Condition	Nativity	Time of Residence in City	Occupation	Means Used
	Years.	Months.	Days.						
January 6....	65	..	..	Male.....	Married.....	Germany.....	[illegible] year	Insurance Agent.....	[illegible] Island ferry boat, effect of immersion
" 6....	36	..	..	"	Single.....	France.....	.....	Agent.....	Pistol-shot of brain
" 8....	55	9	..	"	Married.....	United States.....	.....	Merchant.....	Laudanum
" 12....	30	..	..	"	Single.....	England.....	6 years.....	Lawyer.....	Pistol-shot of head.
" 12....	63	..	..	"	.....	Germany.....	12 "	.....	Paris green.
" 16...	20	..	..	"	.....	New York.....	Life.....	.....	Pistol-shot of [illegible]
" 18....	20	..	..	Female....	.....	Pennsylvania.....	2 years.....	Corset-maker.....	Opium [illegible] of lung.
" 21....	45	11	15	"	Married.....	New York.....	Life.....	.....	Oxide of mercury.
" 27....	34	..	..	Male.....	Single.....	Switzerland.....	[illegible] months.....	.....	Pistol-shot in right ear
February 1....	50	..	..	Female ...	Married	Ireland.....	[illegible] years.....	Housekeeper....	Paris green
" 2....	54	..	..	Male.....	Single.....	United States.....	.....	Peddler	Hanging
" 10....	20	..	..	"	"	France.....	4 years.....	Clerk.....	Pistol-shot of brain
" 14....	43	..	..	"	"	Germany.....	4 "	Driver.....	Hanging
" 16...	23	..	..	"	.....	United States.....	.....	.....	Cutting his throat with a razor.
" 19....	64	..	..	"	Married.....	Germany.....	3[illegible] years.....	Carpenter.....	Hanging.
" 20....	31	11	11	Female....	"	Bohemia.....	22 "	.....	Paris green.
" 21....	28	..	..	Male.....	Single.....	Germany.....	12 "	Saloon-keeper.....	Pistol shot of brain
March 6....	24	..	..	Female....	"	Poland.....	4 "	Domestic.....	Paris green
" 10....	40	5	..	Male.....	Married.....	Germany.....	[illegible] "	Baker.....	Cutting his throat
" 15 ...	28	..	..	Female....	"	Ireland.....	16 "	Housewife.....	Paris green

"	20....	25	8	16	Male.....	.....	United States.....	.....	.....	Pistol-shot of heart.
"	24....	25	6	..	Female....	Married.....	Germany.....	23 years.....	Housewife.....	Nitric acid
"	25....	38	..	..	Male.....	"	"	13 "	.....	Drowning
"	26....	25	..	..	Female....	"	"	13 "	Housewife.....	Paris green
"	28....	50	..	..	Male.....	.....	"	20 "	Waiter	Hanging.
"	29....	35	..	..	"	Single.....	"	12 "	Varnisher.....	Cutting his throat
April	2....	40	9	..	"	.....	New York.....	Life.....	.....	Pistol shot of head
"	5....	35	..	..	Female. ..	Married.....	"	"	.....	Opium.
"	8 ...	39	..	..	Male.....	Single.....	Pennsylvania	1 day.....	Merchant.....	Pistol-shot of head.
"	9....	46	..	..	"	Married....	Ireland.....	30 years.	Watchman.....	Hanging
"	9...	40	..	..	"	"	United States.....	.....	.....	Opium.
"	11....	74	..	..	"	Widower ...	France.....	45 years.....	Porter.....	Hanging
"	16....	47	6	..	Female....	Married.....	United States.....	.....	Salesman	Morphine.
"	17....	37	..	..	Male.....	"	Germany.....	17 years.....	.....	Hanging.
"	19....	36	.	..	"	"	United States.....	15 "	Restaurant.....	"
"	21....	44	..	..	"	"	"	20 "	.....	Pistol-shot of head
"	23....	41	..	..	"	"	France	21 "	Bookkeeper.....	Strychnine.
"	24....	52	..	..	"	"	Ireland.....	25 "	Driver	Drowning
"	24....	55	..	..	"	Single.....	Germany.....	21 "	Watchmaker.....	Hanging
"	25....	43	..	..	"	"	Ireland.....	38 "	Soldier.....	Pistol-shot of head
"	27...	43	..	..	"	Married.....	Germany.....	14 "	Machinist.....	Hanging.
"	28....	76	..	..	"	"	"	40 "	Butler.....	"
"	29....	42	7	17	"	.....	United States.....	Life.....	Photographer.....	Prussic acid.
"	29....	40	..	..	"	Married.....	Scotland.....	18 years..	Bookkeeper.....	Pistol-shot of head.
May	3....	64	..	.	"	"	Ireland.....	30 "	.....	Chloroform.

SUICIDAL DEATHS DURING THE YEAR 1880—(*Continued*).

Date.	Ages. Years.	Months.	Days.	Sex.	Condition.	Nativity.	Time of Residence in City.	Occupation.	Means Used.
May 4	31	..	..	Female	Married	Germany	8 years		Drowning.
" 4	53	..	..	Male	Widower	"	29 "	Cigar-maker	" in Central Park lake
" 5	47	..	..	"	Married	"	25 "	Laborer	Pistol-shot into mouth.
" 9	35	..	..	"	"	Canada	6 "	Basket-maker	Cutting his throat.
" 9	28	..	..	Female	Single	England	10 "	Dressmaker	Irritant poison.
" 11	45	..	..	Male	"	Germany	7½ "	Liquor Dealer	Drowning.
" 12	29	..	..	Female	Married	Ireland	2 "	Housewife	"
" 14	26	5	..	"		United States			Jump from window
" 14	56	..	..	Male		Germany	20 years		Hanging
" 16	29	..	..	"		Italy		Laborer	Leap from window
" 17	37	..	..	"	Married	Germany	25 years	Clerk	Cutting his throat, delirium tremens
" 19	55	..	..	Female		Ireland	23 "		Hanging.
" 20	65	..	..	Male		Unknown			Illuminating gas.
" 21	36	..	..	"	Married	Germany	11 years	Brewer	Cutting his throat
" 22	50	..	..	Female		"	8 "		Leap into river, effect of immersion, insanity.
" 24	38	..	..	Male	Married	"	9 "	Peddler	Hanging
" 25	45	..	..	"	"	"	18 "	Cigar-maker	"
" 26	51	..	..	"	"	"	30 "	Hat-maker	Prussiate of potassium.
" 31	39	..	..	"	Single	"	14 "	Sailor	Wound of carotid artery with a tailor's shears
June 3	17	9	..	"	"	Pennsylvania		Clerk	Pistol-shot of head

"	5	51	8	..	"	Married	Germany	25 years	Roofer	Hanging.
"	9	78	..	..	"	"	Scotland	41 "	Physician	Cyanide of potassium.
"	9	25	..	..	"		Unknown			Pistol-shot of head, fall into the water.
"	11	34	..	..	"	Single	Germany	6 years	Broker	" of temple.
"	10	50	..	..	"	Married	"	15 "	Hotel-keeper	Cutting his throat with a razor.
"	12	44	..	..	Female	"	Ireland	31 "		Paris green.
"	14	33	..	..	Male	"	Poland	10 "	Tailor	Pistol-shot into mouth.
"	16	53	..	..	"	Single	England	30 "	"	Paris green.
"	16	23	..	..	"	Married	United States		Seaman	Drowning.
"	18	58	..	..	"	"	Ireland	35 years	Longshoreman	Paris green.
"	21	16	..	..	"	Single	New York	Life	Bookkeeper	Pistol-shot of head.
"	22	42	..	..	"	Married	France		Jeweler	"
"	23	28	..	..	"	"	Germany	27 years		"
"	23	69	..	..	"	Widower	"	17 "	Gardener	Leap from window.
"	24	22	..	..	"	Single	"		Gilder	Pistol-shot of head.
"	25	48	10	27	"	Widower	"	10 years	Piano-maker	Drowning.
"	30	50	..	..	"	Married	"	40 "	Tinsmith	Opium.
July	2	61	..	..	Female	"	Ireland	2 months		Cutting her throat.
"	3	27	..	..	Male	"	Germany	10 years	Cigar-packer	Oxalic acid.
"	4	69	..	..	"	"	"	14 "	Cabinetmaker	Arsenic.
"	5	54	..	..	"	"	"	27 "	Teamster	Hanging.
"	5	42	..	..	"	"	England	7 months	Inventor	Drowning.
"	7	60	..	..	"	Widower	Germany	7½ years	Rag-picker	Cutting his throat.
"	8	61	..	..	"	Married	"	30 "	Saloon-keeper	"
"	9	50	..	..	"		Austria	3 weeks		Pistol-shot wound of temple.

SUICIDAL DEATHS DURING THE YEAR 1880—(*Continued*).

Date.	Ages.			Sex.	Condition.	Nativity.	Time of Residence in City.	Occupation.	Method.
	Years.	Months.	Days.						
July 11	43	..	..	Male	Married	Germany	10 years	[illegible]	Self-inflicted wound of [illegible]
" 11	51	..	..	Female	Widow	Ireland	3[illegible] "	Housekeeper	Paris green
" 13	22		..	Male	Single	New York	[illegible]	[illegible]	Hanging
" 14	19	6	..	"	[illegible]	"	[illegible]	[illegible]	[illegible]
" 15	46	..	..	"	[illegible]	Germany	[illegible]	[illegible]	Pistol-shot wound of heart
" 20	36	..	..	"	Widower	New York	Life	Tr[illegible]	Cutting his throat with a [illegible]
" 21	40	..	..	"	Married	Ireland	3[illegible] years	Laborer	Leap from window
" 25	42	11	27	"	"	Germany	[illegible]	[illegible]	Drowning
" 28	30	..	..	"	"	[illegible]	14	Butcher	Cutting [illegible]tery of neck
" 29	52	..	..	"	[illegible]	[illegible]	[illegible]	Fa[illegible]	Hanging
August 3	70	..	..	Female	[illegible]	Italy	[illegible]	[illegible]	Leap from [illegible] at Alms[illegible]
" 5	40	..	..	Male	Married	Ireland	[illegible]	Sweet-meats	[illegible]
" 9	36	..	..	"	[illegible]	Germany	[illegible]	Sa[illegible]her	Hanging
" 9	45	..	..	"	Widower	"	[illegible]	[illegible]	Paris green
" 12	39	..	..	"	[illegible]	United States	[illegible]	[illegible]	Hanging
" 16	36	..	..	"	Single	Germany	[illegible]	Cigar-maker	Pistol-shot wound
" 25	68	..	..	"	[illegible]	"	40 "	[illegible]	[illegible] Steam
" 27	18	..	..	"	Single	"	4 months	Blacksmith	Hanging
" 28	44	5	12	"	Married	"	43 years	Musician	Pistol-shot of temple
September 1	20	..	..	"	[illegible]	United States	3 "	[illegible]	Leap from window

"	1..	41	..	.	Female....	Married	Germany. ..	8 "	Bookkeeper.....	Hydrate of chloral
"	6..	30	..	..	Male.....	.....	Ireland.....	.....	.....	Leap from window
"	9..	42	5	..	Female....	.....	"	28 years.....	.....	
"	10..	35	..	..	"	Married.....	New York.....	Life	.....	Oxalic acid.
"	12..	23	..	..	"	.....	United States.....	.....	.....	Paris green
"	14..	47	..	..	Male.....	Married.....	"	25 years.....	Architect.....	"
"	23..	26	..	..	"	Single.....	Spain	8 "	Cigar-maker.....	Pistol-shot of brain
"	28..	43	..	..	Female....	Married.....	Germany.....	16 "	.....	Arsenic
"	30..	34	..	..	"	"	Switzerland.....	15 "	Housewife.....	Hanging.
October	5...	28	..	..	Male.....	Single.....	New York.....	.....	Clerk	Pistol-shot of head.
"	11....	65	..	..	Female....	Widow.....	Ireland.....	40 years.....	Housekeeper	Drowning.
"	13....	66	..	..	Male.....	Widower....	United States.....	40 "	.....	Cutting his throat.
"	16....	21	..	..	"	Single.....	New York	Life	Conductor.....	" with a razor.
"	21....	39	..	..	Female....	Married.....	Switzerland.....	11 years.....	Lace-worker.....	Paris green
"	11....	28	..	..	Male.....	.....	Germany.....	5 months	Merchant.....	Hanging.
"	25....	33	..	..	"	Single.	New York.....	15 years.....	Truckman.....	Arsenic
"	25....	32	..	..	"	Married.....	"	Life	Bookkeeper.....	Pistol-shot of head
"	31....	48	..	..	"	.....	Poland	2½ years.....	.....	
November	2..	36	..	..	Female ...	Married.....	Ireland.....	30 "	Washing-woman	Paris green.
"	2..	54	..	..	Male.....	"	Germany.....	[illegible] "	Bookkeeper.....	Cutting his throat with a razor.
"	4..	35	..	..	"	Single.....	France	3 "	.....	Pistol-shot of head
"	8..	56	..	..	"	Married.....	Scotland	36 "	.....	" through mouth.
"	8..	50	..	..	"	Widower....	Germany.....	15 "	Cigar-maker.....	" of head.
"	8..	40	..	..	"	Married.....	"	10 "	Laborer	Hanging.
"	9..	31	..	..	Female....	.....	United States	Life	.....	Cutting her throat with a piece of gla

SUICIDAL DEATHS DURING THE YEAR 1885—(*Continued*).

Date.	Ages. Years.	Months.	Days.	Sex.	Condition.	Nativity.	Time of Residence in City.	Occupation.	Means Used.
November 9...	40	..	..	Male.....	Married.....	Germany.....	7 years.....	Waiter	Paris green.
" 12...	64	..	..	"	"	"	30 years.....	Farmer.....	"
" 13...	23	9	..	"	Single.	Denmark.....	5 "	Baker.....	Pistol-shot of head.
" 16...	50	..	..	"	Married.....	Germany.....	.....	Shoemaker.....	Hanging.
" 18...	20	9	16	"	Single.....	"	2 years.... ...	Confectioner.	Illuminating gas
" 18...	32	..	..	"	"	Norway.....	16 "	Lawyer.....	Pistol-shot of head.
" 24...	50	..	..	"	Married.....	England.....	4 "	Merchant.....	"
" 28...	35	..	..	Female....	Widow.....	Italy	3 "	Governess.....	Irritant poison.
" 30...	31	..	..	Male.....	Single.....	United States.....	Life.....	Telephone reporter ..	Drowning.
December 5...	27	..	..	"	Married.....	New York.....	"	Policeman.....	Laudanum.
" 10...	26	..	..	"	"	Germany.....	16 months.....	Barber	Irritant poison.
" 12...	35	..	..	"	Single.....	U. S. of Columbia....	24 years.....	Physician.....	Leap from window
" 14...	43	..	..	"	Married.....	Ireland.....	25 "	Butcher	Cutting his throat with a razor.
" 20...	45	..	..	"	"	Germany.....	.....	Carpenter	Hanging.
" 21...	45	3	27	Female....	"	"	15 years.....	.....	Paris green.
" 25...	63	..	..	Male.....	"	Ireland.....	28 "	Laborer	Cutting his throat while intoxicated.
" 27...	36	..	..	"	Single.....	France	20 "	Salesman	Pistol-shot of head.

Males, 120; Females, 34

MEANS USED BY SUICIDE.

Cutting	20	Leap from height	9
Drowning	14	Poisons (various)	40
Gunshot	39		
Hanging	28	Total	152
Illuminating gas	2		

NATIVITY OF SUICIDE.

Austria	1	Poland	3
British America	1	Scotland	3
Bohemia	1	Switzerland	3
Denmark	1	Spain	1
England	5	United States	35
France	7	United States of Columbia	1
Germany	64	Not stated or unknown	2
Ireland	20		
Italy	3	Total	152
Norway	1		

OCCUPATION OF SUICIDE.

Agents	2
Architect	1
Bakers	2
Barber	1
Bartenders and Saloon-keepers	4
Basket-maker	1
Brewers	3
Broker	1
Butchers	2
Butler	1
Cartmen (including Drivers, etc.)	5
Carpenters (Cabinet and Piano-makers)	4
Cigar-makers	5
Cigar-packer	1
Clerks, Bookkeepers, Salesmen, etc	12
Conductor	1
Confectioner	1
Corset-maker	1
Domestic	1
Dressmaker	1
Farmers	2
Gilders and Silver-platers	2
Governess	1
Hatter	1
Housewives	8
Inventor	1
Jeweler	1
Longshoreman	7
Laborers	5
Lace-worker	1
Lawyers	2
Machinists, Blacksmiths and Tinsmiths	4
Merchants	4
Musician	1
Peddlers	2
Physicians	2
Photographer	1
Policemen and Watchmen	1
Porter	1
Restaurateur	1
Rag-picker	1
Seamen	1
Shoemaker	1
Soldier	1
Telephone reporter	1
Tailors	1
Teacher (Male)	1
Varnisher	1
Waiters	1
Washerwoman	1
Occupation not given	44
Total	1[illegible]

SURGICAL OPERATIONS, PRIMARY AND SECONDARY CAUSES,

For the Year ending December 31, 1880.

Primary and Secondary Causes.	Duration.	No. of Cases.
Amputation of arm, caught in machinery	.....	1
" of arm, lues, pyæmia	.....	1
" of forearm, wound of thumb by a splinter, gangrene, erysipelas	.....	1
" for cancer of breast—metastatic tumor of pleura and lungs	.....	1
" for cancer of breast, January, 1880	.....	1
" for cancer of breast, December 31, 1878	3 years.	1
" for cancer of breast	18 months.	1
" for cancer of breast	.....	1
" for cancer of breast, erysipelas	.....	1
" at knee joint	13 days.	1
" at knee joint for fracture of knee	.....	1
" of leg, run over by a wagon	2 days.	1
" of leg at knee for erysipelas of foot leading to gangrene	.....	1
" of leg, fall from roof	24 hours.	1
" of leg, fall from window	4 days.	1
" of leg for syphilitic ulcer of leg	.....	1
" at thigh, diffused aneurism of anterior tibial artery, septicæmia	20 days.	1
" for osteo-myelitis of femur	.....	1
" for fracture of fibula and tibia, run over by a Second avenue railroad car	.....	1
" of foot, cancer of foot, softening of brain	4 weeks.	1
" of foot, run over by a Third avenue horse railroad car	.....	1
" of foot, crushed by a wheel, delirium tremens	3 days.	1
Circumcision, erysipelas of penis and scrotum and abdomen	4 days.	1
" erysipelas	12 days.	1
" erysipelas	7 days.	1
" erysipelas	7 days.	1
Colotomy for obstruction of rectum, dysentery	8 months	1
Extirpation of both ovaries for epilepsy, cholerine	1 day.	1
" of kidney, calculus, pyelo-nephritis	3 days.	1
" of inguinal gland, cheesy degeneration, gangrene, perforation of femoral vein, hæmorrhage	5 weeks.	1
External perineal urethrotomy for extravasation of urine, suppuration	.....	1
" urethrotomy for stricture of urethra, pleurisy, hemiplegia	3 months.	1
Excision of cancer of rectum, sigmoid flexure	3 years.	1
" of epithelioma of upper jaw	.....	1
Gastrotomy for cancer of œsophagus	.....	1
Herniotomy for strangulated inguinal hernia	1 day.	1

SURGICAL OPERATIONS, PRIMARY AND SECONDARY CAUSES,

For the Year ending December 31, 188 — *Continued*.

Primary and Secondary Causes.	Duration.	No. of Cases.
Herniotomy for strangulated inguinal hernia, peritonitis	4 days.	1
" for strangulated inguinal hernia, entero-peritonitis	7 days.	1
" for strangulated inguinal hernia, formation of artificial anus	.....	1
" for incarcerated femoral hernia	5 days.	1
Laparotomy for relief of intestinal strangulation, uræmia, œdema pulmonum right femoral hernia	.....	1
Ligature of internal hæmorrhoids, pyæmia	19 days.	1
Ligation of femoral artery, wound of artery by a pen-knife	.....	1
" for scrotal hernia, drainage of sack, congestion of lungs	4 years.	1
Laparatomy, anterior retro-peritoneal, strangulated hernia, congestion of kidneys	12 hours.	1
" for peritoneal adhesion, previously operated by segar battery, peritonitis	1 day.	1
Lithotomy for stone in bladder	.....	1
" for stone in bladder, cystitis	.....	1
Ovariotomy for ovarian tumor, peritonitis	.....	1
" for ovarian tumor	.....	1
" for ovarian tumor, hæmorrhage	1 day.	1
" for ovarian tumor	1 day.	1
" for ovarian tumor	1 year.	1
" for ovarian tumor, peritonitis	.....	1
" for ovarian tumor	10 months.	1
" for ovarian degeneration	.....	1
" for ovarian cyst	.....	1
" for ovarian cyst	2 years.	1
" for ovarian cyst septicæmia	2 years.	1
" for ovarian cyst	.....	1
" for ovarian cyst, peritonitis	.....	1
" for ovarian cyst	.....	1
" for ovarian cyst	6 months.	1
" for ovarites	6 months.	1
" for neuralgic dysmenorrhœa; one ovary contained a cyst the size of a hen's egg	.....	1
" for demoid cyst of the ovary, septicæmia	.....	1
" by abdominal section, peritonitis, insanity, catalepsy	4 days.	1
" for cystic tumor of ovary	36 hours.	1
" for cystic degeneration of both ovaries, hæmorrhage, septicæmia	2 days.	1
" for cysto-sarcoma of ovary, hæmorrhage	.....	1
Operation for strangulated inguinal hernia	1½ days.	1
" for strangulated inguinal hernia, peritonitis	.....	1
" for strangulated inguinal hernia, peritonitis	6 days.	1

SURGICAL OPERATIONS, PRIMARY AND SECONDARY CAUSES,

For the Year ending December 31, 1880—(*Continued*).

Primary and Secondary Causes.	Duration.	No. of Cases.
Operation for strangulated inguinal hernia, suppression of urine	6 days.	1
" for strangulated inguinal hernia, pneumonia	8 days	1
" for strangulated inguinal hernia, peritonitis	.....	1
" for strangulated inguinal hernia, erysipelas	6 days.	1
" for strangulated inguinal hernia, septicæmia, peritonitis	4 days.	1
" for strangulated inguinal hernia, septicæmia, peritonitis	.....	1
" for strangulated femoral hernia, peritonitis	3 days.	1
" for strangulated femoral hernia, peritonitis	5 days.	1
" for strangulated femoral hernia	3 days.	1
" for strangulated femoral hernia	3 days.	1
" for strangulated umbilical hernia	48 hours.	1
" for incarcerated oblique inguinal hernia of left side, peritonitis	.....	1
" for strangulated hernia, bronchitis	24 hours.	1
" for myxo-osteo sarcoma of left ilium	2 years.	1
" of shoulder joint for necrosis, septicæmia	3 weeks.	1
" for hare-lip, hæmorrhage	.....	1
" for hare-lip, anæmia	1 day.	1
" for hare-lip	1 month.	1
" for hare-lip	4 times in 4 months.	1
" for malformation of anus	.....	1
" for cancer of breast, œdema of lungs	1 day.	1
" for cancer of uterus, pyæmia	.....	1
" for cancer of uterus, 8 days, peritonitis	2 years.	1
" for cancer of tibia, ligation of femoral and iliac artery	1 month.	1
" for epithelioma of nose, cancer of face since 1879	.....	1
" for fibroid polypus of uterus, metrorrhagia	6 days.	1
" for congenital phymosis, gangrene	.....	1
" for psoas abscess, fatty degeneration of the heart	.....	1
" for removal of sarcoma of testes and mesenteric gland	.....	1
" for hydrocele, April 8, 1880, hæmatocele, cellulitis of scrotum, erysipelas	.....	1
" for removal of a tumor, March, 1880, malignant otitis, pyæmia	.....	1
" for ablation of uterus for myoma of uterus, cystic degeneration of ovary	6 days.	1
" for prolapsus uteri, elytrorrhaphy, perineorraphy, fatty heart	.....	1
" for cystocele, erysipelas	4½ days.	1
" for removal of a large ovarian tumor	.....	1
" January 10, 1880, and May 1, 1880, for cancer of uterus, epithelioma of cervix uteri	20 days.	1
" for varicose vein, phlebitis of left saphena vein	7 days.	1

SURGICAL OPERATIONS, PRIMARY AND SECONDARY CAUSES,

For the Year ending December 31, 1885—*Continued*.

Primary and Secondary Causes.	Duration.	No. of Cases.
Operation for sarcoma of ovary	1 year.	1
" for laceration of cervix, and perineum after childbirth	7 days.	1
" for hydrocele, erysipelas of scrotum	.....	1
" for calculus, cystitis, nephritis, uræmia	9 days.	1
" for fistula in ano paraplegia	.....	1
Removal of cancer of breast by caustic paste	10 weeks.	1
" of cancer of breast, nephria	5 months.	1
" of epithelioma, operation for occlusion of os uteri	.....	1
" of fibroid tumor of uterus, septicæmia	.....	1
" of a tumor from abdominal wall, per tonitis	.....	1
" of a tumor from sarcoma of upper jaw	3 months.	1
" of sub-mucous uterine fibroid, peritonitis, septicæmia	4 days	1
" of multilocular colloid of ovarian cyst	.....	1
Resection of knee-joint for tubercular inflammation of the knee	3 years	1
" of knee-joint for tubercular inflammation of the knee	.....	1
Tracheotomy for croup	7 days.	1
" for croup	4 days.	1
" for croup, pneumonia	.....	1
" for croup	.....	1
" for croup	7 days.	1
" for croup, œdema pulmonum	12 hours.	1
" for croup	10 days.	1
" for diphtheritic croup, œdema of lungs	6 days.	1
for diphtheritic croup	7 days.	1
for diphtheritic croup	.....	1
" for diphtheritic croup	.....	1
" for diphtheria	5 days.	1
" for diphtheria	4 days.	1
" for diphtheria	12 days.	1
" for diphtheria	1 hour	1
" for naso-pharyngeal tumor	4 months.	1
" for cancer of larynx	.....	1
" for laryngeal croup	36 hours.	1
" for laryngeal croup	.....	1
" for laryngeal croup	.....	1
" for papelloma of larynx, pneumonia	12 hours.	1
" for tumor in larynx	.....	1
" for œdema glottidis, cellulitis	5 days.	1
Urethrotomy, external peritoneal, stricture of urethra, cystitis, pyo-nephritis	4 years	1
" for stricture of urethra	.....	1
Vesical lithotomy for calculus, nephritis, renal calculus	3 years.	1

Total Primary Causes	40
Total Secondary Causes	111
Total Primary and Secondary Causes	151

VIOLENT DEATHS FOR THE YEAR 1880.

ACCIDENT AND NEGLIGENCE.

Fractures and contusions—(means not defined by coroners)	37
Fall of bale of cotton	1
" of chair upon him	1
" of ladder upon him	1
" of log upon back	1
" of baking oven on him	1
" of marble slab	1
" of boxes	2
" of derricks	3
" of block of wood	2
" of barrel of whiskey	1
" of barrel of sugar	1
" of father upon his child	1
" of spar	1
" of trunk	1
" of rock from blasts	3
" of brick wall	1
" of bricks	3
" of wall	1
" of tree	1
" of planks	2
" of horse on him	1
" of boom	2
" of timber	2
" of girder of Elevated Railroad	1
" of piece of ice on his head	1
" of fence	1
" of hand-truck on him	1
" of bale of goods	1
" against a door	1
Falling in of embankment	2
" in of roof at fire, No. 384 Broadway	2
Jump and fall from a cart	1
Leap from a truck	1
Collision on Elevated Railroad	1
Being struck by engines of Elevated Railroad	3
" by engines of Hudson River R. R.	2
" by trains of New York Central R.R.	2
" by cylinder cap	1
" by handle of hand-cart	1
" by falling girder of a bridge	1

ACCIDENT AND NEGLIGENCE.

Being struck by crow-bar	1
" by bag of flour	1
" by brick cart	1
" by chisel	1
" by truck	1
" by pole of wagon	1
" by locomotive of Long Island R. R	1
" by piece of wood	1
" by trains of New York and New Haven Railroad	3
" by stone	1
" by shaft of cart	1
" by hand hook	1
" by mass of coal	1
Striking a rock while diving	1
" his head against a pillar of Elevated Railroad, while stepping off a Second Avenue Railroad car	1
Being caught in machinery	1
" stepped on by a horse	1
" kicked by horses	3
Leap from a Third Avenue Railroad car	1
Being knocked down by a runaway horse	1
" blown from roof of Seventh Regiment Armory during a gale	1
While lifting a stone	1
Blows on head by an ice hook	1
Dislocation of neck	1
Being pushed off a barrel	1
" run down by a hand-cart	1
" pushed over in street	1
" knocked down by a wagon	1
" knocked down by horses	2
" caught between bumper and car at Grand Central Depot	1
" caught by elevators	3
" caught by hawser of ship	1
Slipping from wheel of a fire-engine	1
Explosions of gas-meter	2
" of gunpowder	1
" of barrel of ale	1
" of blasts	4

VIOLENT DEATHS FOR THE YEAR 1880—(*Continued*).

ACCIDENT AND NEGLIGENCE.

Sprained ankle, manner unknown	1
Sprain of hand received during an altercation	1
" of ankle while stepping from a Third Avenue car	1
Crushed by a car of Avenue B line	1
" by freight car of Harlem and New Haven Railroad	1
" by stone	1
" by grain elevator	1
" between two scows at Bay Ridge, L. I.	1
" between cars of Elevated Railroad while coupling	1
" between engines of Elevated Railroad.	1
" between wall and table	1
" between cars and platform of Sixth Avenue Railroad cars	1
" between engine and door of shop of N. Y. Elevated Railroad	1
" between elevator and wall	1
" on tracks of N. Y. Central Railroad	1
" by the falling in of wall of Madison Square Garden	4
" by and run over by chemical fire-engine	1
" by wheel passing over his foot	1
" by elevator	1
Thrown from carriage	1
" from milk wagon	1
" from wagons (various)	4
" from truck	1
" from tender against pillar of Elevated Railroad	1
" from horse	1
" down by a dog	1
" down and trampled upon by team of horses of Fourth Avenue Railroad	1
Wounds of foot by iron nails	3
" of foot by splinter	1
" of foot by broken glass	1
" of foot by broken bone	1
" of heel by stepping on a nail	1
" of knee	1
" of side by a knife	1
" of thumb by splinters	2
" of index finger (crushed)	1
" of hand by explosion of cartridge	1
" of hand by a toy-pistol	1

ACCIDENT AND NEGLIGENCE.

Wounds of hand (manner not specified by coroner)	1
" of artery by cut with a pen-knife	1
" of gun shot	1
" of scalp	1
" by rat bite	1
" from self-produced abortion	1
Fall from roofs	23
" from windows	53
" from scaffoldings	12
" from trucks	10
" from fired building, No. 66 East Fourth st.	3
" from box	1
" from chairs	2
" from car of Central Park and North River Railroad	1
" from car of Bleecker Street Line	1
" from ladders	3
" from ladder at a fire	1
" from stoops	5
" from wagons	8
" from Elevated Railroad structure	8
" from platform of Third Avenue Railroad cars	2
" from rock	1
" from telegraph-pole	1
" from lounge	1
" from balconies	2
" from trees	4
" from mast	1
" from fire-escapes	5
" from rock while asleep	1
" from buildings	6
" from yard arm of vessel	1
" from sheds	2
" from arms of nurse	1
" from arms of sister	1
" from arms of mother	1
" from cart	1
" from beds	2
" from Harlem Railroad train	1
" in streets	38
" in gymnasium while making somersaults	1
" in gymnasium from horizontal bar	1
" in rooms	3
" down stairs	52
" down hatchways	17

VIOLENT DEATHS FOR THE YEAR 1880—(*Continued*).

ACCIDENT AND NEGLIGENCE.

Fall down scuttle	1
" down cellars	10
" down shaft of elevator	1
" down stoops	3
" down embankments	2
" down holds of vessels	4
" down basements	3
" coal bunker	1
" through well-holes	2
" through elevator wells	4
" over balusters	3
" over a goat wagon	1
" on floors	4
" on head while at play in court-yard	1
" on shipboard	3
" on dock	1
" into area	1
" into hold of vessels	3
" into hold of canal-boat	1
" while oiling machinery	1
" while at play	1
" while getting off a wagon	1
" while skylarking	1
" while in epileptic fit	1
" out of a carriage	1
Burns at fire, No. 66 East Fourth street	5
" at fire, No. 29 Third avenue	1
" at fire, No. 646 East Thirteenth street	1
" at fire, Police Steamboat "Seneca"	1
" at fire, Twenty-ninth street and Seventh avenue	1
" at fire, No. 1526 Third avenue	1
" (location not given	1
" clothes fired by matches	6
" clothes fired by stoves	10
" clothes fired by kerosene oil	3
" clothes fired by ranges	5
" clothes fired by lighted candle	1
" clothes fired by bon-fire	12
" fired by grate	2
" fired while attempting to rescue a child from burning	1
" over face and chest	1
" by explosion of gasoline	1
" by explosion of a can of alcohol while lighting a fire	1
" by explosion of kerosene-oil lamps	8

ACCIDENT AND NEGLIGENCE.

Burns by explosion of naphtha while cleansing gloves	1
" by explosion of gas-works	1
" not defined by coroner	1
" of body (manner not defined by coroner)	6
" while lighting a fire with kerosene oil	2
" over body in kitchen	1
" on steamboat "Seawanhaka"	5
" by fall upon stoves	2
" by sitting down upon a hot stove	1
" by the breaking of a kerosene-oil lamp	1
" by bed-pillow catching fire	1
" by lighted stick	1
" by fall against a boiler	1
" by fall on a stove while in epileptic fit	1
Scalds by steam	3
" by water	30
" by grease	2
" by coffee	7
" by tea	2
" by milk	1
" by soup	1
" by bleaching liquid	1
" in bath-tub	1
" in brewery vat	1

POISON (ACCIDENTAL).

Poison by carbolic acid	2
" by morphine	3
" by opium (chronic eaters)	3
" by chloroform	1
" by copper (from eating pickles)	1
" by laudanum	3
" by brandy (overdose)	2
" by lead	7
" by muriatic acid	1
" by stramonium seed	1
" by arsenic	1
" by chloral	2
" by creosote	1
" by oxalic acid	1
" by wormwood	1
" by absorption of animal matter into wound of hand	1

SUFFOCATION (ASPHYXIA).

Suffocation by inhalation of smoke	1
" by lodgment of candy in larynx	1

VIOLENT DEATHS FOR THE YEAR 1880—(*Continued*).

ACCIDENT AND NEGLIGENCE.

Suffocation by lodgment of meat in larynx	1
" by lodgment of apple in larynx	1
" by lodgment of food in trachæ	1
" by lodgment of raw turnips in larynx	1
" by illuminating gas	9
" by hydrogen	1
" in mother's arms	1
" while asleep in burning building	1
" by pressure upon larynx while leaning upon window guard	1
" by falling into water closet	1
" by being overlaid in bed	25
Neglect and exposure	15
Struck by lightning	1
Drowning in rivers	180
" from burning steamer "Seawanhaka."	30
" in water-tubs	5
" in cistern	1
" while picking wood out of the river	1
" while bathing	1
" while escaping from a U. S. vessel	1
" by fall into excavation in Central Park	1
" —Run down by steamer "Hancock," while in a row-boat	2
" —Effects of immersion	2
Surgical operations (primary causes	40

JUDICIAL EXECUTIONS.

July 16, Chastine Cox, aged 33 years	1
August 6, Pietro Balbo, aged 23 years, 7 months, 14 days	1
Diseases certified by coroners	2,225

RAILROAD LINES AND VEHICLES DEFINED.

Hudson River Railroad	17
Harlem and New Haven Railroad	4
Long Island Railroad	1
New York Elevated Railroad	2
First and Second Avenue horse cars	12
Third Avenue horse cars	4
Sixth Avenue horse cars	2
Eighth Avenue horse cars	1
Dry Dock and East Broadway horse cars	3
Christopher and Tenth Street horse cars	1
Broadway and University Place horse cars	1

ACCIDENT AND NEGLIGENCE.

Bleecker and Fulton Street horse cars	1
Grand and Cortlandt Street horse cars	1
Wagons (various	23
Trucks	12
Carts	2
Ice wagon	1
Beer wagons	3
Ash cart	1
Coal carts	2
Coupe	1

HOMICIDE.

By blows	27
" cut, stab	11
" gunshot	8
" strangulation	2
" strangulation with a bandage	1
" kicks	3
" being thrown out of window	1
" violence at hands of husband producing flooding	1
" shock from rape	1
" kerosene-oil lamp, thrown by her husband	1
" thrown from cart	1
" thrown on the floor	1

SUICIDE.

By drowning	14
" hanging	28
" cut, stab	20
" gunshot	39
" leap from height	9
" arsenic	3
" chloroform	1
" hydrate of chloral	1
" irritant poisons	3
" illuminating gas	2
" laudanum	2
" mercury	1
" morphine	1
" nitric acid	1
" opium	4
" oxalic acid	2
" Paris green	17
" potash	2
" prussic acid	1
" strychnine	1

VIOLENT DEATHS FOR THE YEAR 1880—(*Continued*).

RECAPITULATION.

Fractures and contusions	174
Wounds (various)	24
Killed by vehicles in the street	95
Falls (various)	332
Burns	77
Scalds	49
Poison (accidental)	31
Suffocation (asphyxia)	45
Drowning	274
Neglect and exposure	15
Surgical operations (primary causes)	40
Homicide	58
Suicide	152
Judicial executions	2
Struck by lightning	1
Diseases certified by the coroners	2,225

Total violent deaths	1,319
" diseases	2,225
Total certified deaths by coroners	3,544

Of the following 91 persons who reached the age of 90 years and upwards during the year 1880, there were 18 males and 73 females. In five cases their social condition is unstated, but, of the rest, all but seven had been married.

Of these decedents, 23 were native born, 15 were Germans and 45 were Irish. Eleven of them reached the age of 100 years and upwards, the maximum being 111 years.

DEATHS OF PERSONS NINETY YEARS OF AGE AND OVER, FOR THE YEAR ENDING DECEMBER 31, 1880.

Date of Death.	Name.	Age.			Condition.	Occupation.	Nativity.	Time of Residence in City.	Cause of Death.
		Years.	Months.	Days.					
Jan. 2....	Catharine Markey.....	97	..	..	Widow.....	.....	Ireland	28 years.....	Old age.
" 4....	Henrietta Heine.....	94	..	..	"	.....	Germany.....	40 "	Apoplexy
" 8....	Charles K. Crowley....	93	..	..	Widower.....	.....	Massachusetts.....	40 "	Enteritis.
" 14....	Patrick Gaffney	98	9	28	"	Tailor	Ireland	10 "	Apoplexy. Softening of the Brain
" 17....	Honorah Noon.....	102	..	..	.....	.....	"	30 "	Old age.
" 19....	Nancy Gordon.....	90	..	..	Single.....	.....	"	35 "	"
" 21....	Carolina Levy.....	100	3	..	Widow.....	.....	Germany.....	30 "	Chronic Diarrhœa.
" 21....	Phebie Davis	103	..	..	"	.....	England.....	30 "	Old age.
" 26....	Christopher Fisher.....	94	5	8	Widower.....	.....	Germany.....	31 "	"
" 27....	Elizabeth Utt.....	95	..	..	Widow.....	.....	New York.....	Life.....	"
Feb. 1....	Elizabeth Mulligan. ...	90	..	..	.....	.....	Ireland	30 years.	"
" 1....	Patience Hutchins.....	98	4	7	Widow.....	.....	New York.....	.....	"
" 12....	Bridget Whitney.....	90	..	..	"	.....	Ireland.....	6 years.....	"
" 26....	Mary McCarty	94	..	..	"	.....	"	15 "	Apoplexy
Mar. 5....	John Bataracca.....	93	..	..	Married.....	Laborer	Italy.....	10 "	Old age.
" 5....	Mary Conway	97	..	..	.....	.....	Ireland	25 "	"
" 8....	Mary S Andreas.....	93	6	..	Single.....	.....	New York.....	66 "	Gastritis, Inanition
" 16....	Louisa Roth	95	..	..	Widow.....	.....	Germany.....	60 "	Pneumonia.
" 19....	Jannette Frazer.....	92	..	..	.....	.....	New Jersey.....	90 "	Apoplexy.
" 21....	Bridget McKenna.....	101	..	..	Widow.....	.....	Ireland	20 "	Old age.

"	22....	Catharine Schumpf....	92	..	..	"	.....	Germany.....	29	"	Hemiplegia, Marasmus.
"	23....	Hannah D. Appleton...	93	2	15	"	.....	Massachusetts.....	44	"	Old age.
"	27....	Philipine M. Beaven ...	91	..	..	Single.....	Sister of Charity...	Maryland	.....		Broncho-pneumonia.
Apr.	11....	Mary Murray	96	8	..	Widow.....	.....	Ireland	40 years.....		Apoplexy.
"	12....	Jane C. Billon.....	98	7	..	"	.....	San Domingo.....	16	"	Atheromatous degeneration of the Aorta.
"	13....	Anna C. Potier.....	100	..	..	Single.....	.....	Calcutta	75	"	Old age.
"	13....	Elizabeth Berrian.....	92	..	..	Widow.....	.....	United States.....	70	"	"
"	16....	Jane Douglass.....	100	..	..	"	.....	Ireland	32	"	Bronchitis, old age.
"	17....	Abraham Cohen	94	..	..	Married.....	.....	Germany..... ...	30	"	Apoplexy.
"	20....	Mary E. Hadley.....	99	..	5	Widow.....	.....	New York.....	8	"	Old age.
"	21....	Johanna Baum	97	..	..	"	.....	Germany.....	32	"	Bronchitis.
"	22...	Mary McGowin.....	100	..	..	"	.....	Ireland	29	"	Old age.
May	4....	Honora Carney.....	90	..	..	.....	.....	"	40	"	Phthisis Pulmonalis.
"	5....	Regina Armbruster....	98	..	..	Widow.....	.....	Germany.....	58	"	Old age.
"	12....	Ann Campbell.....	90	..	..	"	.....	Ireland	12	"	Bronchitis.
"	15....	Margaret McCabe.....	90	..	..	"	.....	Pennsylvania	6	"	Varicose ulcer.
"	16....	Mary C. Hastings.....	92	9	9	"	.....	New York.	Life.....		Old age.
"	18....	James Treaves.....	90	..	..	Widower.....	Tobacconist	"	"		Diarrhœa.
"	19....	Fanny Levy	90	..	..	Widow	.....	Germany.....	14 years.....		Cystitis.
"	21....	Joseph King	91	..	..	Married.....	Boilermaker	Vermont.....	70	"	Cancer of Liver.
"	28....	Patrick Lynch	90	..	..	Widower.....	.....	Ireland	25	"	Nephria, old age.
"	31....	Michael McDonough...	105	8	..	Married.....	Laborer	"	22	"	Old age.
June	1....	Bridget Mullaly.....	90	..	..	Widow.....	.. ..	"	26	"	Bronchitis.
"	3....	Mary Duggan	94	..	..	"	.....	"	20	"	Old age
"	12....	Catherine Sillinger.....	90	..	..	"	.....	Germany.....	50	"	Apoplexy.
"	13....	Israel Weis.....	92	..	..	Married.....	Merchant	"	35	"	Bronchitis.

DEATHS OF PERSONS NINETY YEARS OF AGE AND OVER, FOR THE YEAR ENDING DECEMBER 31, 1880—(*Continued*)

Date of Death.	Name	Age			Condition.	Occupation.	Nativity.	Time of Residence in City.	Cause of Death.
		Years.	Months.	Days.					
June 21....	Philip Hargrave.....	95	..	..	Married.....	Carpenter	Ireland.....	11 years.....	Old age
" 21....	John S. Garretson.....	90	6	..	"	Farmer.....	New York.	4 "	Cholera Morbus
July 1 ...	Johanna Sullivan.....	97	..	..	Widow.....	....	Ireland	35 "	Old age.
" 9....	Dora Foertsch	91	..	..	"	.....	Germany.....	30 "	"
" 16....	Catharine Philip.....	98	..	..	"	.....	Ireland	57 "	"
" 23....	Rachael Levy.....	93	..	..	"	.....	Germany.....	13 "	" effect of heat
" 24....	Catharine Fitzpatrick..	90	..	..	"	.....	Ireland	30 "	"
Aug. 5....	Mary Hayes.....	103	..	..	"	.....	"	26 "	"
" 9....	Hannah Barker.....	90	7	13	"	.....	New York.....	50 "	Diarrhœa.
" 16....	Mary Flynn.....	90	..	..	"	.....	Ireland	20 "	"
" 21....	Elizabeth N. Palmer...	93	..	..	"	.....	New York.....	Life	Old age.
" 24....	Alicia Dillon.....	97	4	15	"	....	Ireland	40 years.....	Cholera Morbus.
" 28....	John Nader.....	96	..	..	Widower.....	Farmer	Germany..... ...	40 "	Emphysema, Œdema Pulmonum
Sept. 5....	Elizabetha Schreiner...	91	..	..	Widow.....	....	France.....	32 "	Old age.
" 5....	Esther Rosenthal	90	..	..	"	.....	Germany.....	35 "	Gastritis, Marasmus.
" 8....	Mary Anderson.....	90	..	8	"	.....	Massachusetts	40 "	Paralysis, old age.
" 11....	Ellen Redden.....	92	..	..	"	.....	Ireland	55 "	Bronchitis
" 23....	Margaret Cummings...	90	..	..	"	....	"	....	Old age.
" 26....	John Campton	98	..	..	Widower.....	.....	"	27 years.....	Bronchitis.
" 27....	Eliza K. Milliken..	91	..	..	Widow	....	"	25 "	Old age

"	28....	Jane Williams	90	1	10	"	.....	New York.....	.....	" degeneration of arteries.
Oct.	2....	Ann Bradley.....	93	..	..	"	.....	Ireland	34 years.....	"
"	8....	Anne McMullen.....	98	..	..	Single.....	.....	"	32 "	"
"	14....	Matilda Johnson.....	95	..	..	Widow.....	Domestic.....	United States.....	Life.....	Phthisis Pulmonalis.
"	16....	Aaron R. Thompson ...	90	..	..	Widower.....	Importer	New Jersey.....	70 years.....	Malarial fever, old age
"	23....	Ann McArdle.....	93	..	..	Widow.....	.....	Ireland.....	22 "	Nephria.
"	24....	Margaret Ferrell.....	93	..	..	"	.....	"	25 "	Old age.
"	31....	John Shields	90	..	..	Widower.....	.....	"	40 "	Bronchitis.
Nov.	6....	Bridget O'Connell	90	..	..	Widow.....	.....	"	50 "	Old age.
"	6....	Elizabeth Ayres.....	91	5	23	"	.....	New York.....	.....	"
"	9....	Maria E. Clark.....	90	5	..	"	.....	Holland	75 years.....	"
"	10....	Susan Owens.....	98	..	..	"	.....	Ireland	66 "	Bronchitis.
"	10....	Hannah King.....	94	..	..	"	Housekeeper.....	Poland	40 "	Spinal Sclerosis, Nephria, Pericarditis
"	12....	Catherine Mulhern.....	98	4	..	"	.....	Ireland	25 "	Old age.
"	29 ...	Martha P. Elliott.....	101	9	..	" (colored	.....	Virginia.....	12 "	"
Dec.	8....	Mary Hennigan.....	92	..	..	Single.....	.....	Ireland	12 "	"
"	12....	Mary Rust.....	98	6	27	Widow.....	.....	New York.....	1 year.....	"
"	13....	Margaret McKibben...	90	..	..	"	.....	Ireland	30 years...	"
"	15....	Ellen Moriarty.....	111	..	..	"	.....	"	35 "	"
"	18....	Maria Ferguson.....	92	..	..	"	.....	Nova Scotia	14 "	"
"	25....	Nancy Skelly.....	97	..	..	Married.....	.....	Ireland	25 "	Embolism of brain, age
"	25....	Bridget McNamara....	94	..	..	Single.....	.....	"	15 "	Cancer of breast
"	25....	Abraham Hutchinson...	96	11	..	Widower.. ...	.. ..	"	.....	Old age.
"	26....	Sarah Megan.....	90	..	..	Widow.....	.....	"	5 years.....	Dementia, Asthenia.
"	27....	Sabina Stanton.....	90	..	..	"	.....	"	19 "	Bronchitis.

It will be seen by an examination of the following table of years, that the mortality during the year 1880 was not excessive from the combined deaths from the three causes mentioned were 3,599 similar deaths in 1880.

When we come to examine the distribution of the mortality scarlatina were less than in any of the preceding seven years, excepting

DEATHS FROM SCARLATINA, DIPHTHERIA AND CROUP THROUGHOUT

Wards.	1874.			1875.			1876.		
	Scarlatina.	Diphtheria.	Croup.	Scarlatina.	Diphtheria.	Croup.	Scarlatina.	Diphtheria.	Croup.
First	6	20	5	8	18	3	10	19	10
Second	4	1	1	3	4	1	1	2	1
Third	2	..	1	2	2	2	3	4	1
Fourth	26	35	13	6	30	24	20	38	10
Fifth	12	25	8	3	18	6	12	30	5
Sixth	12	21	19	11	32	27	24	35	14
Seventh	44	91	43	34	85	38	52	44	28
Eighth	30	44	14	15	60	29	21	50	22
Ninth	50	80	13	27	110	25	49	93	16
Tenth	42	84	41	19	97	31	52	73	29
Eleventh	57	104	39	33	110	53	69	79	52
Twelfth	55	62	26	26	139	43	36	108	43
Thirteenth	38	47	26	18	67	33	32	45	24
Fourteenth	16	41	21	16	55	12	17	39	9
Fifteenth	18	20	7	8	40	12	4	33	7
Sixteenth	40	19	15	26	63	24	54	79	14
Seventeenth	77	107	66	31	177	84	102	132	59
Eighteenth	45	56	23	31	119	51	51	57	69
Nineteenth	82	246	63	42	289	88	83	102	198
Twentieth	38	201	51	44	247	52	52	74	135
Twenty-first	59	61	20	31	121	30	30	29	86
Twenty-second	73	190	71	53	271	61	66	221	53
Twenty-third	37	18	5	25	72	20	10	94	14
Twenty-fourth	16	12	3	2	43	4	4	44	44
Total	879	1,165	594	514	2,329	756	891	1,750	527

deaths from the prominent contagious diseases during the last seven these causes, neither proportionately excessive nor actually so. Thus and 3,168 in the years 1875 and 1876, respectively, as against 2,918

among the different diseases, it will be noticed that the deaths from 1875, whilst diphtheria led the other years, again excepting 1875.

THE SEVERAL WARDS DURING A PERIOD OF SEVEN YEARS.

1877.			1878.			1879.			1880.		
Scarlatina.	Diphtheria.	Croup.	Scarlatina.	Diphtheria.	Croup.	Scarlatina.	Diphtheria.	Croup.	Scarlatina.	Diphtheria.	Croup.
17	12	5	17	15	3	30	9	7	6	28	17
..	2	..	2	..	..	3	4	1	..	2	2
..	3	3	1	..	1	3	..	1	..	..	1
16	7	3	16	17	6	22	19	14	7	40	39
23	29	12	14	18	12	21	9	7	24	25	12
15	18	8	20	15	11	11	10	9	4	34	36
39	25	28	37	26	24	38	36	41	20	86	66
45	53	18	29	56	18	36	27	26	13	36	44
39	74	13	51	100	21	68	30	19	21	42	38
37	43	35	64	26	28	58	37	42	24	58	69
50	47	36	62	44	33	64	35	43	18	103	69
62	51	31	56	63	38	109	31	46	73	79	34
42	24	20	28	33	24	41	17	28	16	32	49
20	25	17	26	22	12	27	13	11	14	40	35
16	15	9	13	22	8	24	9	2	4	20	12
25	45	14	45	50	16	64	27	8	20	37	19
70	88	44	85	66	47	102	51	29	48	127	91
75	33	30	68	52	31	77	32	17	38	83	24
155	107	47	144	114	57	248	102	62	99	194	117
66	83	30	103	110	44	151	52	30	53	92	43
53	28	19	53	46	21	56	33	24	31	52	20
87	100	40	128	87	33	180	65	45	75	117	63
27	36	9	30	23	11	30	15	6	8	58	8
4	3	1	7	2	..	14	8	4	2	5	2
983	951	472	1,099	1,007	499	1,477	671	522	618	1,330	910

DEATHS REPORTED FROM SMALL-POX, MEASLES, SCARLATINA, DIPHTHERIA, MEMBRANOUS CROUP, WHOOPING COUGH, CEREBRO-SPINAL AND MALARIAL FEVERS,

During the Year ending December 31, 1880.

Disease.	In Houses containing Three Families and Under.	In Houses containing Over Three Families.	Canal Boats.	Hotels and Boarding-houses.	Institutions.	Basement.	First Floor.	Second Floor.	Third Floor.	Fourth Floor.	Fifth Floor.	Sixth Floor.	Top Floor.	Streets.	Average Age.		
															Years.	Months.	Days.
Small-pox	1	1	..	..	26	..	..	1	1	..	..	..	..	1	19	9	17
Measles	100	320	..	..	64	10	91	122	95	81	21	..	..	..	2	..	14
Scarlatina	165	418	..	2	25	9	132	198	129	84	27	6	..	..	3	11	22
Diphtheria	399	950	..	1	31	23	339	443	283	194	54	10	2	2	3	9	28
Membranous Croup	226	660	1	2	14	17	232	281	224	95	38	1	..	..	3	..	11
Whooping Cough	48	199	..	1	28	2	51	71	62	44	17	1	..	..	1	3	18
Typhus Fever	..	2	..	..	1	..	..	1	..	..	1	..	..	..	21	..	..
Typhoid Fever	52	106	..	3	76	3	45	51	40	11	8	..	3	..	27	5	26
Cerebro-spinal Fever	41	106	..	3	18	2	41	51	25	24	7	..	..	..	9	7	21
Malarial Fevers	207	231	2	7	26	1	122	152	100	46	24	..	..	..	24	3	28

DEATHS REPORTED FROM SMALL-POX, MEASLES, SCARLATINA, DIPHTHERIA, MEMBRANOUS CROUP, WHOOPING COUGH, CEREBRO-SPINAL AND MALARIAL FEVERS,

During the Year ending December 31, 1880—(*Continued*).

Disease.	Wards.																								Total.
	First.	Second.	Third.	Fourth.	Fifth.	Sixth.	Seventh.	Eighth.	Ninth.	Tenth.	Eleventh.	Twelfth.	Thirteenth.	Fourteenth.	Fifteenth.	Sixteenth.	Seventeenth.	Eighteenth.	Nineteenth.	Twentieth.	Twenty-first.	Twenty-second.	Twenty-third.	Twenty-fourth.	
Small-pox	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	1	..	..	25	..	1	..	..	..	29
Measles	7	..	1	8	7	9	13	22	23	12	16	33	12	18	13	20	22	16	76	59	14	66	17	..	484
Scarlatina	4	1	..	6	25	5	21	13	21	23	20	71	15	14	4	17	47	32	94	58	36	71	10	2	610
Diphtheria	29	2	1	40	26	36	83	35	42	64	104	74	31	40	19	36	126	81	195	89	51	113	58	6	1,381
Membranous Croup	17	2	..	38	11	38	66	44	36	69	70	32	51	47	11	21	76	26	116	41	24	57	8	2	903
Whooping Cough	6	..	..	4	4	4	6	15	4	13	13	18	13	5	2	5	22	17	56	28	16	22	3	..	276
Typhus Fever	1	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	3
Typhoid Fever	7	..	..	..	2	5	6	5	12	13	18	28	6	7	1	16	19	14	32	13	18	10	4	1	237
Cerebro-spinal Fever	4	..	1	6	2	3	2	2	4	12	12	17	7	2	5	4	11	6	25	14	12	11	2	4	168
Malarial Fevers	12	..	..	6	8	7	16	3	23	2	21	70	6	5	6	22	19	26	58	29	33	44	29	28	473

HOURS AT WHICH DEATHS OCCURRED.

Disease.	A. M.											
	1 o'clock.	2 o'clock.	3 o'clock.	4 o'clock.	5 o'clock.	6 o'clock.	7 o'clock.	8 o'clock.	9 o'clock.	10 o'clock.	11 o'clock.	12 o'clock.
Small-pox	..	1	..	1	1	..	3	2	..	..	..	1
Measles	24	16	33	21	19	20	14	17	20	16	23	21
Scarlatina	20	20	27	24	20	25	27	15	29	19	28	22
Diphtheria	66	56	47	44	53	56	49	53	65	58	60	52
Membranous Croup	27	35	37	36	31	41	33	29	42	45	40	39
Whooping Cough	9	8	7	14	15	9	14	11	10	8	9	8
Typhus Fever	..	..	1	..	..	..	1	..	..	..	..	..
Typhoid Fever	5	10	8	15	10	10	13	8	9	9	11	6
Cerebro-spinal Fever	5	2	5	5	4	5	8	2	7	5	12	10
Malarial Fevers	22	17	24	20	18	24	20	31	16	19	9	21

HOURS AT WHICH DEATHS OCCURRED—(*Continued*).

Disease.	P. M.												Not Stated.	Total.
	1 o'clock.	2 o'clock.	3 o'clock.	4 o'clock.	5 o'clock.	6 o'clock.	7 o'clock.	8 o'clock.	9 o'clock.	10 o'clock.	11 o'clock.	12 o'clock.		
Small-pox	2	1	..	2	2	3	1	1	3	2	1	1	1	29
Measles	20	15	19	19	20	20	20	20	20	25	21	12	9	484
Scarlatina	28	34	23	24	27	31	36	29	22	24	27	19	10	610
Diphtheria	64	78	57	67	72	77	47	49	50	51	58	34	18	1,381
Membranous Croup	34	47	42	42	47	40	30	33	36	48	35	27	7	903
Whooping Cough	13	8	12	11	16	13	19	8	6	9	23	10	6	276
Typhus Fever	..	1	..	..	..	..	..	..	..	..	..	..	..	2
Typhoid Fever	6	10	11	13	9	8	7	15	14	8	11	11	..	237
Cerebro-spinal Fever	8	10	7	10	7	9	9	10	5	6	11	3	3	168
Malarial Fevers	19	24	26	22	15	15	23	18	12	18	21	12	7	473

DEATHS IN THE CITY OF NEW YORK, FROM

During the Thirteen Weeks

Months.	Nativity. United States.		Nativity. Foreign.		Colored		Under 1 Year.		1—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Four weeks and three days ending January 31	748	673	447	434	15	19	267	210	102	86
Four weeks ending February 28	723	575	424	385	25	15	249	182	113	92
Four weeks and four days ending March 31	776	736	469	424	29	19	306	245	109	124
Total	2,247	1,984	1,340	1,243	69	53	822	637	324	302
Percentage of deaths in each period of life on total mortality of quarter	32.98	29.12	19 67	18.24	1.01	0.78	12.06	9.35	4.75	4.43
Total of both sexes	**4,231**		**2,583**		**122**		**1,459**		**626**	
Percentage of both sexes on total mortality of quarter	**62.09**		**37.91**		**1.79**		**21.41**		**9.20**	

Months.	35—		40—		45—		50—		55—	
	M.	F.	M.	F.	M	F.	M.	F.	M.	F.
Four weeks and three days ending January 31	56	63	70	48	54	47	62	37	49	33
Four weeks ending February 28	66	62	57	46	68	35	62	45	42	38
Four weeks and four days ending March 31	85	66	64	43	56	40	55	45	66	49
Total	207	191	191	137	178	122	179	127	157	111
Percentage of deaths in each period of life on total mortality of quarter	3.04	2.80	2.80	2.01	2.61	1.79	2.63	1.86	2.30	1.63
Total of both sexes	**398**		**328**		**300**		**306**		**268**	
Percentage of both sexes on total mortality of quarter	**5.84**		**4.81**		**4.40**		**4.49**		**3.93**	

ALL CAUSES, IN QUINQUENNIAL PERIODS,

ENDING MARCH 31, 1880.

2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.
70	55	44	29	24	21	507	401	35	34	16	16	20	32	61	57	60	71	50	63
59	55	25	31	27	10	473	370	41	34	7	16	20	22	51	45	56	61	49	53
53	50	28	33	31	30	527	482	35	39	15	19	23	23	42	49	76	73	60	65
182	160	97	93	82	61	1,507	1,253	111	107	38	51	63	77	154	151	192	205	159	181
2.67	2.35	1.42	1.36	1.20	0.90	22.12	18.39	1.63	1.57	0.56	0.75	0.92	1.13	2.26	2.22	2.82	3.01	2.33	2.66
342		**190**		**143**		**2,760**		**218**		**89**		**140**		**305**		**397**		**340**	
5.02		**2.79**		**2.10**		**40.50**		**3.20**		**1.31**		**2.05**		**4.48**		**5.82**		**4.99**	

60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
42	50	39	36	39	34	15	41	13	22	4	15	2	2	1	2	..	3	1,195	1,107	2,302
42	30	38	21	42	25	21	16	9	21	3	16	..	3	..	1	..	..	1,147	960	2,107
43	45	35	37	19	24	27	32	13	18	3	12	1	5	..	2	..	1	1,245	1,160	2,405
127	125	112	94	100	83	63	89	35	61	10	43	3	10	1	5	..	4	3,587	3,227	6,814
1.86	1.83	1.64	1.38	1.47	1.22	0.92	1.31	0.51	0.90	0.14	0.63	0.04	0.14	0.01	0.07	..	0.06	52.64	47.36	.....
252		**206**		**183**		**152**		**96**		**53**		**13**		**6**		**4**		**6,814**		.....
3.70		**3.02**		**2.69**		**2.23**		**141**		**.78**		**.19**		**.09**		**.06**		**100.00**		.....

DEATHS IN THE CITY OF NEW YORK, FROM

During the Thirteen Weeks

Months.	Nativity. United States.		Nativity. Foreign.		Colored.		Under 1 Year.		1—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Four weeks and three days ending May 1	817	755	488	479	30	28	287	245	124	99
Four weeks ending May 29	823	699	463	435	20	23	361	281	103	121
Four weeks and four days ending June 30	1,439	1,224	558	452	44	25	848	696	212	199
Total	3,079	2,678	1,509	1,366	94	76	1,496	1,222	439	399
Percentage of deaths in each period of life on total mortality of quarter	35.67	31.02	17 48	15.82	1.09	.88	17.33	14.16	5.09	4.62
Total of both sexes	**5,757**		**2,875**		**170**		**2,718**		**838**	
Percentage of both sexes on total mortality of quarter	**66.69**		**33.31**		**1.97**		**31.49**		**9.71**	

Months.	35—		40—		45—		50—		55—	
	M.	F.	M.	F.	M.	F.	M.	F.	M	F.
Four weeks and three days ending May 1	81	63	83	58	72	60	58	53	53	56
Four weeks ending May 30	77	62	65	50	72	40	51	52	29	33
Four weeks and four days ending June 30	89	60	71	55	70	51	73	49	57	33
Total	247	185	219	163	214	151	182	154	139	122
Percentage of death in each period of life on total mortality of quarter	2.86	2.14	2.54	1.87	2.48	1.75	2.10	1.78	1.61	1.41
Total of both sexes	**432**		**382**		**365**		**336**		**261**	
Percentage of both sexes on total mortality of quarter	**5.00**		**4.43**		**4.23**		**3.89**		**3.02**	

ALL CAUSES, IN QUINQUENNIAL PERIODS,

ENDING JUNE 30, 1880.

2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
48	59	43	35	29	17	531	455	41	41	13	24	23	33	48	54	70	72	50	64
56	48	24	33	20	26	564	489	50	43	23	13	32	19	48	46	55	58	57	58
58	45	32	29	19	18	1,169	987	55	40	14	18	31	34	55	58	78	70	72	68
162	152	99	97	68	61	2,264	1,931	146	124	50	55	86	86	151	158	203	200	179	190
1.88	1.76	1.15	1.12	0.79	0.70	26.23	22.37	1.69	1.44	0.58	0.64	1.00	1.00	1.75	1.83	2.35	2.32	2.07	2.20
314		**196**		**129**		**4,195**		**270**		**105**		**172**		**309**		**403**		**369**	
3.64		**2.27**		**1.49**		**48.59**		**3.13**		**1.22**		**1.99**		**3.58**		**4.67**		**4.27**	

60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
57	45	39	47	35	31	27	39	15	18	8	13	1	2	..	4	..	2	1,305	1,234	2,539
52	35	38	40	33	40	23	21	11	19	3	10	3	5	..	1	..	..	1,286	1,134	2,420
52	45	29	36	34	21	22	17	15	21	7	10	2	3	1	..	1	..	1,997	1,676	3,673
161	125	106	123	102	92	72	77	41	58	18	33	6	10	1	5	1	2	4,588	4,044	8,632
1.86	1.45	1.23	1.42	1.18	1.07	.83	.89	.47	.67	.21	.38	.07	.11	.01	.06	.01	.02	53.15	46 85	.....
286		**229**		**194**		**149**		**99**		**51**		**16**		**6**		**3**		**8,632**		.....
3.31		**2.65**		**2.25**		**1.73**		**1.14**		**.59**		**.18**		**.07**		**.03**		**100.00**		.....

DEATHS IN THE CITY OF NEW YORK, FROM

During the Thirteen Weeks

Months.	Nativity. United States.		Nativity. Foreign.		Colored.		Under 1 Year.		1—	
	M.	F.	M.	F	M.	F.	M.	F.	M.	F.
Four weeks and three days ending July 31....	1,336	1,129	460	455	20	18	771	657	203	159
Four weeks ending August 28.....	896	781	394	368	22	16	444	353	145	124
Four weeks and five days ending September 30.	910	783	475	436	16	12	426	301	125	125
Total.....	3,142	2,693	1,329	1,259	58	46	1,641	1,311	473	408
Percentage of deaths in each period of life on total mortality of quarter.....	37.30	31 97	15.78	14.95	0.69	0.55	19.48	15 56	5.62	4 84
Total of both sexes.....	**5,835**		**2,588**		**104**		**2,952**		**881**	
Percentage of both sexes on total mortality of quarter.....	**69.27**		**30.73**		**1.23**		**35.05**		**10.46**	

Months.	35—		40—		45—		50—		55—	
	M.	F.	M	F.	M.	F.	M.	F.	M.	F.
Four weeks and three days ending July 31...	56	72	67	57	66	43	53	49	45	36
Four weeks ending August 28.....	60	42	56	63	52	47	40	38	40	30
Four weeks and five days ending September 30.	66	69	76	53	60	45	53	45	54	49
Total.....	182	183	199	173	178	141	146	132	147	115
Percentage of deaths in each period of life on total mortality of quarter.....	2.16	2.17	2.36	2.05	2.10	1.67	1.74	1.57	1 74	1.36
Total of both sexes.....	**365**		**372**		**319**		**278**		**262**	
Percentage of both sexes on total mortality of quarter.....	**4.33**		**4.41**		**3.78**		**3.30**		**3.11**	

ALL CAUSES, IN QUINQUENNIAL PERIODS,

ENDING SEPTEMBER 30, 1880.

2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
54	39	25	38	19	15	1,072	908	58	48	26	20	28	25	57	36	55	54	74	39
43	39	28	20	20	23	680	559	40	46	15	19	23	23	54	48	59	54	52	49
43	53	27	26	29	27	650	532	51	42	17	11	28	31	47	53	64	60	76	63
140	131	80	84	68	65	2,402	1,909	149	136	58	50	79	79	158	157	178	168	202	151
1.66	1.53	0.95	1.00	0.80	0.77	28.51	23.72	1.77	1.61	0.69	0.59	0.94	0.94	1 87	1.86	2 11	1.99	2.39	1.79
271		**164**		**133**		**4,401**		**285**		**108**		**158**		**315**		**346**		**353**	
3.21		**1.95**		**1.58**		**52.24**		**3.38**		**1.28**		**1.88**		**3.74**		**4.10**		**4.19**	

60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
48	44	35	36	23	30	12	27	18	24	3	5	..	3	..	2	..	..	1,796	1,584	3,380
31	39	29	18	21	21	12	13	13	22	4	13	..	3	1	1	..	1	1,290	1,149	2,439
50	37	26	33	26	35	20	28	14	21	0	5	..	7	1	..	..	..	1,385	1,219	2,604
129	120	90	87	70	86	44	68	45	67	13	23	..	13	2	3	..	1	4,471	3,952	8,423
1.53	1.42	1.07	1.03	0.83	1.02	0.52	0.81	0.53	0.79	0.15	0.27	..	0.15	0.02	0.04	..	0.01	53 08	46 92	.....
249		**177**		**156**		**112**		**112**		**36**		**13**		**5**		**1**		**8,423**		.....
2.95		**2.10**		**1.85**		**1.33**		**1.33**		**.42**		**.15**		**.06**		**.01**		**100.00**		.....

DEATHS IN THE CITY OF NEW YORK, FROM

During the Thirteen Weeks

Months.	Nativity. United States.		Nativity. Foreign.		Colored.		Under 1 Year.		1—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Four weeks and three days ending October 30.	831	748	460	425	17	15	269	262	122	94
Four weeks ending November 27	736	769	442	424	24	14	241	206	86	86
Four weeks and six days ending December 31.	1,085	955	631	559	17	19	341	277	137	131
Total	2,652	2,472	1,523	1,411	58	48	851	745	345	311
Percentage of deaths in each period of life on total mortality of quarter	32.87	30.63	19.00	17.49	0.72	0.59	10.55	9.23	4.27	3.86
Total of both sexes	**5,124**		**2,944**		**106**		**1,596**		**656**	
Percentage of both sexes on total mortality of quarter	**63.50**		**36.49**		**1.31**		**19.78**		**8.13**	

Months.	35—		40—		45—		50—		55—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Four weeks and three days ending October 30.	81	61	71	51	60	49	66	44	40	41
Four weeks ending November 27	60	61	58	45	50	50	53	54	47	39
Four weeks and six days ending December 31.	87	76	86	79	87	49	75	59	59	53
Total	228	198	215	175	197	148	194	157	146	133
Percentage of deaths in each period of life on total mortality of quarter	2.83	2.45	2.66	2.17	2.44	1.83	2.40	1.95	1.81	1.65
Total of both sexes	**426**		**390**		**345**		**351**		**279**	
Percentage of both sexes on total mortality of quarter	**5.28**		**4.83**		**4.27**		**4.35**		**3.46**	

ALL CAUSES, IN QUINQUENNIAL PERIODS,

ENDING DECEMBER 31, 1880.

2—		3—		4—		Total Under 5 Years.		5—		10—		15—		20—		25—		30—	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.
61	59	48	43	38	35	538	493	57	51	19	19	23	28	59	45	67	75	60	50
58	82	54	54	47	34	406	462	61	77	17	16	26	32	39	47	60	47	58	58
100	91	81	56	56	45	715	600	82	79	27	23	38	34	65	75	77	79	90	71
219	232	183	153	141	114	1,739	1 555	200	207	63	58	87	94	163	167	204	201	208	179
2.71	2.88	2.27	1.89	1.75	1.41	21.55	19.27	2.48	2.56	0.78	0.72	1.08	1.16	2.02	2.07	2.53	2.49	2.58	2.22
451		**336**		**255**		**3,294**		**407**		**121**		**181**		**330**		**405**		**387**	
5.59		**4.16**		**3.16**		**40.82**		**5.04**		**1.50**		**2.24**		**4.09**		**5.02**		**4.80**	

60—		65—		70—		75—		80—		85—		90—		95—		100 and Upwards.		Total by Sexes.		Total both Sexes.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
42	42	37	38	24	39	20	27	22	10	4	8	1	3	..	2	..	..	1,291	1,176	2,467
51	37	32	45	31	45	21	37	20	25	7	9	1	5	..	2	..	..	1,178	1,193	2,371
51	60	68	48	44	52	34	28	23	21	7	18	..	6	1	2	..	2	1,716	1,514	3,230
144	139	137	131	99	136	75	92	65	56	18	35	2	14	1	6	..	2	4,185	3,883	8,068
1.78	1.72	1.70	1.62	1.23	1.68	0.93	1.14	0.80	0.69	0.22	0.43	0 02	0.17	0.01	0.08	..	0.02	51.87	48.13	.....
283		**268**		**235**		**167**		**121**		**53**		**16**		**7**		**2**		**8,068**		.....
3.50		**3.32**		**2.91**		**2.07**		**1.49**		**.65**		**.19**		**.09**		**.02**		**100.00**		.....

COMPARATIVE MORTALITY FROM THE PRINCIPAL CAUSES OF DEATH,

In the First Quarter of the Year 1880, with the Corresponding Quarter of the Preceding Five Years.

Causes of Death.	1880.	1875.	1876.	1877.	1878.	1879.	Total for Five Years Preceding 1880.	Average for Five Years Preceding 1880.
Total Deaths from all Causes	6,814	7,842	7,633	6,002	6,664	7,576	35,717	7,143.4
Total Zymotic Diseases	1,412	2,163	2,165	1,205	1,456	1,816	8,805	1,761.0
Total Constitutional Diseases	1,721	1,662	1,618	1,463	1,630	1,691	8,070	1,614.0
Total Local Diseases	2,962	3,260	3,176	2,734	2,907	3,335	15,432	3,086.4
Total Developmental Diseases	475	500	454	411	457	530	2,352	470.4
Deaths by Violence	244	257	220	183	194	204	1,058	211.6
Small-pox	....	372	194	5	1	....	572	114.4
Measles	261	18	172	9	128	5	332	66.4
Scarlatina	92	126	245	293	317	730	1,771	354.2
Diphtheria	214	608	725	226	331	224	2,114	422.8
Membranous Croup	212	254	194	136	195	140	919	183.8
Whooping Cough	82	132	139	92	63	219	645	129.0
Typhus Fever	....	5	3	7	....	1	16	3.2
Typhoid Fever	44	61	56	41	33	35	226	45.2
Puerperal Diseases	110	135	97	103	89	121	545	109.0
Diarrhœal Diseases of Children under five years of age	94	104	81	88	87	71	431	86.2
Diarrhœal Diseases of all ages	128	159	118	118	122	127	644	128.8
Alcoholism	52	57	31	26	29	46	189	37.8
Cancer	166	111	105	121	142	134	613	122.6
Phthisis Pulmonalis	1,189	1,188	1,123	1,054	1,163	1,214	5,742	1,148.4
Bronchitis	368	396	437	371	391	434	2,029	405.8
Pneumonia	775	1,071	946	753	833	922	4,525	905.0
Heart Diseases	320	260	246	244	294	373	1,417	283.4
Marasmus — Tabes Mesenterica and Scrofula	122	111	110	88	105	101	515	103.0
Hydrocephalus and Tubercular Meningitis	179	169	201	138	172	183	863	172.6
Meningitis and Encephalitis	156	166	185	162	155	177	845	169.0
Convulsions	163	152	206	142	153	195	848	169.6
Direct Effect of Solar Heat	....	....	....	....	....	....	....	....
Apoplexy	151	104	106	100	127	122	559	111.8
All Diseases of the Brain and Nervous System	647	624	649	567	601	667	3,108	621.6
Bright's Disease and Nephritis	300	296	327	270	282	376	1,551	310.2
Deaths by Suicide	26	31	32	23	33	29	148	29.6
Deaths by Drowning	22	11	20	10	21	10	72	14.4
Deaths in Institutions	1,195	1,395	1,240	1,068	1,016	1,179	5,898	1,179.6
Deaths of Persons seventy years old and over	507	516	508	455	458	609	2,546	509.2
Deaths of Children under one year of age	1,459	1,680	1,680	1,325	1,426	1,524	7,635	1,527.0
Deaths of Children under two years of age	2,085	2,421	2,533	1,803	2,109	2,182	11,048	2,209.6
Deaths of Children under five years of age	2,760	3,258	3,555	2,406	2,882	3,096	15,197	3,039.4

COMPARATIVE MORTALITY FROM THE PRINCIPAL CAUSES OF DEATH,

In the Second Quarter of the Year 1880, with the Corresponding Quarter of the Preceding Five Years.

Causes of Death.	1880.	1875.	1876.	1877.	1878.	1879.	Total for Five Years Preceding 1880.	Average for Five Years Preceding 1880.
Total Deaths from all Causes	8,632	7,064	6,704	6,047	6,334	6,606	32,755	6,551.0
Total Zymotic Diseases	2,580	2,165	1,986	1,560	1,567	1,683	8,961	1,792.0
Total Constitutional Diseases	1,726	1,496	1,454	1,403	1,564	1,521	7,438	1,487.6
Total Local Diseases	3,384	2,625	2,523	2,423	2,564	2,652	12,787	2,557.4
Total Developmental Diseases	510	437	437	361	374	470	2,079	415.8
Deaths by Violence	432	341	304	300	265	280	1,490	298.0
Small-pox	2	462	100	8	1	11	582	116.4
Measles	164	45	134	52	107	49	387	77.4
Scarlatina	114	161	341	314	277	464	1,557	311.4
Diphtheria	218	549	474	196	243	128	1,590	318.0
Membranous Croup	175	160	112	96	120	83	571	114.2
Whooping Cough	68	98	98	85	88	153	522	104.4
Typhus Fever	1	8	5	2	3	....	18	3.6
Typhoid Fever	42	60	54	46	29	29	218	43.6
Puerperal Diseases	133	98	89	62	85	109	443	88.6
Diarrhœal Diseases of Children under five years of age	1,261	248	341	413	346	405	1,753	350.6
Diarrhœal Diseases of all ages	1,349	290	383	464	389	458	1,984	396.8
Alcoholism	54	33	29	28	25	36	151	30.2
Cancer	172	116	114	112	148	141	631	126.2
Phthisis Pulmonalis	1,110	1,035	992	996	1,053	1,026	5,102	1,020.4
Bronchitis	371	258	253	225	303	272	1,311	262.2
Pneumonia	878	692	672	552	614	614	3,144	628.8
Heart Diseases	292	257	237	214	267	275	1,250	250.0
Marasmus — Tabes Mesenterica and Scrofula	170	108	111	90	127	113	549	109 8
Hydrocephalus and Tubercular Meningitis	176	155	162	145	182	172	816	163.2
Meningitis and Encephalitis	188	188	198	144	130	130	790	158.0
Convulsions	218	171	128	184	161	160	804	160.8
Direct Effect of Solar Heat	58	9	7	3	5	7	31	6.2
Apoplexy	145	85	105	95	106	108	499	99.8
All Diseases of the Brain and Nervous System	709	622	584	618	561	598	2,983	596.6
Bright's Disease and Nephritis	377	261	281	291	306	332	1,471	294.2
Deaths by Suicide	56	56	46	44	29	40	215	43.0
Deaths by Drowning	91	74	67	69	52	58	320	64.0
Deaths in Institutions	1,538	1,423	1,204	1,094	1,136	1,149	6,006	1,201.2
Deaths of Persons seventy years old and over	518	402	390	397	435	402	2,026	405.2
Deaths of Children under one year of age	2,718	1,646	1,624	1,516	1,542	1,628	7,956	1,591.2
Deaths of Children under two years of age	3,556	2,295	2,312	1,987	2,129	2,183	10,906	2,181.2
Deaths of Children under five years of age	4,195	3,107	3,112	2,586	2,829	2,853	14,487	2,897.4

COMPARATIVE MORTALITY FROM THE PRINCIPAL CAUSES OF DEATH,

In the Third Quarter of the Year 1880, with the Corresponding Quarter of the Preceding Five Years.

Causes of Death.	1880.	1875.	1876.	1877.	1878.	1879.	Total for Five Years Preceding 1880.	Average for Five Years Preceding 1880.
Total Deaths from all Causes	8,423	9,256	8,998	8,165	7,645	7,686	41,750	8,350.0
Total Zymotic Diseases	3,315	4,596	4,071	3,772	3,038	3,063	18,540	3,708.0
Total Constitutional Diseases	1,751	1,558	1,602	1,495	1,654	1,602	7,911	1,582.2
Total Local Diseases	2,563	2,359	2,526	2,199	2,232	2,306	11,622	2,324.4
Total Developmental Diseases	464	403	457	403	424	439	2,126	425.2
Deaths by Violence	330	340	342	296	297	276	1,551	310.2
Small-pox	4	264	14	1	....	13	292	58.4
Measles	37	53	34	48	23	72	230	46.0
Scarlatina	71	63	107	174	146	176	666	133.2
Diphtheria	311	489	228	154	152	101	1,164	232.8
Membranous Croup	144	105	65	76	50	72	363	72.6
Whooping Cough	71	110	104	184	138	94	630	126.0
Typhus Fever	....	9	10	6	1	2	28	5.6
Typhoid Fever	77	130	97	92	93	58	470	94.0
Puerperal Diseases	75	64	77	62	60	78	341	68.2
Diarrhœal Diseases of Children under five years of age	1,892	2,771	2,830	2,433	1,923	1,882	11,839	2,367.8
Diarrhœal Diseases of all ages	2,171	2,997	3,064	2,657	2,119	2,085	12,922	2,584.4
Alcoholism	46	40	34	27	34	59	194	38.8
Cancer	162	108	112	138	154	165	677	135.4
Phthisis Pulmonalis	1,141	951	1,044	979	1,080	966	5,020	1,004.0
Bronchitis	203	170	203	148	175	186	882	176.4
Pneumonia	369	386	337	322	293	309	1,647	329.4
Heart Diseases	241	212	236	177	219	256	1,100	220.0
Marasmus — Tabes Mesenterica and Scrofula	262	257	213	221	228	270	1,189	237.8
Hydrocephalus and Tubercular Meningitis	135	159	160	118	134	141	712	142.4
Meningitis and Encephalitis	147	228	231	172	203	162	996	199.2
Convulsions	180	198	213	219	194	158	982	196.4
Direct Effect of Solar Heat	58	10	199	18	47	34	308	61.6
Apoplexy	100	81	81	81	95	121	459	91.8
All Diseases of the Brain and Nervous System	709	685	904	673	729	664	3,655	731.0
Bright's Disease and Nephritis	337	259	264	272	269	302	1,366	273.2
Deaths by Suicide	37	43	42	38	41	23	187	37.4
Deaths by Drowning	66	81	83	79	86	55	384	76.8
Deaths in Institutions	1,423	1,315	1,333	1,108	1,136	1,180	6,072	1,214.4
Deaths of Persons seventy years old and over	435	397	395	361	387	413	1,953	390.6
Deaths of Children under one year of age	2,952	3,784	3,637	3,264	2,773	2,893	16,351	3,270.2
Deaths of Children under two years of age	3,833	4,918	4,735	4,246	3,591	3,644	21,134	4,226.8
Deaths of Children under five years of age	4,401	5,623	5,283	4,828	4,145	4,164	24,043	4,808.6

COMPARATIVE MORTALITY FROM THE PRINCIPAL CAUSES OF DEATH,

In the Fourth Quarter of the Year 1880, with the Corresponding Quarter of the Preceding Five Years.

Causes of Death.	1880.	1875.	1876.	1877.	1878.	1879.	Total for Five Years Preceding 1880.	Average for Five Years Preceding 1880.
Total Deaths from all Causes	8,068	6,547	5,817	5,989	6,365	6,474	31,192	6,238.4
Total Zymotic Diseases	2,265	1,984	1,338	1,505	1,587	1,432	7,846	1,569.2
Total Constitutional Diseases	1,775	1,373	1,398	1,430	1,585	1,602	7,388	1,477.6
Total Local Diseases	3,210	2,520	2,437	2,367	2,493	2,786	12,603	2,520.6
Total Developmental Diseases	505	422	402	440	446	409	2,119	423.8
Deaths by Violence	313	348	242	247	254	245	1,236	247.2
Small-pox	25	182	7	....	....	*1	190	38.0
Measles	17	51	22	36	14	118	241	48 2
Scarlatina	341	104	198	202	359	107	970	194.0
Diphtheria	647	683	323	335	281	218	1,840	368.0
Membranous Croup	379	239	161	164	134	227	925	185.0
Whooping Cough	56	67	65	79	93	71	375	75.0
Typhus Fever	2	6	2	2	....	1	11	2 2
Typhoid Fever	78	96	76	95	90	56	414	82.8
Puerperal Diseases	95	73	79	71	66	51	340	68 0
Diarrhœal Diseases of Children under five years of age	222	229	161	253	242	234	1,119	223.8
Diarrhœal Diseases of all ages	299	292	217	318	315	295	1,437	287 4
Alcoholism	67	38	32	19	39	57	185	37.0
Cancer	159	88	128	121	125	133	595	119.0
Phthisis Pulmonalis	1,266	998	1,035	1,015	1,170	1,137	5,355	1,071.0
Bronchitis	433	287	321	289	315	371	1,583	316.6
Pneumonia	800	653	587	521	548	709	3,018	603.6
Heart Diseases	300	256	273	244	287	260	1,320	264 0
Marasmus — Tabes Mesenterica and Scrofula	164	117	98	133	128	162	638	127.6
Hydrocephalus and Tubercular Meningitis	127	116	90	113	116	113	548	109.6
Meningitis and Encephalitis	130	128	138	128	124	99	617	123.4
Convulsions	170	141	138	139	122	153	693	138.6
Direct Effect of Solar Heat	....	....	....	....	....	....	....	....
Apoplexy	119	98	91	74	119	138	520	104.0
All Diseases of the Brain and Nervous System	624	505	526	520	523	556	2,630	526.0
Bright's Disease and Nephritis	4 4	291	260	306	304	338	1,499	299.8
Deaths by Suicide	33	25	30	23	39	25	162	32.4
Deaths by Drowning	29	16	25	36	25	26	128	25.6
Deaths in Institutions	1,362	1,041	981	980	1,025	1,192	5,219	1,043.8
Deaths of Persons seventy years old and over	601	415	448	434	444	485	2,226	445.2
Deaths of Children under one year of age	1,596	1,430	1,229	1,313	1,359	1,525	6,856	1,371.2
Deaths of Children under two years of age	2,252	2,042	1,665	1,876	1,887	2,079	9,549	1,909.8
Deaths of Children under five years of age	3,294	2,860	2,260	2,487	2,554	2,664	12,825	2,565.0

* This case arrived in steamship "Mikado," was sent to Quarantine Hospital, and thence to Riverside Hospital, where death occurred. The patient was never vaccinated.

ANNUAL COMPARATIVE MORTALITY IN SIX CONSECUTIVE YEARS,

1875 TO 1880, INCLUSIVE.

DISEASE.	1875.	1876.	1877.	1878.	1879.	Average 5 Years.	1880.
Zymotic Diseases	10,908	9,616	8,042	7,648	7,994	8,855.3	9,572
Constitutional Diseases	6,090	6,075	5,800	6,433	6,416	6,162.4	6,973
Local Diseases	10,760	10,658	9,720	10,216	11,079	10,486.3	12,119
Developmental Diseases	1,704	1,695	1,615	1,701	1,848	1,712.3	1,954
Deaths by Violence	1,187	1,108	1,026	1,010	1,005	1,067.1	1,319
Total	30,709	29,152	26,203	27,008	28,342	28,282.8	31,937
Small-pox	1,280	315	14	2	25	327.1	31
Measles	167	362	155	272	244	240.0	479
Scarlatina	514	891	583	1,099	1,477	972.4	618
Diphtheria	2,329	1,750	951	1,007	671	1,321.3	1,390
Croup	758	527	472	499	522	555 3	910
Whooping Cough	407	406	440	382	537	434.2	277
Typhus Fever	28	20	17	4	4	14.3	3
Typhoid Fever	347	283	275	245	178	265.3	241
Cerebro-spinal Meningitis	146	127	116	97	108	118.4	170
Diarrhœal Diseases	3,738	3,782	3,557	2,945	2,965	3.397.2	3,947
Erysipelas	170	124	128	145	145	140.2	171
Gout	7	10	3	8	6	6.4	11
Rheumatism	171	137	142	132	165	149.2	172
Cancer	416	459	495	569	572	502.1	659
Phthisis Pulmonalis	4,172	4,194	4,044	4,466	4,343	4,243 4	4,706
Diseases of the Nervous System	2,436	2,663	2,378	2,414	2,485	1,475.1	2,689
Heart Disease	1,075	992	880	1,068	1,164	1,035.4	1,153
Pneumonia	2,802	2,542	2,148	2,288	2,554	2,466.4	2,822
Bronchitis	1,111	1,214	1,033	1,184	1,263	1,161.0	1,375
Bright's Disease and Nephritis	1,107	1,032	920	1,161	1,348	1,113.3	1,318
Puerperal Diseases	311	342	298	298	359	321.3	403
Suicides	155	150	148	142	117	142.2	152
Deaths in Institutions	5,174	4,755	4,250	4,313	4,700	4,638.2	5,518
Persons 70 years old and over	1,730	1,741	1,647	1,724	1,909	1,510.1	2,061
Children under 5 years of age	14,848	14,210	12,307	12,410	12,778	13,310.3	14,650

This interesting table, showing the total mortality for each day of the year, as well as the mortality of children under five years of age, can be studied to the best advantage in connection with the "Statigraphic Chart" and daily meteorological observations.

It will be seen that the most favorable *month* of the year was February, with a mortality of 2,184, of which number 875 were children. The most favorable *day* of the year was January 13, with 51 deaths.

The high temperature of the last week in May, followed by an unusually hot June, gave us the highest death-rate of the year—3,535 deaths in June alone, of which 2,101 were in children under five years. The mortality kept up during July and then gradually declined. This sudden mortality was due, to a great extent, as is shown so strikingly on the chart, to the prevalence of diarrhœal diseases.

TABLE SHOWING TOTAL MORTALITY, ALSO THAT OF CHILDREN UNDER FIVE YEARS OF AGE,

Each Day in the Year ending December 31, 1880.

Day of Month.	January.		February.		March.		April.		May.		June.		July.		August.		September.		October.		November.		December.	
	Total Mortality.	Deaths Under 5 Years.	Total Mortality.	Deaths Under 5 Years.	Total Mortality.	Deaths Under 5 Years.	Total Mortality.	Deaths Under 5 Years.	Total Mortality.	Deaths Under 5 Years.	Total Mortality.	Deaths Under 5 Years.	Total Mortality.	Deaths Under 5 Years	Total Mortality.	Deaths Under 5 Years	Total Mortality.	Deaths Under 5 Years.	Total Mortality.	Deaths Under 5 Years.	Total Mortality.	Deaths Under 5 Years.	Total Mortality.	Deaths Under 5 Years.
1.....	84	28	66	33	91	37	78	28	66	23	68	25	156	100	114	60	79	40	71	33	82	28	96	36
2.....	72	21	58	15	53	22	92	39	92	44	65	26	130	98	110	61	61	28	94	31	73	23	112	52
3.....	66	32	80	35	77	31	81	25	103	50	76	30	137	94	91	47	79	44	85	39	88	34	105	45
4.....	90	35	67	27	93	45	83	35	94	38	59	26	136	85	79	33	81	45	104	42	69	23	94	36
5.....	77	18	79	34	81	29	75	30	79	40	64	27	129	79	69	33	91	40	85	32	87	42	89	33
6.....	71	29	79	26	80	33	64	29	78	31	72	38	116	65	82	37	102	46	79	34	100	37	95	39
7.....	80	36	69	30	64	30	85	38	88	32	84	29	126	83	78	42	82	36	63	25	81	30	96	38
8.....	73	30	69	28	58	27	74	32	81	26	60	26	130	78	82	42	74	28	69	27	83	36	94	46
9.....	83	35	60	25	68	33	79	32	81	30	58	23	139	82	94	42	79	35	92	45	79	38	100	40
10.....	77	35	65	23	88	37	88	37	80	31	72	32	140	85	102	58	76	35	85	42	83	24	76	30
11.....	79	27	77	31	77	38	75	25	91	39	82	37	113	66	91	51	64	23	108	47	71	34	86	32
12.....	62	24	107	41	82	31	87	34	80	30	109	59	112	73	97	38	83	42	90	38	70	30	106	39
13.....	51	21	77	27	63	29	79	24	82	37	106	65	112	68	76	38	74	33	77	30	80	38	105	42
14.....	62	23	71	27	76	40	110	52	75	25	90	44	109	66	100	45	66	31	79	25	68	27	93	30
15.....	72	31	79	28	56	18	102	41	58	25	96	45	111	69	72	38	68	26	86	35	76	35	78	27
16	87	29	75	36	91	32	92	41	84	42	93	51	104	54	68	38	76	40	91	38	108	27	94	33
17.....	68	31	71	33	78	37	77	24	94	36	103	58	84	49	94	47	97	45	69	32	84	39	87	36
18.....	70	25	68	29	65	29	60	24	63	29	106	65	101	64	93	49	89	43	73	28	90	42	90	44
19.....	78	32	81	35	87	39	83	31	69	28	126	74	96	53	87	46	105	48	71	28	92	35	84	32
20.....	83	29	71	23	74	24	85	36	82	33	135	89	82	48	96	52	75	31	84	35	89	33	81	32
21.....	83	36	74	39	87	38	88	34	87	33	138	90	106	62	113	56	72	33	93	40	100	33	91	38

22.....	71	39	73	28	72	31	86	31	65	33	145	95	69	41	76	36	54	29	90	43	80	29	94	44
23.....	78	32	78	28	74	29	91	29	74	33	143	86	101	58	71	35	82	38	86	42	89	35	89	34
24.....	56	22	83	33	74	31	89	21	75	35	178	135	94	48	93	43	72	29	76	30	86	33	92	41
25..	64	27	71	22	71	31	74	30	111	55	224	175	82	42	87	43	70	27	80	32	86	41	118	40
26.....	66	30	82	38	78	27	79	33	141	67	232	169	114	52	71	35	79	34	87	39	80	36	99	39
27.....	89	38	93	38	71	27	80	37	128	62	197	135	91	43	61	38	89	34	64	23	93	44	95	39
28.....	74	27	84	31	85	36	84	32	112	62	209	127	90	38	92	56	89	48	81	26	105	52	93	38
29.....	73	23	77	32	66	22	81	28	73	26	182	115	75	37	91	46	76	30	64	30	104	46	102	46
30..	84	35	..	..	78	34	72	31	63	28	163	105	81	40	62	28	79	33	91	40	83	41	109	39
31.....	79	28	..	..	69	30	..	..	75	27	....	....	108	60	78	34	..	..	102	42	..	..	95	36
Total.	2,302	908	2,184	875	2,328	977	2.473	963	2,624	1,131	3.535	2,101	3,380	1,989	2,670	1,347	2,373	1,074	2,569	1,073	2,561	1,045	2,938	1,176

Total Mortality, 31,937. Deaths under 5 years, 14,650.

The following table is of especial interest as showing an almost uniform gain in the mortality of children under five years of age during the last fifteen years, a gain not absolutely uniform, it is true, since it has been interrupted occasionally by climatic conditions which have been exceptionally unfavorable to infant life, but an examination of the lower line of this table will convince the most incredulous, it is believed, that the falling off in the death-rate for the last few years cannot have been accidental. It is not too much to expect, nor is it rash to predict, that, with the popularization of sanitary knowledge and its more extensive and intelligent application to the peculiar wants of the city, this diminution will be progressive.

TABLE SHOWING THE TOTAL MORTALITY, THE MORTALITY OF CHILDREN UNDER FIVE YEARS OF AGE,

And the Percentage of Deaths of Children under Five Years of Age to the Total Mortality for the Fifteen Years ending December 31, 1880.

	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.
Total mortality.....	26,815	23,103	24,889	25.167	27,175	26,976	32,647	29,084	28,727	30,709	29,152	26,203	27,008	28,342	31,937
Mortality of children under 5 years of age	12,671	12,240	13,067	12,859	13,333	12,971	16,188	14,182	13,956	14,848	14,210	12,307	12,410	12,777	14,650
Percentage of deaths of children under 5 years of age to total mortality...	47.25	52.98	52.50	51.09	49.06	48.08	49.58	48.76	48.58	48.35	48.74	46.97	45.95	45.08	45.87

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
American.													
New York, N. Y.	1,206,577	June, 1880	1,242,533	27,536	9,002	2,362	31,937	31	479	618	1,390	910	277
Fall River, Mass.	49,006	June, 1880	49,006	1,433	477	64	1,354	4	19	77	14	27	1
Newburyport, Mass.	13,600	June, 1880	13,600	334	140	3	287	.....	.....	13	12	6	1
Taunton, Mass.	21,213	June, 1880	22,000	546	168	7	416	.....	.....	4	13	3	1
Baltimore, Md.	332,190	June, 1880	393,796	*b* 8,826	3,260	636	8,043	1	2	400	293	173	148
Stamford, Conn.	11,298	June, 1880	.....	253	54	2	178	.....	1	....	1	....	5
Salt Lake, Utah	20,768	June, 1880	.....	*a*	*a*	18	420	.....	4	1	111	22	....
Northampton, Mass.	12,172	June, 1880	12,251	*b* 279	147	6	191	.....	1	2	13	8	....
Richmond, Va	65,000	June, 1880	67,000	*b* 1,880	573	171	1,750	.....	3	4	14	2	42
Waltham, Mass.	11,711	June, 1880	12,100	316	113	7	175	.....	.....	1	9	2	....
Allegheny, Pa.	78,655	June, 1880	79,000	767	501	50	1,000	.....	10	38	66	11	13
Syracuse, N. Y.	54,817	June, 1880	55,563	*b* 320	*b* 140	59	846	.....	4	8	47	47	23
Malden, Mass.	12,017	June, 1880	12,500	259	112	7	265	.....	2	2	51	9	....
Woburn, Mass.	10,938	June, 1880	11,500	348	103	13	197	.....	.....	1	8	2	2
Pittsfield, Mass.	13,367	June, 1880	13,400	309	107	.....	279	.....	.....	....	....	....	.. .
New London, Conn.	13,529	June, 1880	.....	259	114	9	242	5	.....	....	89	4	2
Washington, D. C.	177,638	June, 1880	183,523	*b* 3,975	*b* 881	363	4,241	16	.....	23	99	80	37

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases.		Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
						Under 5 Years.	Total, all Ages.									
American.																
New York, N. Y.	3	241	170	....	1	3,469	3,947	4,706	2,822	1,375	152	470	14,650	5,518	1,206,577	26.47
Fall River, Mass.	....	20	....	....	....	....	223	20	43	60	1	....	.....	.....	49,006	27.63
Newburyport, Mass.	....	6	1	....	....	10	16	51	14	4	1	....	77	.....	13,600	21.10
Taunton, Mass.	....	9	4	....	....	24	28	61	30	7	2	....	106	60	21,213	19.61
Baltimore, Md.	7	196	26	....	....	678	810	1,221	463	74	18	99	3,602	432	332,190	24.21
Stamford, Conn.	....	1	....	....	....	9	10	25	21	.....	2	....	17	.....	11,298	15.76
Salt Lake, Utah	....	11	....	....	....	....	16	20	39	.....	2	....	192	28	20,768	20.22
Northampton, Mass.	....	2	....	....	....	....	18	28	20	1	....	....	66	30	12,172	15.69
Richmond, Va.	1	39	9	1	....	....	196	288	71	29	1	11	788	176	65,000	26.92
Waltham, Mass.	....	4	....	....	....	3	.....	29	16	8	....	....	47	1	11,711	14.94
Allegheny, Pa.	1	44	5	....	....	....	90	108	48	45	?	2	470	14	78,655	12.71
Syracuse, N. Y.	....	16	3	....	....	....	39	143	38	16	3	13	289	33	54,817	15.43
Malden, Mass.	....	3	6	....	....	18	26	45	9	3	....	....	56	.....	12,017	22.05
Woburn, Mass.	....	1	1	....	....	8	20	16	29	3	1	...	94	1	10,938	18.01
Pittsfield, Mass.	....	....	....	....	....	....	.....	.....	....	.....	....	....	.....	.....	13,367	20.87
New London, Conn.	....	4	1	....	....	11	11	29	5	.....	....	....	99	.....	13,529	17.89
Washington, D. C.	....	71	9	....	....	278	335	761	329	118	18	116	1,907	540	177,638	23.87

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Censes)	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough
AMERICAN—(*Continued*).													
Hyde Park, Ill. (*c*)	15,716	June, 1880	18,000	328	.....	23	300	1	4	26	25	11	1
Erie, Pa.	27,730	June, 1880	.....	.....	.....	50	491	.....	.....	12	37	3	7
Concord, N. H.	14,000	June, 1880	.....	254	*b* 131	15	263	.....	4	4	12	8	2
Augus a, Ga. (*e*)	25,000	.....	.....	.....	.....	.....	584	.....	2	....	9	9	....
New Haven, Conn.	62,882	.....	.....	1,742	563	47	1,121	.....	22	3	45	28	21
Utica, N. Y.	33,923	June, 1880	.....	759	*b* 128	22	483	.....	2	2	7	3	20
Yonkers, N. Y.	19,000	June, 1880	.....	368	118	18	269	.....	.....	1	2	9	6
Cincinnati, Ohio	280,000	June, 1880	.....	.....	.....	.....	5,177	.....	.....	....	....	....	....
Chicago, Ill.	503,298	June, 1880	.....	.....	.....	.....	10,462	.....	.....	...	....	....	....
Selma, Ala.	7,505	June, 1880	.....	.....	.....	17	201	.....	.....	....	2	....	9
Providence, R. I.	104,857	June, 1880	.....	2,627	1,232	119	2,080	.....	3	243	61	29	11
St. Louis, Mo.	350,522	June, 1880	.....	*b* 7,339	*b* 1,181	.....	6,635	.....	55	46	113	61	79
San Francisco, Cal. (*g*)	233,700	June, 1880	.....	1,340	2,183	316	4,340	1	19	21	69	30	37
County of Hudson, N. J.	187,950	June, 1880	190,000	3,278	1,252	290	4,245	1	32	131	92	82	9
Indianapolis, Ind.	75,074	June, 1880	.....	.....	.....	.....	1,694	.....	24	75	35	15	42
Boston, Mass.	362,535	June, 1880	.....	10,654	3,973	435	8,612	1	32	29	596	169	75

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases. Under 5 Years.	Diarrhœal Diseases. Total, all Ages.	Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
American—*(Continued)*.																
Hyde Park, Ill. *(c)*	....	12	1	....	....	23	31	15	15	6	2	7	167	.....	15,716	19.09
Erie, Pa.	....	12	....	....	....	....	26	66	*d*	*d*	....	....	230	.....	27,730	17.71
Concord, N. H.	...	6	....	....	....	....	10	37	22	2	....	....	59	24	14,000	18.79
Augusta, Ga. *(e)*	....	14	2	....	....	....	79	75	52	2	....	16	.....	.....	25,000	23.36
New Haven, Conn.	....	15	2	....	....	64	73	165	62	45	5	32	410	84	62,882	17.83
Utica, N. Y.	....	8	....	....	....	....	38	73	34	10	5	8	139	61	33,923	14.24
Yonkers, N. Y.	....	4	2	....	....	....	26	55	24	11	1	8	113	.....	19,000	14.16
Cincinnati, Ohio	....	....	....	....	....	....	.....	.....	....	.....	....	....	.....	.....	280,000	18.49
Chicago, Ill.	....	....	....	....	....	....	.....	.....	....	.....	....	....	5,600	.....	503,298	20.79
Selma, Ala.	....	6	....	....	....	...	5	34	11	7	....	26	88	.....	7,505	26.78
Providence, R. I.	....	52	4	....	....	129	146	331	193	56	2	1	732	80	104,857	19.84
St. Louis, Mo.	....	139	36	....	....	488	649	786	539	.....	....	241	2,937	1,064	350,522	18.93
San Francisco, Cal. *(g)*	....	87	27	....	....	105	121	677	379	81	88	34	1,322	826	233,700	18.57
County of Hudson, N. J.	4	49	26	....	....	....	438	538	330	114	17	98	1,891	315	190,000	22.34
Indianapolis, Ind.	....	45	....	....	....	....	85	194	115	45	4	32	834	.....	75,000	22.59
Boston, Mass.	....	152	11	....	....	....	905	1,371	803	344	40	18	3,408	1,206	362,535	23.75

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
American—*(Continued)*.													
Cleveland, Ohio	160,458	June, 1880	.....	.....	.....	154	3,156	.....	5	309	207	88	36
Hamilton, Ohio	12,122	June, 1880	.....	.....	.....	8	*k* 176	.....	.....	....	3	2	....
Pittsburg, Pa.	156,381	June, 1880	160,000	4,756	1,512	284	3,410	.....	89	220	311	32	102
Philadelphia, Pa.	846,980	June, 1880	.....	19,388	6,476	870	17,711	424	108	291	323	303	101
Brooklyn, N. Y.	566,689	June, 1880	585,220	*b* 11,975	*b* 3,814	*b* 883	13,222	2	156	222	1,118	420	111
Dayton, Ohio	38,677	June, 1880	40,000	1,133	*a*	47	575	.....	.....	8	27	10	7
Camden, N. J.	41,714	June, 1880	.....	*b* 683	405	*b* 50	944	120	.....	8	18	12	4
Milwaukee, Wis.	115,578	June, 1880	.....	*a*	*a*	209	2,390	.....	12	111	174	63	7
Wilmington, Del.	42,499	June 30, 1880	44,000	.....	.....	31	935	.....	7	41	21	21	2
Savannah, Ga.	33,248	June 30, 1880	.....	.....	.....	154	1,042	.....	.....	....	20	8	6
Omaha, Neb.	30,518	July, 1880	35,000	*b* 404	.....	21	365	.....	7	16	29	13	6
Reading, Pa.	43,280	June, 1880	45,000	1,325	557	69	815	.....	9	20	34	19	5
Burlington, Vt.	11,364	June, 1880	.....	314	93	12	207	.....	.....	....	9	3	5
Charleston, S. C.	49,999	June, 1880	.....	*b* 1,433	*b* 268	*b* 45	1,621	.....	4	....	9	....	30
Albany, N. Y. (*t*)	90,903	June, 1880	.....	1,081	457	51	1,174	11	.....	19	33	48	13
Memphis, Tenn.	33,593	June, 1880	.....	*a*	1,308	71	1,012	.....	7	13	3	4	13

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases. Under 5 Years.	Diarrhœal Diseases. Total, all Ages.	Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
American—*(Continued)*.																
Cleveland, Ohio	....	70	21	....	....	....	104	.....	....	.....	....	....	1,618	171	160,458	19.67
Hamilton, Ohio	....	1	....	....	....	....	14	27	8	4	....	....	.....	.....	12,122	14.52
Pittsburg, Pa	....	211	19	....	....	261	321	314	203	92	15	2	1,617	184	156,381	21.81
Philadelphia, Pa	20	498	78	....	....	?	?	2,692	995	406	68	10	6,594	?	846,980	20.91
Brooklyn, N. Y	....	71	3	....	....	1,407	1,602	1,736	972	495	31	256	6,215	795	566,689	23.33
Dayton, Ohio	....	14	1	....	....	46	56	84	30	8	7	4	216	*a*	39.000	14.74
Camden, N. J	....	29	1	....	....	*a*	62	86	45	21	*b* 1	4	*a*	*b* 118	41,714	22.63
Milwaukee, Wis	....	20	21	....	....	....	163	184	115	45	15	....	1,208	.....	115,578	20.68
Wilmington, Del	....	24	....	....	....	?	?	133	39	9	....	2	413	29	44,000	21.25
Savannah, Ga.	....	14	....	....	....	....	37	154	95	11	3	55	.....	.....	33,248	31.34
Omaha, Neb	....	4	3	....	....	48	57	40	36	4	6	34	249	18	30,000	12.17
Reading, Pa	1	13	2	....	....	60	63	84	50	10	4	15	418	11	43,280	18.83
Burlington, Vt	....	3	2	....	....	25	27	36	6	8	3	....	96	.....	11,364	18.22
Charleston, S. C	....	56	....	....	....	....	124	249	51	29	....	21	655	150	49,999	32.42
Albany, N. Y. (*t*)	....	32	6	....	....	....	71	194	87	19	....	1	393	.....	90,903	12.91
Memphis, Tenn	....	5	15	....	....	34	118	147	72	8	*a*	108	322	134	33,593	30.13

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880 *(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign.													
London, England	3,814,571	Apr. 4, 1881	3,829,751	132,173	34,144	?	81,128	475	1,501	3,073	541	570	3,438
Brighton, England	.....	.....	.....	.....	.....	.....	2,094	.....	22	79	3	....	4[illegible]
Portsmouth, England	.....	.....	.....	.....	.....	.....	2,507	.....	54	8	22	...	48
Norwich, England	.....	.....	.....	.....	.....	.....	2,113	.....	12	188	3	...	64
Plymouth, England	.....	.....	.....	.....	.....	.....	1,837	.....	284	4	23	....	50
Bristol, England	.....	.....	.....	.....	.....	.....	4,276	2	74	239	12	....	99
Wolverhampton, England	.....	.....	.....	.....	.....	.....	1,598	.....	6	42	5	....	40
Birmingham, England	.....	.....	.....	.....	.....	.....	8,172	2	62	122	54	....	219
Leicester, England	.....	.....	.....	.....	.....	.....	2,988	.....	148	92	24	....	26
Nottingham, England	.....	.....	.....	.....	.....	.....	4,339	.....	265	134	6	....	87
Liverpool, England *	.....	.....	.....	20,783	.....	.....	14,811	2	283	465	58	180	663
Manchester, England	.....	.....	.....	.....	.....	.....	9,185	2	200	327	33	....	296
Salford, England	.....	.....	.....	7,102	1,466	?	4,799	.....	134	279	22	30	219
Oldham, England	.....	.....	.....	.....	.....	.....	2,676	.....	92	126	8	....	65
Bradford, England	.....	.....	.....	.....	.....	.....	4,109	1	66	189	18	....	115
Leeds, England	.....	.....	.....	.....	.....	.....	6,688	.....	66	126	12	....	110
Sheffield, England	.....	.....	.....	.....	.....	.....	6,410	1	79	269	14	....	145

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases.		Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
						Under 5 Years.	Total, all Ages.									
Foreign.																
London, England	63	689	9	....	....	3,538	3,957	8,029	4,173	11,138	352	135	35,901	14,607	3,664,149	22.14
Brighton, England	....	....	....	....	....	....	*h* 130	.....	....	.....	....	....	.....	.....	107,321	19.51
Portsmouth, England	....	....	....	....	....	....	*h* 154	.....	....	.....	....	...	.....	.....	134,224	18.68
Norwich, England	....	....	....	....	....	....	*h* 192	.....	....	.....	....	....	.....	.....	85,827	24.62
Plymouth, England	....	....	....	....	....	....	*h* 93	.....	....	.....	....	....	.....	.....	74,993	24.50
Bristol, England	....	....	....	....	....	....	*h* 193	.....	....	.....	....	....	.....	.....	213,536	20.02
Wolverhampton, England	....	....	....	....	....	....	*h* 115	.....	....	.....	....	....	.....	.....	75,970	21.03
Birmingham, England	....	....	....	....	....	....	*h* 772	.....	...	.....	....	....	.....	.....	394,738	20.70
Leicester, England	....	....	....	....	....	....	*h* 395	.....	....	.....	....	....	.....	.....	129,912	23.00
Nottingham, England	....	....	....	....	....	...	*h* 273	.....	....	.....	....	....	.....	.....	173,627	24.99
Liverpool, England *	87	134	....	....	....	996	1,061	1,337	824	2,190	30	....	7,341	2,028	544,056	27.22
Manchester, England	....	....	....	....	....	....	*h* 589	.....	....	.....	....	....	.....	.....	363,130	25.29
Salford, England	20	84	....	3	....	447	477	459	329	583	9	....	2,592	502	185,786	25.83
Oldham, England	....	....	....	....	....	....	*h* 141	.....	....	.....	....	....	.....	.....	115,413	23.19
Bradford, England	....	....	....	....	....	....	*h* 274	.....	....	.....	....	....	.....	.....	197,196	20.84
Leeds, England	....	....	....	....	....	....	*h* 611	.....	....	.....	....	....	.....	.....	318,929	20.97
Sheffield, England	....	....	....	....	....	....	*h* 563	.....	....	.....	....	....	.....	.....	304,938	21.02

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—(*Continued*).													
Hull, England	.....	.....	.....	.....	.....	.....	3,532	.....	204	61	5	....	144
Sunderland, England	.....	.....	.....	.....	.....	.....	2,860	.....	99	305	5	....	71
Newcastle-on-Tyne, England *	.....	.....	144,740	5,435	1,700	.....	3,335	.....	15	141	4	18	129
Bolton, England	105,400	Feb., 1881	.....	3,801	.....	55	2,221	1	103	99	....	18	78
Merthyr-Tydfil, Wales, England	48,500	Mar., 1881	49,000	1,627	658	.....	1,243	.....	122	3	5	....	13
Hobart District, Tasmania (*i*)	28,000	July, 1880	.....	900	.....	.....	*j* 647	.....	.....	3	12	5	7
Bologne, Italy	110,948	Dec. 31, 1871	124,014	3,044	755	157	3,516	.....	21	6	40	28	40
Kingston, Ontario, Canada	14,352	May, 1880	.....	387	152	.....	299	.....	.....	....	....	....	....
Toronto, Canada	56,092	1871	86,445	2,650	762	34	1,510	.....	20	10	25	31	28
Calcutta, India	429,535	Apr., 1876	.....	7,552	.....	497	11,681	114	26	2	13	105	64
Antwerp, Belgium	178,932	Dec., 1880	180,000	6,787	1,501	307	5,077	812	46	24	11	29	48
Paris, France	1,988,806	Dec., 1876	2,200,000	57,075	19,443	4,336	57,466	2,260	986	356	2,153		521
Havre, France	92,068	1876	100,000	3,300	890	150	3,347	11	114	....	86		59
Copenhagen, Denmark	235,254	Feb. 1, 1880	242,898	8,678	2,159	220	5,876	3	47	151	76	81	117
Faroe Isles, Denmark	11,245	Feb 1, 1880	11,420	290	?	7	178	.....	.....	....	5	7	....
Vienna, Austria	726,105	Dec. 31, 1880	730,911	28,963	5,975	1,359	20,453	534	98	172	466	131	148
Prague, Bohemia	155,818	Dec. 31, 1880	155,700	6,541	1,427	309	*r* 5,380	450	42	238	63		19

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases.		Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
						Under 5 Years.	Total, all Ages.									
Foreign—(*Continued*).																
Hull, England	....	....	....	....	....	....	*h* 366	.....	....	.....	....	....	.....	.....	149,627	23.61
Sunderland, England	....	....	....	....	....	....	*h* 197	.....	....	.....	....	....	.....	.....	116,730	24.50
Newcastle-on-Tyne, England*	....	30	....	....	....	....	172	328	115	335	15	....	1,536	136	149,366	22.33
Bolton, England	1	15	....	1	....	204	230	174	114	286	5	2	1,141	11	105,400	21.07
Merthyr-Tydfil, Wales, England	2	14	....	....	....	16	30	97	136	129	2	....	510	28	48,500	25.63
Hobart District, Tasmania (*i*)	....	9	....	....	....	....	51	.....	....	.....	....	....	164	.....	28,000	23.11
Bologne, Italy	4	104	149	....	....	220	357	333	432	238	17	....	1,253	1,640	110,948	32.69
Kingston, Ontario, Canada	....	....	....	....	....	....	.....	.....	....	.....	....	....	.....	.....	14,352	20.83
Toronto, Canada	....	36	14	....	....	116	141	153	90	92	3	1	495	.....	83,410	18.10
Calcutta, India	26	451	....	805	....	296	2,123	444	73	91	58	3,287	3,978	.....	429,535	27.19
Antwerp, Belgium	....	110	....	....	....	566	637	489	638		23	....	2,707	1,030	178,932	28.37
Paris, France	....	2,120	....	....	....	5,019	5,368	8,924	4,178	4,863	747	† 15	17,970	15,346	2,170,000	26.48
Havre, France	....	76	....	1	....	345	499	470	267	176	27	....	599	736	92,068	36.35
Copenhagen, Denmark	2	60	....	....	....	505	522	760	342	214	70	....	2,759	.....	235,254	24.98
Faroe Isles, Denmark	....	....	....	....	....	3	5	13	8	1	....	....	47	7	11,300	15.75
Vienna, Austria	171	....	....	....	....	1,628	1,688	4,897	1,601	394	230	....	8,219	7,469	726,105	28.17
Prague, Bohemia	84	....	1	....	....	403	455	1,086	291	63	57	....	2,419	r 2,040	156,000	34.49

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880 *(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—(*Continued*).													
Spain	16,638,936	.....	.....	533,839	.....	.....	462,784	12,165	10,579	2,656	8,935		6,244
Madrid, Spain	396,976	Jan. 1, 1879	397,000	14,577	.....	.....	15,909	1,202	779	48	242		413
Gibraltar, Spain	18,014	Dec. 31, 1878	18,381	459	148	58	385	.....	.....	....	2	6	....
Christiania, Norway	119,407	Dec. 31, 1880	121,500	4,661	997	213	2,401	16	.....	16	15	53	105
Honolulu, Hawaiian Islands	14,114	Dec. 27, 1878	15,000	.....	190	.....	611	.....	.....	....	....	....	....
Demerara, British Guiana	193,491	1871	.....	8,975	.....	616	7,649	.....	.....	1	4	46	3
Georgetown, Demerara, S. A.	34,819	1871	.....	1,573	.....	.....	2,101	.....	.....	....	4	40	2
Essequebo, West Coast, Demerara, S. A.	22,647	1871	.....	722	.....	.....	793	.....	.....	1	....	....	....
Essequebo Islands and River, Demerara, S. A.	13,328	1871	.....	572	.....	.....	594	.....	.....	....	....	....	....
Demerary, West Coast and West Bank, Demerara, S. A.	23,741	1871	.....	1,620	.....	.....	1,124	.....	.....	....	....	4	....
Upper Demerary River, Demerara, S. A.	11,522	1871	.....	296	.....	.....	246	.....	.....	....	....	....	1
East Bank Demerary River, Demerara, S. A.	13,501	1871	.....	647	.....	.....	461	.....	.....	....	....	....	...
East Coast Demerary, Demerara, S. A.	32,008	1871	.....	1,827	.....	.....	869	.....	.....	....	....	1	....
East Coast Berbice, Canje and Corentyne Coast, Demerara, S. A.	13,047	1871	.....	682	.....	.....	363	.....	.....	....	....	....	....
Colony of Hong Kong, China	139,144	.....	.....	1,578	.....	.....	3,996	166	6	....	2	....	....
Horta, Fayal, Azores	7,446	Dec. 31, 1877	.....	242	46	4	165	.....	.....	....	1	....	....
Belgrade, Servia	26,651	Dec., 1880	.....	949	443	.....	1,133	.....	.....	....	....	....	....

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases. Under 5 Years.	Diarrhœal Diseases. Total, all Ages.	Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death rate per 1,000 Inhabitants.
Foreign—(*Continued*).																
Spain	6,325	4,756	....	378	....	....	52,177	21,291	....	.....	593	6,213	221,239	.....	16,638,936	27.81
Madrid, Spain	612	77	....	4	....	....	178	1,016	2,434		67	....	7,550	.....	395,980	40.18
Gibraltar, Spain	....	11	2	....	....	13	24	35	12	13	2	....	107	54	18,014	21.37
Christiania, Norway	....	30	....	....	....	373	403	416	103	239	4	....	1,236	.....	118,000	20.35
Honolulu, Hawaiian Islands	....	*v* 48	....	....	....	....	.....	90	1	*u* 8	6	....	111	.....	15 000	40.73
Demerara, British Guiana	1	10	....	4	1	....	1,221	581	180	136	25	*w* 118	2,562	.....	253,000	30.23
Georgetown, Demerara, S. A.	1	5	....	4	....	?	280	272	24	26	4	38	657	.....	34,819	60.34
Essequebo, West Coast, Demerara, S. A.	....	....	....	....	....	?	144	45	23	32	2	25	242	.....	22,647	35.22
Essequebo Islands and River, Demerara, S. A.	....	1	....	....	....	?	98	27	18	10	2	6	202	.....	13,328	44.57
Demerary, West Coast and West Bank, Demerara, S. A.	....	....	....	....	....	?	209	80	30	21	3	24	422	.....	23,741	47.34
Upper Demerary River, Demerara, S. A.	....	....	....	....	....	?	30	20	....	.....	5	....	61	.....	11,522	21.35
East Bank Demerary River, Demerara, S. A.	....	....	....	....	....	?	96	21	3	14	4	2	148	.....	13,501	34.15
East Coast Demerary, Demerara, S.A.	....	....	....	....	....	?	144	47	17	.....	....	2	389	.....	32,008	27.15
East Coast Berbice, Canje and Corentyne Coast, Demerara, S. A.	....	....	....	....	1	?	32	10	14	14	1	4	142	.....	13,047	27.82
Colony of Hong Kong, China	1	310	....	....	....	....	509	456	2	241	12	411	.....	.....	139,144	28.71
Horta Fayal, Azores	1	1	....	....	....	26	38	10	3	20	....	....	68	9	7,446	22.16
Belgrade, Servia	....	....	....	....	....	....	.....	.....	....	.....	....	....	.....	.....	26,651	42.51

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still Births.	Total Deaths.	Small pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—(*Continued*).													
Catania, Italy	84,397	Dec. 31, 1871	92,670	3,748	727	151	3,134	.....	50	17	194		18
Odessa, Russia	*m* 184,500	Jan. 1, 1880	.....	.....	.....	346	6,878	94	53	21	231		29
Geneva (with suburbs), Switzerland	.....	.....	.....	1,653	.....	85	1,653	9	30	2	40		63
Zurich (with suburbs), Switzerland	.....	.....	.....	2,453	.....	123	1,995	5	1	59	73		36
Basel, Switzerland	61,399	Dec. 1, 1880	62,360	2,053	555	87	1,367	1	.....	13	32	20	14
Bern, Switzerland	.....	.....	.....	1,487	.....	58	1,206	.....	.....	39	32		3
Lausanne, Switzerland	.....	.....	.....	854	.....	27	683	7	9	....	38		7
Chaux-de-fonds, Switzerland	.....	.....	.....	711	.....	44	553	46	.....	2	10		2
St. Gallen, Switzerland	.....	.....	.....	607	.....	45	536	.....	.....	2	17		....
Luzern, Switzerland	.....	.....	.....	459	.....	19	415	7	2	1	5		....
Neuchatel, Switzerland	.....	.....	.....	463	.....	16	376	.....	11	9	1		1
Winterthur, Switzerland	.....	.....	.....	416	.....	25	260	.....	.....	1	21		2
Schaffhausen, Switzerland	.....	.....	.....	388	.....	19	281	.....	.....	10	4		....
Fribourg, Switzerland	.....	.....	.....	310	.....	13	319	.....	.....	3	5		1
Biel, Switzerland	.....	.....	.....	375	.....	15	283	.....	.....	12	23		1
Herisau, Switzerland	.....	.....	.....	367	.....	16	267	.....	.....	10	8		2
Locle, Switzerland	.....	.....	.....	324	.....	22	215	.....	.....	1	5		1

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases.		Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
						Under 5 Years.	Total, all Ages.									
Foreign—(*Continued*).																
Catania, Italy		233		1	....	?	979	140	416		9	54	1,705	513	90,000	34.82
Odessa, Russia	120	56	8	....	....	?	867	718	310	.....	27	....	4,707	1,578	184,500	37.28
Geneva (with suburbs), Switzerland	18		....	....	....	....	.....	255	....	.....	26	....	.....	.....	68,035	24.30
Zurich (with suburbs), Switzerland	72		....	....	....	....	.....	241	....	.....	24	....	.....	.....	75,152	26.55
Basel, Switzerland	....	58	....	....	....	214	223	187	136	21	14	....	563	368	61,399	22.26
Bern, Switzerland	21		....	....	....	....	.....	176	....	.....	18	....	.....	.....	43,749	27.57
Lausanne, Switzerland	6		....	....	....	....	.....	74	....	.....	15	....	.....	.....	30,026	22.75
Chaux-de-fonds, Switzerland	4		....	....	....	....	.....	74	....	.....	12	....	.....	.....	22,350	24.74
St. Gallen, Switzerland	11		....	....	....	....	.....	63	....	.....	9	....	.....	.....	21,239	25.24
Luzern, Switzerland	9		....	....	....	....	.....	60	....	.....	6	....	.....	.....	17,711	23.43
Neuchatel, Switzerland	5		....	....	....	....	.....	35	....	.....	8	....	.....	.....	15,516	24.23
Winterthur, Switzerland	7		...	....	....	....	.....	27	....	.....	2	....	.....	....	13,419	19.38
Schaffhausen, Switzerland	2		....	....	....	....	.....	25	....	.....	4	....	.....	.....	11,733	23.95
Fribourg, Switzerland	7		....	....	....	....	.....	39	....	.....	3	....	.....	.....	11,519	27.69
Biel, Switzerland	3		....	....	....	....	.....	23	....	.....	5	....	.....	.....	11,476	24.66
Herisau, Switzerland	4		....	....	....	....	.....	25	....	.....	3	....	.....	.....	11,025	24.22
Locle, Switzerland	1		....	....	....	....	.....	20	....	.....	4	....	.....	.....	10,461	20.55

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—*(Continued)*.													
Havana, Cuba	195,437	....	.....	.....	.....	176	7,942	446	6	2	64		16
Amsterdam, Holland	317,011	Dec. 31, 1879	331,000	11,682	2,537	678	8,682	.....	383	38	21	71	179
Rotterdam, Holland	148,102	1879	.....	5,834	1,214	317	3,705	.....	15	....	13	14	55
Dublin, Ireland	314,666	1871	.....	10,060	.....	.....	11,308	266	271	544	36	....	376
Belfast, Ireland	182,082	1871	.....	6,916	.....	.....	5,340	5	70	32	20	....	252
Cork, Ireland	91,965	1871	.....	2,620	.....	.....	2,837	.....	73	204	13	....	47
Limerick, Ireland	44,209	1871	.....	1,308	.....	.....	1,182	.....	8	51	1	....	3
Londonderry, Ireland	30,884	1871	.....	908	.....	.....	795	1	1	3	3	....	47
Waterford, Ireland	30,626	1871	.....	836	.....	.....	1,053	.....	42	72	....	....	8
Newry, Ireland	20,722	1871	.....	609	.....	.....	525	1	5	6	....	....	34
Drogheda, Ireland	19,948	1871	.....	430	.....	.....	496	.....	24	71	....	....	9
Galway, Ireland	19,692	1871	.....	464	.....	.....	474	.....	1	....	....	....	....
Kilkenny, Ireland	17,311	1871	.....	354	.....	.....	387	.....	1	....	....	....	....
Sligo, Ireland	17,285	1871	.....	449	.....	.....	359	1	.....	14	2	....	....
Dundalk, Ireland	16,242	1871	.....	520	.....	.....	410	.....	.....	6	....	....	25
Lurgan, Ireland	15,447	1871	.....	394	.....	.....	456	.....	.....	....	....	....	4
Wexford, Ireland	15,114	1871	.....	437	.....	.....	413	.....	.....	18	....	....	1

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases. Under 5 Years.	Diarrhœal Diseases. Total, all Ages.	Phthisis Pulmonalis	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
Foreign—(*Continued*).																
Havana, Cuba	....	159	....	....	892	....	*p* 1,145	1,629	360		....	49	.....	2,848	195.437	40.64
Amsterdam, Holland	38	129	....	....	....	511	593	808	852	609	23	45	4,460	?	322,000	26.96
Rotterdam, Holland	14		....	....	....	....	61	.....	....	.....	10	3	.....	.....	152,517	24.29
Dublin, Ireland	*q* 392		....	....	....	....	*h* 424	1,137	....	.....	....	....	4,454	2,976	314,666	35.94
Belfast, Ireland	*q* 160		....	....	....	....	*h* 302	798	....	.....	....	....	.....	867	182,082	29.33
Cork, Ireland	*q* 120		....	....	....	....	*h* 86	289	....	.....	....	....	.....	1,026	91,965	30.85
Limerick, Ireland	*q* 30		....	....	....	....	*h* 53	135	....	.....	....	....	.....	473	44,209	26.74
Londonderry, Ireland	*q* 24		....	....	....	....	*h* 12	99	....	.....	....	....	.....	154	30,884	25.74
Waterford, Ireland	*q* 24		....	....	....	....	*h* 149	74	....	.....	....	....	.....	332	30,626	34.38
Newry, Ireland	*q* 24		....	....	....	....	*h* 18	69	....	.....	....	....	.....	136	20,722	25.34
Drogheda, Ireland	*q* 6		....	....	....	....	*h* 17	44	....	.....	....	....	.....	95	19,948	24.86
Galway, Ireland	*q* 23		....	....	....	....	*h* 10	36	....	.....	....	....	.....	136	19,692	24.07
Kilkenny, Ireland	*q* 2		....	....	....	....	*h* 15	32	....	.....	....	....	.....	182	17,311	22.36
Sligo, Ireland	*q* 10		....	....	....	....	*h* 26	53	....	.....	....	....	.....	97	17,285	20.77
Dundalk, Ireland	*q* 12		....	....	....	....	*h* 21	39	....	.....	....	....	.....	66	16,242	25.24
Lurgan, Ireland	*q* 14		....	....	....	....	*h* 35	75	....	.....	....	....	.....	174	15,447	29.52
Wexford, Ireland	*q* 8		....	....	....	....	*h* 8	50	....	.....	....	....	.....	127	15,114	27.33

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—(*Continued*).													
Queenstown, Ireland	14,411	1871	.....	349	.....	.....	321	.....	19	1	....	....	19
Clonmel, Ireland	11,540	1871	.....	326	.....	.....	370	.....	.....	6	1	....	4
Buenos Ayres, Argentine Republic	177,787	Sept. 15, 1869	276,916	9,401	1,652	202	6,871	832	3	13	197	137	32
Berlin, Germany	1,122,360	Dec., 1880	1,136,832	44,112	10,829	1,749	32,823	9	376	872	1,198	224	354
Breslau, Germany	272,529	Dec., 1880	.....	10,152	2,386	509	8,823	2	121	56	68	67	51
Frankfort-on-Main, Germany	136,829	Dec., 1880	138,500	4,264	1,224	159	2,755	.....	7	33	23	10	56
Dresden, Germany	220,216	Dec. 1, 1880	222,900	7,690	2,140	346	5,489	8	35	84	243	41	85
Elberfeld, Germany	93,530	Dec. 1, 1880	96,000	3,743	780	163	2,503	4	51	142	54		95
Stuttgart, Germany	106,441	Dec. 1, 1880	.....	3,672	705	171	2,378	.....	22	5	78	64	31
Crefeld, Germany	73,866	?	75,723	3,196	691	120	1,919	1	1	27	78		46
Nürnberg, Germany	99,519	Dec., 1880	100,445	3,526	885	188	2,572	.....	25	33	37	32	55
Leipzig, Germany	149,083	Dec. 1, 1880	151,616	5,012	1,356	210	3,627	.....	47	27	103		62
Munich, Germany	.....	.....	.....	9,007	.....	228	7,887	.....	97	86	367		50
Hamburg (State), Germany	427,793	Dec. 1, 1879	.....	17,383	4,164	606	11,181	.....	180	486	316		176
Strassburg, Germany	104,501	Dec. 1, 1880	105,740	3,632	766	88	3,632	.....	16	68	107		33
Magdeburg, Germany	97,259	.....	.....	3,459	.....	.....	2,499	.....	59	29	44		19
Halle a. S., Germany	71,505	.....	.....	2,694	.....	.....	1,906	.....	7	11	64		9

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases. Under 5 Years.	Diarrhœal Diseases. Total, all Ages.	Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
Foreign—*(Continued)*.																
Queenstown, Ireland	*q* 11		....	....	....	....	*h* 11	53	....	.....	....	....	.....	6	14,411	22.27
Clonmel, Ireland	*q* 7		....	....	....	....	*h* 17	31	....	....	....	....	.....	156	11,540	32.06
Buenos Ayres, Argentine Republic	....	163	....	....	....	....	406	774	462	156	12	1	.....	2,010	264,074	26.02
Berlin, Germany	21	506	5	....	....	5,589	5,706	3,830	1,713	100	308	3	19,532	5,928	1,122,360	29.24
Breslau, Germany	109		247	....	....	1,259	1,326	644	545	59	101	....	4,852	1,509	272,529	32.37
Frankfort-on-Main, Germany	5	27	15	....	....	269	279	522	194	94	43	....	1,168	.....	136,829	20.13
Dresden, Germany	55	1	....	....	....	415	429	786	290	44	87	1	2,617	995	220,216	24.93
Elberfeld, Germany	56		?	....	....	156		473	264		22	....	1,275	261	93,530	26.76
Stuttgart, Germany	....	12	12	....	....	309	313	247	*l* 229	33	41	....	1,279	393	106,000	22.43
Crefeld, Germany	....	21		....	....	?	115	366	259		10	....	1,031	138	73,000	26.29
Nurnberg, Germany	....	21	22	....	....	215	220	434	294		33	....	1,330	42	98,619	26.08
Leipzig, Germany	34	?	7	....	....	499	515	523	208	80	84	....	1,728	268	147,276	24.63
Munich, Germany	1	146	....	....	....	....	*m* 1,580	921	*o* 719		38	....	4,292	.....	228,000	34.59
Hamburg (State), Germany	112		....	....	....	1,045	1,068	1,348	....	.....	192	....	.....	.....	427,793	26.14
Strassburg, Germany	....	43	....	....	....	649	?	347	235	269	17	....	1,292	912	103,616	35.05
Magdeburg, Germany	5	34	?	....	....	....	?	321	194		55	....	.....	.....	97,259	25.69
Halle a. S., Germany	....	24	?	....	....	....	?	200	204		23	....	.....	.....	71,505	26.66

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—(*Continued*).													
Frankfurt a. O., Germany	50,600	.....	.....	1,917	.....	.....	1,375	1	4	21	25		17
Görlitz, Germany	48,000	.....	.....	1,861	.....	.....	1,441	8	15	1	37		14
Potsdam, Germany	48,346	.....	.....	1,415	.....	.....	1,129	.....	13	11	20		2
Spandau, Germany	28,902	.....	.....	1,234	.....	.....	836	.....	28	2	26		8
Brandenburg a. H., Germany	28,685	.....	.....	1,001	.....	.....	821	.....	16	6	15		4
Charlottenburg, Germany	30,446	.....	.....	1,298	.....	.....	1,003	.....	38	21	14		3
Neust. Magdeburg, Germany	27,273	.....	.....	1,423	.....	.....	979	.....	.....	9	23		1
Guben, Germany	25,871	.....	.....	937	.....	.....	617	.....	23	10	21		3
Kottbus, Germany	25,584	.....	.....	1,007	.....	.....	706	.....	35	5	30		4
Dessau, Germany	23,266	.....	.....	828	.....	.....	539	.....	18	4	30		....
Zeitz, Germany	18,268	.....	.....	729	.....	.....	459	.....	5	1	16		1
Prenzlau, Germany	16,930	.....	.....	553	.....	.....	491	.....	20	28	26		6
Burg, Germany	15,867	.....	.....	604	.....	.....	423	.....	16	....	20		8
Hannover, Germany	122,846	.....	.....	4,382	.....	.....	2,723	.....	30	10	34		35
Bremen, Germany	112,200	.....	.....	4,001	.....	.....	2,344	2	9	1	64		40
Altona, Germany	91,049	.....	.....	3,531	.....	.....	2,612	.....	84	79	65		69
Braunschweig, Germany	75,038	Dec. 1, 1880	.....	2,780	614	86	1,924	.....	6	10	30	10	31

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases. Under 5 Years.	Diarrhœal Diseases. Total, all Ages.	Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
Foreign—(*Continued*).																
Frankfurt a. O., Germany	....	27	?	....	....	....	?	181	116		25	....	.....	.....	50,600	27.17
Görlitz, Germany	....	16	?	....	....	....	?	171	64		28	....	.....	.....	48,000	30.02
Potsdam, Germany	....	25	?	....	....	....	?	143	74		20	....	.....	.....	48,346	23.35
Spandau, Germany	...	23	?	....	....	?	?	83	61		11	....	.....	.....	28,902	28.93
Brandenburg a. H., Germany	....	18	?	....	....	?	?	94	58		6	....	.....	.....	28,685	28.62
Charlottenburg, Germany	....	11	?	....	....	?	?	91	84		11	....	.....	.....	30,446	32.94
Neust. Magdeburg, Germany	....	27	?	....	....	?	?	97	46		10	....	.....	.....	27,273	35.90
Guben, Germany	....	8	?	....	....	?	?	86	41		11	....	.....	.....	25,871	23.85
Kottbus, Germany	....	21	?	....	....	?	?	104	28		12	....	.....	.....	25,584	27.60
Dessau, Germany	....	10	?	....	....	?	?	60	58		8	....	.....	.....	23,266	32.17
Zeitz, Germany	....	9	?	....	....	?	?	58	57		7	....	.....	.....	18,268	25.13
Prenzlau, Germany	....	8	?	....	....	?	?	61	17		3	....	.....	.....	16,930	29.00
Burg, Germany	....	19	?	....	....	?	?	52	22		1	....	.....	.....	15,867	26.66
Hannover, Germany	2	36	?	....	....	?	?	500	239		35	....	.....	.....	122,846	22.17
Bremen, Germany	....	16	?	....	....	?	?	413	274		32	....	.....	.....	112,200	20.89
Altona, Germany	5	36	?	....	....	?	?	317	313		36	....	.....	.....	91,049	28.69
Braunschweig, Germany	36	34	2	....	....	135	250	272	94	118	29	5	937	180	75,038	25.64

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—*(Continued)*.													
Munster, Germany	40,429	....	.....	1,237	.....	.....	1,231	1	31	3	74		24
Osnabrück, Germany	32,819	....	.....	1,277	.....	.....	909	.....	16	9	36		3
Bielefeld, Germany	30,519	....	.....	1,272	.....	.....	655	.....	5	8	12		2
Hildesheim, Germany	25,887	....	.....	734	.....	.....	628	.....	14	1	5		....
Celle, Germany	28,808	....	.....	537	.....	.....	355	.....	4	20	7		3
Lüneburg, Germany	19,045	....	.....	598	.....	.....	514	.....	34	....	16		9
Oldenburg, Germany	20,577	....	.....	529	.....	.....	483	.....	5	9	7		17
Harburg, Germany	19,075	....	.....	720	.....	.....	566	.....	55	6	9		8
Minden, Germany	17,868	....	.....	558	.....	.....	461	.....	3	3	28		1
Köln, Germany	144,735	....	.....	5,459	.....	.....	4,211	3	87	304	82		36
Barmen, Germany	95,951	....	.....	4,086	.....	.....	2,380	.....	11	113	44		109
Düsseldorf, Germany	95,459	....	.....	3,669	.....	.....	2,822	1	14	177	123		61
Aachen, Germany	85,720	....	.....	3,348	.....	.....	2,736	.....	18	117	133		36
Dortmund, Germany	66,546	....	.....	3,033	.....	.....	2,017	.....	18	33	79		33
Essen, Germany	56,957	....	.....	2,482	.....	.....	1,538	.....	14	14	54		33
Duisburg, Germany	41,259	....	.....	1,699	.....	.....	1,086	.....	.....	51	6		8
M.-Gladbach, Germany	37,384	....	.....	1,653	.....	.....	984	.....	1	21	22		27

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases. Under 5 Years.	Diarrhœal Diseases. Total, all Ages.	Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
Foreign—*(Continued)*.																
Munster, Germany	....	25	?	....	....	?	?	257	118		9	....	.....	.....	40,429	30.45
Osnabruck, Germany	....	28	?	....	....	?	?	136	112		3	....	.....	.....	32,819	27.70
Bielefeld, Germany	....	14	?	....	....	?	?	154	65		4	....	.....	.....	30,519	21.46
Hildesheim, Germany	....	14	?	....	....	?	?	66	51		2	....	.....	.....	25,887	24.26
Celle, Germany	....	5	?	....	....	?	?	48	38		6	....	.....	.....	18,808	18.87
Lüneburg, Germany	....	7	?	1	....	?	?	46	60		10	....	.....	.....	19,045	26.99
Oldenburg, Germany	....	10	?	....	....	?	?	92	41		8	....	.....	.....	20,577	23.47
Harburg, Germany	....	8	?	....	....	?	?	77	75		5	....	.....	.....	19,075	29.67
Minden, Germany	2	8	?	....	....	?	?	72	66		7	....	.....	.....	17,868	25.80
Köln, Germany	....	50	?	....	....	?	?	596	346		12	....	.....	.....	144,735	29.09
Barmen, Germany	1	38	?	....	....	?	?	428	259		20	....	.....	.....	95,951	24.80
Dusseldorf, Germany	....	33	?	....	....	?	?	365	252		10	....	.....	.....	95,459	29.56
Aachen, Germany	....	41	?	1	....	?	?	348	268		5	....	.....	.....	85,720	31.92
Dortmund, Germany	19	84	?	....	....	?	?	302	305		17	....	.....	.....	66,546	30.31
Essen, Germany	....	42	?	....	....	?	?	253	197		10	....	.....	.....	56,957	27.00
Duisburg, Germany	....	25	?	....	....	?	?	152	157		15	....	.....	.....	41,250	26.32
M.-Gladbach, Germany	....	17	?	....	....	?	?	287	60		3	....	.....	.....	37,384	26.32

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—(*Continued*).													
Koblenz, Germany	30,567	....	.....	862	.....	.....	851	.....	4	90	20		16
Bonn, Germany	31,519	....	.....	1,144	.....	.....	931	.....	5	113	23		14
Bochum, Germany	33,432	....	.....	1,693	.....	.....	1,071	.....	4	28	66		17
Remscheid, Germany	30,043	....	.....	1,251	.....	.....	695	.....	2	7	17		25
Hagen, Germany	26,297	....	.....	1,134	.....	.....	738	.....	1	52	5		11
Trier, Germany	24,201	....	.....	678	.....	.....	490	.....	1	2	8		....
Viersen, Germany	20,998	....	.....	785	.....	.....	517	.....	.....	34	65		8
Wesel, Germany	20,587	....	.....	675	.....	.....	499	2	48	8	5		....
Witten, Germany	21,411	....	.....	1,012	.....	.....	621	.....	2	13	19		24
Hamm i. W., Germany	20,796	....	.....	854	.....	.....	577	.....	14	4	22		17
Mülheim a. Rh., Germany	20,300	....	.....	903	.....	.....	527	1	.....	27	9		3
Iserlohn, Germany	18,502	....	.....	738	.....	.....	512	.....	9	7	8		17
Rheydt, Germany	19,084	....	.....	779	.....	.....	379	.....	.....	17	12		12
Oberhausen, Germany	16,677	....	.....	843	.....	.....	364	.....	3	13	17		3
Neuss, Germany	17,494	....	.....	709	.....	.....	488	.....	.....	34	17		....
Mülheim a. d. R., Germany	22,148	....	.....	925	.....	.....	560	.....	2	37	13		23
Solingen, Germany	16,800	....	.....	654	.....	.....	414	.....	1	22	7		....

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases. Under 5 Years.	Diarrhœal Diseases. Total, all Ages.	Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
Foreign—(*Continued*).																
Koblenz, Germany	....	13	?	....	....	?	?	109	64		7	....	....	.....	30,567	27.84
Bonn, Germany	....	9	?	....	....	?	?	134	87		3	....	.....	.....	31,510	29.55
Bochum, Germany	....	23	?	....	....	?	?	182	182		2	....	.....	.....	33,432	32.03
Remscheid, Germany	....	31	?	....	....	?	?	214	25		3	....	.....	.....	30,043	23.13
Hagen, Germany	....	7	?	....	....	?	?	131	106		6	....	.....	.....	26,297	28.06
Trier, Germany	....	4	?	....	....	?	?	100	24		1	....	.....	.....	24,201	20.25
Viersen, Germany	....	5	?	....	....	?	?	106	35		1	....	.....	.....	20,998	24.62
Wesel, Germany	....	12	?	....	....	?	?	91	56		4	....	.....	.....	20,587	24.24
Witten, Germany	....	14	?	....	....	?	?	150	80		4	....	.....	.....	21,411	29.00
Hamm i. W., Germany	....	12	?	....	....	?	?	117	85		7	....	.....	.....	20,796	27.74
Mülheim a. Rh., Germany	....	20	?	....	....	?	?	117	47		2	....	.....	.....	20,300	25.96
Iserlohn, Germany	....	10	?	....	....	?	?	83	36		7	....	.....	.....	18,502	27.67
Rheydt, Germany	....	5	?	....	....	?	?	78	27		....	....	.....	.....	19,084	19.86
Oberhausen, Germany	....	7	?	....	....	?	?	51	43		1	....	.....	.....	16,677	21.83
Neuss, Germany	....	9	?	....	....	?	?	76	12		1	....	.....	.....	17,494	27.90
Mulheim a. d. R., Germany	1	16	?	....	....	?	?	92	27		5	....	.....	.....	22,148	25.28
Solingen, Germany	....	14	?	....	....	?	?	110	36		1	....	.....	.....	16,800	24.64

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—*(Continued)*.													
Mainz, Germany	61,322	....	.....	2,024	.....	.....	1,440	1	13	2	32		28
Mannheim, Germany	53,465	....	.....	1,926	.....	.....	1,276	.....	8	61	36		26
Karlsruhe, Germany	50,000	....	.....	1,464	.....	.....	1,041	.....	1	15	22		5
Wiesbaden, Germany	50,238	....	.....	1,497	.....	.....	943	1	3	9	4		1
Metz, Germany	52,867	....	.....	1,611	.....	.....	1,275	.....	15	1	9		11
Darmstadt, Germany	49,000	....	.....	1,321	.....	.....	1,024	.....	1	10	31		34
Freiburg i. B., Germany	36,380	....	.....	1,074	.....	.....	1,017	.....	1	11	95		2
Offenbach, Germany	28,601	....	.....	1,006	.....	.....	640	.....	.....	6	40		1
Pforzheim, Germany	24,037	....	.....	860	.....	.....	568	.....	12	1	11		6
Colmar, Germany	26,093	....	.....	960	.....	.....	699	.....	.....	3	13		17
Heidelberg, Germany	24,421	....	.....	862	.....	.....	692	.....	.....	3	24		8
Kaiserslautern, Germany	26,500	....	.....	1,071	.....	.....	556	.....	4	12	21		16
Hanau, Germany	23,041	....	.....	712	.....	.....	621	.....	10	1	18		3
Worms, Germany	19,035	....	.....	654	.....	.....	452	.....	5	4	4		12
Baden-Baden, Germany	11,927	....	.....	313	.....	.....	245	.....	.....	1	4		....
Königsberg i. Pr., Germany	140,932	....	.....	5,272	.....	.....	4,295	28	13	23	179		18
Danzig, Germany	108,549	....	.....	4,081	.....	.....	3,480	2	157	74	285		13

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases.		Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
						Under 5 Years.	Total, all Ages.									
Foreign—*(Continued)*.																
Mainz, Germany	....	35	?	....	....	?	?	230	132		13	....	.....	.....	61,322	23.48
Mannheim, Germany	2	12	?	....	....	?	?	199	128		15	....	.....	.....	53,465	23.87
Karlsruhe, Germany	....	10	?	....	....	?	?	186	116		11	....	.....	.....	50,000	20.82
Wiesbaden, Germany	....	6	?	....	....	?	?	172	91		14	....	.....	.....	50,238	18.77
Metz, Germany	....	19		....	....	?	?	122	266		7	....	.....	.....	52,867	24.12
Darmstadt, Germany	....	4	?	....	....	?	?	178	113		13	....	.....	.....	49,000	20.90
Freiburg, i. B., Germany	....	3	?	....	....	?	?	146	...		8	....	.....	.....	36,380	27.95
Offenbach, Germany	....	6	?	....	....	?	?	99	71		5	....	.....	.....	28,601	22.38
Pforzheim, Germany	....	1	?	....	....	?	?	77	57		8	....	.....	.....	24,037	23.63
Colmar, Germany	....	10	?	....	....	?	?	84	85		8	....	.....	.....	26,093	26.79
Heidelberg, Germany	....	13	?	....	....	?	?	108	82		6	....	.....	.....	24,421	28.34
Kaiserslautern, Germany	....	2	?	....	....		?	97			1	....	.....	.....	26,500	20.98
Hanau, Germany	1	3	?	....	....	?	?	118	75		8	....	.....	.....	23,041	26.95
Worms, Germany	....	2	?	....	....	?	?	71	40		9	....	.....	.....	19,035	23.75
Baden-Baden, Germany	....	3	?	....	....	?	?	32	42		3	....	.....	.....	11,927	20.54
Königsberg i. Pr., Germany	13	92	?	....	....	?	?	377	458		59	....	.....	.....	140,932	30.48
Danzig, Germany	18	21	?	....	....	?	?	280	252		32	....	.....	.....	108,549	32.06

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—(*Continued*).													
Stettin, Germany	91,755	....	.....	3,113	.....	.....	2,380	.....	8	69	95		4
Lübeck, Germany	50,250	....	.....	1,690	.....	.....	1,107	.....	.....	9	22		25
Kiel, Germany	43,596	....	.....	1,672	.....	.....	998	.....	35	3	26		42
Rostock, Germany	36,982	....	.....	1,065	.....	.....	812	.....	.....	22	14		2
Elbing, Germany	35,683	....	.....	1,403	.....	.....	1,092	.....	.....	2	61		25
Schwerin i. M., Germany	30,146	....	.....	804	.....	.....	623	.....	1	....	16		12
Stralsund, Germany	29,494	....	.....	881	.....	.....	707	.....	13	2	12		3
Flensburg, Germany	31,331	....	.....	1,044	.....	.....	704	.....	.....	....	8		2
Stargard i. Pom., Germany	21,828	....	.....	728	.....	.....	599	.....	2	70	43		16
Thorn, Germany	20,618	....	.....	665	.....	.....	609	4	18	9	21		8
Memel, Germany	20,209	....	.....	564	.....	.....	486	1	.....	....	42		10
Tilsit, Germany	21,394	....	.....	674	.....	.....	600	1	1	1	57		5
Stolp, Germany	21,479	....	.....	787	.....	.....	578	.....	1	....	22		32
Greifswald, Germany	19,904	....	.....	689	.....	.....	537	.....	11	5	7		1
Insterburg, Germany	18,840	....	.....	571	.....	.....	430	.....	9	2	22		23
Graudenz Germany	17,344	....	.....	618	.....	.....	487	.....	2	8	10		18
Posen, Germany	64,547	....	.....	2,427	.....	.....	1,901	1	2	3	36		87

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases. Under 5 Years.	Diarrhœal Diseases. Total, all Ages.	Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
Foreign—*(Continued)*.																
Stettin, Germany	2	44	?	....	....	?	?	209	176		26	....	.....	.....	91,755	25.94
Lübeck, Germany	....	26	?	....	....	?	?	110	103		10	....	.....	.....	50,250	22.03
Kiel, Germany	....	7	?	....	....	?	?	119	92		14	....	.....	.....	43,596	22.89
Rostock, Germany	....	8	?	....	....	?	?	65	73		17	....	.....	.....	36,982	21.96
Elbing, Germany	7	36	?	....	....	?	?	87	66		15	....	.....	.....	35,683	30.60
Schwerin i. M., Germany	....	12	?	....	....	?	?	58	46		6	....	.....	.....	30,146	20.67
Stralsund, Germany	....	44	?	....	....	?	?	59	54		10	....	.....	.....	29,494	23.97
Flensburg, Germany	....	31	?	....	....	?	?	72	50		12	....	.....	.....	31,331	22.47
Stargard i. Pom., Germany	....	20	?	....	....	?	?	29	22		6	....	.....	.....	21,828	27.03
Thorn, Germany	31	27	?	....	....	?	?	47	28		8	....	.....	.....	20,618	29.54
Memel, Germany	....	18	?	....	....	?	?	29	31		6	....	.....	.....	20,209	24.05
Tilsit, Germany	1	11	?	....	....	?	?	95	22		4	....	.....	.....	21,394	28.05
Stolp, Germany	....	10	?	....	....	?	?	70	37		7	....	.....	.....	21,479	26.91
Greifswald, Germany	....	13	?	....	....	?	?	66	54		13	....	.....	.....	19,904	26.98
Insterburg, Germany	....	20	?	....	....	?	?	41	55		3	....	.....	.....	18,804	22.82
Graudenz, Germany	1	25	?	....	....	?	?	55	27		8	....	.....	.....	17,344	28.08
Posen, Germany	16	91	?	....	....	?	?	188	135		11	....	.....	.....	64,547	29.45

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—(*Continued*).													
Liegnitz, Germany	37,168	.....	.....	1,487	.....	.....	1,143	.....	16	1	20		2
Bromberg, Germany	33,618	.....	.....	1,171	.....	.....	916	1	41	35	55		17
Königshütte, Germany	27,520	.....	.....	1,330	.....	.....	813	9	24	37	51		66
Landsberg a. W., Germany	23,558	.....	.....	838	.....	.....	503	1	9	4	14		3
Schweidnitz, Germany	22,130	.....	.....	726	.....	.....	633	1	8	4	1		14
Beuthen i. O.-S., Germany	22,812	.....	.....	921	.....	.....	859	35	14	107	46		43
Neisse, Germany	20,516	.....	.....	457	.....	.....	373	.....	.....	2	4		1
Gross-Glogau, Germany	18,629	.....	.....	505	.....	.....	465	.....	11	36	8		11
Ratibor, Germany	18,233	.....	.....	521	.....	.....	354	1	16	19	13		5
Brieg, Germany	17,232	.....	.....	522	.....	.....	447	.....	.....	....	8		1
Augsburg, Germany	61,413	Dec. 1, 1880	61,868	2,299	411	53	1,876	.....	6	17	70		14
Regensburg, Germany	34,504	.....	.....	1,173	.....	.....	1,085	.....	.....	6	27		7
Ulm, Germany	32,800	.....	.....	1,082	.....	.....	850	1	9	9	36		4
Fürth, Germany	31,064	.....	.....	1,156	.....	.....	823	.....	1	32	20		12
Heilbronn, Germany	24,516	.....	.....	834	.....	.....	616	.....	.....	...	27		7
Esslingen, Germany	20,758	.....	.....	732	.....	.....	531	2	11	5	46		8
Cannstadt, Germany	16,205	.....	.....	658	.....	.....	436	.....	14	2	20		3

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases.		Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death rate per 1,000 Inhabitants.
						Under 5 Years.	Total, all Ages.									
Foreign—*(Continued)*.																
Liegnitz, Germany	....	34	?	....	....	?	?	96	32		13	....	.....	.....	37,168	30.75
Bromberg, Germany	....	39	?	....	....	?	?	115	30		12	....	.....	.....	33,618	27.25
Königshütte, Germany	3	10	?	....	....	?	?	33	33		....	....	.....	.....	27,520	29 54
Landsberg a. W., Germany	....	13	?	....	....	?	?	64	29		6	....	.....	.....	23,558	21.35
Schweidnitz, Germany	....	16	?	....	....	?	?	40	20		9	....	.....	.....	22,136	28.60
Beuthen i. O.-S., Germany	11	27	?	....	....	?	?	51	34		4	....	.....	.....	22,812	37.66
Neisse, Germany	....	8	?	....	....	?	?	52	14		3	....	.....	.....	20,516	18.18
Gross-Glogau, Germany	....	7	?	....	....	?	?	62	17		7	....	.....	.....	18,629	24.96
Ratibor, Germany	1	8	?	....	....	?	?	63	30		3	....	.....	.....	18,233	19.42
Brieg, Germany	....	4	?	....	....	?	?	61	25		5	....	.....	.....	17,232	25.94
Augsburg, Germany	10	....	?	....	....	188	191	194	181		19	....	1,000	124	61,063	30.72
Regensburg, Germany	....	15	?	....	....	?	?	146	83		5	....	.....	.....	34,504	31.45
Ulm, Germany	....	3	?	....	....	?	?	64	73		16	....	.....	.....	32,800	25.91
Fürth, Germany	....	6	?	....	....	?	?	148	92		6	....	.....	.....	31,064	26.49
Heilbronn, Germany	....	2	?	....	....	?	?	46	42		7	....	.....	.....	24,516	25.13
Esslingen, Germany	....	3	?	....	....	?	?	40	30		8	....	.....	.....	20,758	25.58
Cannstadt, Germany	....	1	?	....	....	?	?	44	37		13	....	.....	.....	16,205	26.90

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—(*Continued*).													
Reutlingen, Germany	16,609	....	.....	574	.....	.....	421	.....	1	2	10		10
Erlangen, Germany	14,876	....	.....	577	.....	.....	463	.....	.....	....	25		....
Chemnitz, Germany	95,135	....	.....	3,912	.....	.....	2,901	.....	57	16	60		47
Kassel, Germany	58,293	....	.....	1,701	.....	.....	1,279	.....	9	12	32		14
Erfurt, Germany	53,272	....	.....	1,959	.....	.....	1,226	.....	29	7	35		6
Wurzburg, Germany	51,024	....	.....	1,556	.....	.....	1,362	.....	.....	10	74		15
Zwickau, Germany	34,998	....	.....	1,532	.....	.....	1,201	.....	88	7	27		44
Plauen, Germany	35,250	....	.....	1,552	.....	.....	779	.....	2	5	11		11
Halberstadt, Germany	31,258	....	.....	1,174	.....	.....	950	1	58	18	47		25
Bamberg, Germany	29,622	....	.....	935	.....	.....	702	.....	2	1	28		11
Nordhausen, Germany	25,992	....	.....	955	.....	.....	698	.....	3	....	28		12
Freiberg i. S., Germany	25,547	....	.....	908	.....	.....	661	1	3	4	13		4
Gotha, Germany	26,425	....	.....	899	.....	.....	495	.....	1	....	18		2
Altenburg, Germany	26,240	....	.....	1,014	.....	.....	866	.....	7	8	31		5
Glauchau, Germany	21,355	....	.....	1,038	.....	.....	844	.....	10	....	37		3
Meerane, Germany	22,234	....	.....	1,108	.....	.....	755	.....	.....	6	10		29
Gera, Germany	27,169	....	.....	1,143	.....	.....	796	.....	6	15	26		15

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases. Under 5 Years.	Diarrhœal Diseases. Total, all Ages.	Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
Foreign—*(Continued)*.																
Reutlingen, Germany	....	11	?	3	....	?	?	16	25		5	....	.....	.....	16,609	25.35
Erlangen, Germany	....	1	?	....	....	?	?	77	60		9	....	.....	.....	14,876	31.12
Chemnitz, Germany	....	37	?	....	....	?	?	249	96		21	....	.....	.....	95,135	30.49
Kassel, Germany	....	26	?	....	....	?	?	198	71		20	....	.....	.....	58,293	21.94
Erfurt, Germany	....	24	?	....	....	?	?	144	75		24	....	.....	.....	53,272	23.01
Würzburg, Germany	....	12	?	....	....	?	?	252	124		8	....	.....	.....	51,024	26.69
Zwickau, Germany	....	11	?	....	....	?	?	100	76		6	....	.....	.....	34,998	34.32
Plauen, Germany	....	....	?	....	....	?	?	72	61		19	....	.....	.....	35,250	22.10
Halberstadt, Germany	....	23	?	....	....	?	?	106	39		14	....	.....	.....	31,258	30.39
Bamberg, Germany	....	....	?	....	....	?	?	121	60		7	....	.....	.....	29,622	23.70
Nordhausen, Germany	....	17	?	....	....	?	?	82	45		14	....	.....	.....	25,992	26.85
Freiberg i. S., Germany	....	3	?	....	....	?	?	66	41		11	....	.....	.....	25,547	25.87
Gotha, Germany	....	10	?	1	....	?	?	65	47		15	....	.....	.....	26,425	18.73
Altenburg, Germany	....	8	?	....	....	?	?	77	46		19	....	.....	.....	26,240	33.00
Glauchau, Germany	....	13	?	....	....	?	?	73	16		9	....	.....	.....	21,355	39.52
Meerane, Germany	....	5	?	....	....	?	?	80	30		5	....	.....	.....	22,234	33.96
Gera, Germany	....	25	?	....	....	?	?	83	62		25	....	.....	.....	27,169	29.30

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough
Foreign—*(Continued)*.													
Muhlhausen i. Th., Germany	23,350	....	.....	870	.....	.....	553	.....	2	8	46		14
Zittau, Germany	22,473	....	.....	835	.....	.....	581	.....	.....	4	15		1
Bayreuth, Germany	22,027	....	.....	622	.....	.....	561	.....	1	6	8		11
Hof, Germany	20,991	....	.....	826	.....	.....	494	.....	.....	13	18		2
Crimmitschau, Germany	19,000	....	.....	872	.....	.....	662	.....	11	5	21		3
Weimar, Germany	20,130	....	.....	554	.....	.....	387	.....	28	....	16		....
Bernburg, Germany	18,602	....	.....	620	.....	.....	414	.....	5	2	22		2
Gottingen, Germany	19,942	....	.....	629	.....	.....	459	.....	2	7	8		5
Aschersleben, Germany	19,379	....	.....	767	.....	.....	460	.....	21	4	36		1
Quedlinburg, Germany	18,406	....	.....	704	.....	.....	496	.....	20	1	17		2
Weissenfels, Germany	19,648	....	.....	839	.....	.....	511	.....	37	....	19		3
Eisenach, Germany	18,788	....	.....	642	.....	.....	362	.....	.....	2	13		....
Naumburg a. S., Germany	17,927	....	.....	569	.....	.....	455	.....	19	1	8		1
Koburg, Germany	15,790	....	.....	343	.....	.....	338	.....	4	....	15		2
Glasgow, Scotland	.....	....	.....	18,892	4,332	.....	13,285	2	328	462	155	120	737
Edinburgh, Scotland	.....	....	.....	7,540	1,972	.....	4,942	.....	181	348	36	39	200
Dundee, Scotland	.....	....	.....	4,955	1,021	.....	3,461	1	159	34	19	29	116

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases.		Phthisis Pulmonalis.	Pneumonia	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
						Under 5 Years.	Total, all Ages.									
Foreign—*(Continued)*.																
Muhlhausen i. Th., Germany	....	7	?	....	....	?	?	59	71		11	....	.....	.....	23,350	23.68
Zittau, Germany	....	5	?	....	....	?	?	57	21		12	....	.....	.....	22,473	25.85
Bayreuth, Germany	....	9	?	....	....	?	?	94	38		13	....	.....	.....	22,027	25.47
Hof, Germany	....	5	?	....	....	?	?	68	42		6	....	.....	.....	20,991	23.53
Crimmitschau, Germany	....	10	?	....	....	?	?	53	15		5	....	.....	.....	19,000	34.84
Weimar, Germany	....	7	?	....	....	?	?	32	29		8	....	.....	.....	20,130	19.23
Bernburg, Germany	....	7	?	....	....	?	?	47	54		9	....	.....	.....	18,602	22.26
Gottingen, Germany	....	5	?	....	....	?	?	66	34		6	....	.....	.....	19,942	23.02
Aschersleben, Germany	....	8	?	....	....	?	?	43	57		8	....	.....	.....	19,379	23.74
Quedlinburg, Germany	....	10	?	....	....	?	?	58	49		13	....	.....	.....	18,406	26.95
Weissenfels, Germany	....	18	?	....	....	?	?	52	28		11	....	.....	.....	19,648	26.01
Eisenach, Germany	....	10	?	....	....	?	?	45	29		5	....	.....	.....	18,788	19.27
Naumburg a. S., Germany	....	7	?	....	....	?	?	48	40		13	....	.....	.....	17,927	25.38
Koburg, Germany	....	6	?	....	....	?	?	44	24		6	....	.....	.....	15,790	21.41
Glasgow, Scotland	43	279	?	....	....	313	439	1,583	631	1,878	14	26	6,042	.....	589,598	22.53
Edinburgh, Scotland	11	54	?	....	....	92	130	445	217	573	7	10	2,116	.....	229,839	21.50
Dundee, Scotland	16	26	?	....	....	120	144	350	203	571	8	8	1,611	.....	155,075	22.32

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—*(Continued)*.													
Aberdeen, Scotland	.....	.....	.....	3,616	805	.....	2,077	1	19	5	17	13	69
Greenock, Scotland	.....	.....	.....	2,633	511	.....	1,619	1	19	13	9	22	51
Paisley, Scotland	.....	.....	.....	1,929	449	.....	1,424	.....	23	10	4	16	79
Leith, Scotland	.....	.....	.....	2,334	452	.....	1,377	.....	55	146	10	18	49
Perth, Scotland	.....	.....	.....	987	203	.....	658	.....	1	....	4	2	4
Stockholm, Sweden	168,706	Dec. 31, 1880	.....	5,366	1,479	219	4,676	1	44	389	94	74	84
Brussels, Belgium	177,086	.....	.....	5,649	1,711	321	4,214	4	33	9	4	29	35
Ghent, Belgium	130,671	.....	.....	4,540	1,066	160	3,878	22	16	38	25	9	63
Liége, Belgium	128,300	.....	.....	3,800	1,001	175	2,892	14	70	13	21	9	56
Bruges, Belgium	48,498	.....	.....	1,349	293	49	998	51	47	4	16	5	6
Malines, Belgium	41,328	.....	.....	1,759	293	79	1,134	15	16	....	5	1	7
Verviers, Belgium	40,362	.....	.....	1,265	338	59	1,013	70	.....	2	8	4	6
Louvain, Belgium	36,160	.....	.....	1,302	263	54	900	8	9	4	1	....	27
Tournai, Belgium	34,096	.....	.....	902	225	26	809	?	?	?	?	?	?
Namur, Belgium	27,455	.....	.....	715	186	32	617	1	17	....	....	1	2
Seraing, Belgium	27,237	.....	.....	994	213	9	602	5	15	7	5	1	21
Mons, Belgium	26,025	.....	.....	606	177	36	567	5	5	....	3	7	5

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases. Under 5 Years.	Diarrhœal Diseases. Total, all Ages.	Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
Foreign—*(Continued)*.																
Aberdeen, Scotland	1	24	?	....	....	46	71	241	68	262	2	5	720	.....	103,408	20.08
Greenock, Scotland	11	11	?	....	....	21	42	195	94	214	1	6	751	.....	79,353	20.40
Paisley, Scotland	4	24	?	....	....	20	37	179	46	206	3	8	540	.....	49,005	29.06
Leith, Scotland	3	13	?	....	...	34	42	128	59	176	3	4	641	.....	58,479	23.55
Perth, Scotland	2	22	?	....	....	40	61	81	18	60	....	2	206	.....	26,651	24.69
Stockholm, Sweden	2	62	1	....	....	478	516	642	528	209	32	....	2,023	1,003	162,436	28.79
Brussels, Belgium	....	67	....	....	....	....	s 648	648	641		43	....	.....	.....	177,086	23.80
Ghent, Belgium	....	95	....	....	....	....	s 1,056	519	479		28	....	.....	.....	130,671	29.68
Liége, Belgium	....	48	....	....	....	....	s 266	399	422		18	....	.....	.....	128,300	22.54
Bruges, Belgium	...	10	....	....	....	....	s 4	136	189		6	....	.....	.....	48,498	20.58
Malines, Belgium	....	35	....	....	....	....	s 37	126	177		7	....	.....	.....	41,328	27.44
Verviers, Belgium	....	14	....	....	....	....	s 77	91	121		10	....	.....	.....	40,362	25.10
Louvain, Belgium	....	19	....	....	....	....	s 17	100	121		6	....	.....	.....	36,160	24.89
Tournai, Belgium	....	?	....	....	....	....	?	?	?	?	?	....	.....	.....	34,096	23.73
Namur, Belgium	....	26	....	....	....	....	s 50	35	97		7	....	.....	.....	27,455	22.47
Seraing, Belgium	....	9	....	....	....	....	s 4	53	38		....	....	.....	.....	27,237	22.10
Mons, Belgium	....	42	....	....	....	....	s 4	84	57		11	...	.....	.....	26,025	21.79

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—(*Continued*).													
Alost, Belgium	21,780	....	.....	742	142	36	468	1	18	1	9	1	28
Jumet, Belgium	21,265	....	.....	683	164	19	489	131	1	4	8	1	1
Borgerhout, Belgium	20,800	....	.....	938	168	49	546	62	.....	....	4	6	3
Gilly, Belgium	18,168	....	.....	535	170	46	474	143	1	4	4	1	8
Lockeren, Belgium	17,669	....	.....	622	110	33	471	.....	.....	....	2	....	13
Charleroi, Belgium	17,539	....	.....	459	131	9	381	36	1	1	1	....	3
Roulers, Belgium	17,082	....	.....	635	113	23	452	2	.....	1	7	4	2
Lierre, Belgium	17,035	....	.....	652	136	29	401	1	.....	7	5	3	2
Ypres, Belgium	16,949	....	.....	474	107	21	520	1	26	....	....	....	11
Turnhout, Belgium	16,299	....	.....	609	103	33	391	2	.....	....	1	2	14
Renaix, Belgium	14,325	....	.....	398	74	27	311	.....	.....	....	2	1	23
Montigny-s.-Samb, Belgium	12,907	....	.....	460	98	33	383	?	?	?	?	?	?
Zèle, Belgium	12,780	....	.....	478	90	31	370	.....	2	....	1	....	....
Boom, Belgium	12,729	....	.....	514	96	16	328	1	.....	4	5	....	12
Marchienne, Belgium	12,727	....	.....	371	120	25	294	34	7	....	17	4	8
Hasselt, Belgium	12,477	....	.....	467	71	21	353	6	9	1	10	4	4
Quaregnon, Belgium	12,230	....	.....	379	97	30	264	3	.....	1	....	....	....

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases. Under 5 Years.	Diarrhœal Diseases. Total, all Ages.	Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
Foreign—*(Continued)*.																
Alost, Belgium	....	17	....	....	....	....	s 3	33	20		1	....	.....	.....	21,780	21.49
Jumet, Belgium	....	11	....	....	....	....	s 66	35	72		1	....	.....	.....	21,265	22.99
Borgerhout, Belgium	....	15	....	....	....	....	s 97	62	69		4	....	.....	.....	20,800	26.25
Gilly, Belgium	....	10	....	....	....	....	s 40	22	55		2	....	.....	.....	18,168	26.09
Lockeren, Belgium	....	7	....	....	....	....	s 103	60	65		1	....	.....	.....	17,669	26.66
Charleroi, Belgium	....	4	....	....	....	....	s 53	60	35		3	....	.....	.....	17,539	21.72
Roulers, Belgium	....	11	....	....	....	....	s 30	24	6		1	....	.....	.....	17,082	26.46
Lierre, Belgium	....	13	....	....	....	....	s 37	49	66		5	....	.....	.....	17,035	23.54
Ypres, Belgium	....	7	....	....	....	....	s 47	39	76		1	....	.....	.....	16,949	30.68
Turnhout, Belgium	....	4	....	....	....	....	s 48	37	31		1	....	.....	.....	16,299	23.99
Renaix, Belgium	....	10	....	....	....	....	s 7	65	54		1	....	.....	.....	14,325	21.71
Montigny-s.-Samb, Belgium	....	?	....	....	....	....	?	?	?		?	....	.....	.....	12,907	29.67
Zèle, Belgium	....	4	....	....	...	....	s 80	47	3		....	....	.....	.....	12,780	28.95
Boom, Belgium	....	10	....	....	....	....	s 4	28	57		....	....	.....	.....	12,729	25.77
Marchienne, Belgium	....	16	....	....	....	....	s 8	14	42		....	....	.....	.....	12,727	23.10
Hasselt, Belgium	....	17	....	....	....	....	s 2	62	5		1	....	.....	.....	12,477	28.29
Quaregnon, Belgium	....	18	....	....	....	....	s 41	7	68		8	....	.....	.....	12,230	21.59

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—(*Continued*).													
Wasmes, Belgium	12,044	.....	.....	357	96	18	217	11	.....	....	4	2	2
Menin, Belgium	11,392	.....	.....	439	76	12	381	?	?	?	?	?	?
Hamme, Belgium	11,303	.....	.....	395	71	11	296	.....	.....	....	....	....	....
Wetteren, Belgium	10,953	.....	.....	376	71	16	247	3	10	7	9	1	19
Jemappes, Belgium	10,897	.....	.....	329	81	18	237	4	2	3	1	1	28
La Louvière, Belgium	10,636	.....	.....	325	90	?	187	1	4	17	2	2	11
Eecloo, Belgium	10,570	.....	.....	309	59	4	269	.....	20	2	1	....	4
Uccle, Belgium	10,300	.....	.....	458	82	42	226	1	8	10	6	9	11
Thielt, Belgium	10,266	.....	.....	262	36	10	208	.....	.....	....	2	....	5
Paturages, Belgium	10,240	.....	.....	287	86	20	192	5	.....	....	....	2	....
Dour, Belgium	10,190	.....	.....	297	74	16	225	4	.....	....	2	....	....
Nivelles, Belgium	10,135	.....	.....	292	45	10	257	24	.....	....	....	....	1
Melbourne and suburbs, Victoria	280,836	April 3, 1881	283,000	8,645	2,554	*a*	5,184	.....	174	14	28	47	55
Rio de Janeiro, Brazil	228,743	1872	.....	.....	.....	577	10,964	20	15	7	....	167	113
Parish of—													
Kingston, Jamaica (*y*)	34,314	1871	.....	1,131	.....	.....	1,415	.....	.....	....	12	1	29
St. Andrew, Jamaica (*y*)	31,683	1871	.....	1,311	.....	.....	1,018	.....	1	....	....	2	125

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases. Under 5 Years.	Diarrhœal Diseases. Total, all Ages.	Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
Foreign—*(Continued)*.																
Wasmes, Belgium	....	5	....	....	....	....	*s* 17	16	53		2	....	.....	.....	12,044	18.02
Menin, Belgium	....	?	....	....	....	....	?	?	?		?	....	.....	.....	11,392	33.44
Hamme, Belgium	....	7	....	....	....	....	*s* 68	21	20		....	....	.....	.....	11,303	26.19
Wetteren, Belgium	....	7	....	....	....	....	*s* 7	6	3		....	....	.....	.....	10,953	22.55
Jemappes, Belgium	....	18	....	....	....	....	*s* 6	18	14		....	....	.....	.....	10,897	21.75
La Louvière, Belgium	....	18	....	....	....	....	*s* 11	16	20		1	....	.....	.....	10,636	17.58
Eecloo, Belgium	....	5	....	....	....	....	*s* 39	14	36		1	....	.....	.....	10,570	25.45
Uccle, Belgium	....	16	....	....	....	....	*s* 29	20	27		....	....	.....	.....	10,300	21.94
Thielt, Belgium	....	5	....	....	....	....	*s* 10	17	33		....	....	.....	.....	10,266	20.26
Paturages, Belgium	....	2	....	....	....	....	*s* 27	8	56		....	....	.....	.....	10,240	18.75
Dour, Belgium	....	....	....	....	....	....	*s* 23	40	17		1	....	.....	.....	10,190	22.08
Nivelles, Belgium	....	3	....	....	....	....	*s* 25	18	48		....	....	.....	.....	10,135	25.36
Melbourne and suburbs, Victoria	....	138	....	....	....	349	435	664	194	260	47	3	2,087	1,032	270,264	19.18
Rio de Janeiro, Brazil	10	133	?	....	1,584	?	116	1,796	*x*	*x*	80	946	3,218	?	330,000	33.22
Parish of—																
Kingston, Jamaica (*y*)	....	15	....	....	2	?	116	192	22	9	1	49	428	.....	34,314	41.24
St. Andrew, Jamaica (*y*)	2	4	....	....	....	?	38	79	2	1	2	11	413	.....	31,683	32.13

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Population (Census).	Census, When Taken.	Estimated Population (July 1, 1881).	Total Births.	Total Marriages.	Total Still-Births.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Croup.	Whooping Cough.
Foreign—(*Continued*).													
Parish of—													
St. Thomas, Jamaica (*y*)	32,673	1871	.....	1,167	.....	.....	1,058	.....	.....	....	....	1	160
Portland, Jamaica (*y*)	25,313	1871	.....	1,026	.....	.....	741	.....	1	....	1	....	91
St. Catherine, Jamaica (*y*)	53,972	1871	.....	1,980	.....	.....	1,625	.....	.....	....	...	2	187
St. Mary, Jamaica (*y*)	36,495	1871	.....	1,393	.....	.....	1,006	.....	.....	....	....	4	154
St. Ann, Jamaica (*y*)	39,547	1871	.....	1,773	.....	.....	1,011	.....	1	....	....	10	186
Clarendon, Jamaica (*y*)	42,747	1871	.....	1,885	.....	.....	1,230	.....	.....	....	....	1	184
Manchester, Jamaica (*y*)	38,925	1871	.....	1,939	.....	.....	1,029	.....	.....	....	1	16	148
St. Elizabeth, Jamaica (*y*)	45,200	1871	.....	2,447	.....	.....	1,222	.....	.....	....	....	3	130
Westmoreland, Jamaica (*y*)	40,823	1871	.....	1,972	.....	.....	1,222	.....	.....	....	2	24	106
Hanover, Jamaica (*y*)	26,310	1871	.....	1,059	.....	.....	680	.....	.....	....	2	25	51
St James, Jamaica (*y*)	29,340	1871	.....	1,155	.....	.....	928	.....	.....	....	....	2	132
Trelawny, Jamaica (*y*)	28,812	1871	.....	1,129	.....	.....	899	.....	1	....	....	5	145
Port Louis, Island of Mauritius	.....	....	67,000	2,330	548	250	2,177	.....	.....	....	6	....	7

COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880—*(Continued)*.

Cities.	Typhus Fever.	Typhoid Fever.	Cerebro-Spinal Fever.	Cholera.	Yellow Fever.	Diarrhœal Diseases. Under 5 Years.	Diarrhœal Diseases. Total, all Ages.	Phthisis Pulmonalis.	Pneumonia.	Bronchitis.	Suicide.	Malarial Fevers.	Total Deaths of Children under 5 Years of Age.	Deaths in Hospitals and Institutions.	Population Estimated or Enumerated.	Death-rate per 1,000 Inhabitants.
Foreign—*(Continued)*.																
Parish of—																
St. Thomas, Jamaica (*y*)	....	1	....	....	....	?	87	64	6	1	1	11	465	.....	32,673	32.38
Portland, Jamaica (*y*)	....	2	....	....	....	?	35	60	6	3	....	6	331	.....	25,313	29.27
St. Catherine, Jamaica (*y*)	1	2	....	....	....	?	81	128	9	4	...	28	706	.....	53,972	30.11
St. Mary, Jamaica (*y*)	....	5	....	....	....	?	18	64	6	2	1	9	425	.....	36,495	27.56
St. Ann, Jamaica (*y*)	....	1	....	....	....	?	35	81	1	.....	....	2	500	.....	39,547	25.56
Clarendon, Jamaica (*y*)	....	1	....	....	....	?	81	68	4	4	....	6	596	.....	42,747	28.77
Manchester, Jamaica (*y*)	1	3	....	....	....	?	53	54	9	9	....	3	510	.....	38,925	26.44
St. Elizabeth, Jamaica (*y*)	2	....	....	....	....	?	18	52	5	1	....	10	640	.....	45,200	27.04
Westmoreland, Jamaica (*y*)	....	2	....	....	....	?	74	58	13	2	....	24	615	.....	40,823	29.93
Hanover, Jamaica (*y*)	....	1	....	....	....	?	44	63	3	1	....	5	292	.....	26,310	25.85
St. James, Jamaica (*y*)	1	4	....	....	....	?	41	50	7	2	....	5	462	.....	29,340	31.63
Trelawny, Jamaica (*y*)	2	1	....	....	....	?	52	61	4	2	....	9	434	.....	28,812	31.20
Port Louis, Island of Mauritius	....	3	....	....	....	33	165	199	60	17	5	1,261	723	303	64,787	33.60

NOTES TO COMPARATIVE TABLE OF VITAL STATISTICS OF AMERICAN AND FOREIGN CITIES FOR THE YEAR 1880.

* Year ending January 1, 1881.

† Intermittent fever.

a No record kept.

b Incomplete.

c Year ending March 31, 1881.

d Acute lung diseases, 58.

e Year ending December 1, 1880.

f In addition to this number there were 30 deaths at the State Hospital.

g Year ending June 30, 1880.

h Diarrhœa only.

i Including the towns of New Town, Sandy Bay, and the Wellington Hamlets.

j 76 were of persons not belonging to the Hobart Registration District, and nearly all died in the public hospital.

k 9 deaths were from unknown causes.

l Including pleurisy.

m Excluding military forces.

n Diarrhœa, dysentery, cholera morbus, cholera infantum, enteritis, and gastro-enteritis.

o Pneumonia, bronchitis, and pleurisy.

p Including enteritis.

q Fevers not specified.

r Exclusive of 1,599 deaths of persons in hospitals who came from the environs and from the country in general, not having their domicile in the city.

s Diarrhœa and enteritis.

t Year ending April 30, 1881.

u Including 6 deaths from "cough."

v These 48 deaths appear under the name of "fever."

w 707 deaths (exclusive of these) are denominated "other fevers."

x Diseases of the respiratory organs, 484.

y Year ending September 30, 1880.

MORTALITY OF CHILDREN UNDER ONE YEAR OF AGE, IN THE INFANTS' HOSPITALS AND IN THE ENTIRE CITY,

During the Year ending December 31, 1895.

Months.	Total by Months.	Under 1 Month.						From 1 to 2 Months.						From 2 to 3 Months.					
		Infants' Hospital Randall's Island.	Ward's Island Hospital.	Nursery and Child's Hospital.	Foundling Asylum.	Rest of the City.	Whole City.	Infants' Hospital Randall's Island.	Ward's Island Hospital.	Nursery and Child's Hospital.	Foundling Asylum.	Rest of the City	Whole City.	Infants' Hospital Randall's Island.	Ward's Island Hospital.	Nursery and Child's Hospital.	Foundling Asylum.	Rest of the City	Whole City.
January	477	4	..	..	5	155	164	7	..	1	5	35	48	1	..	..	3	33	37
February	446	..	..	1	3	126	130	5	..	1	6	28	40	6	..	..	2	27	35
March	536	3	..	2	9	153	167	3	..	1	7	30	41	1	..	..	5	36	42
April	523	2	..	1	1	132	136	4	..	..	3	33	40	3	..	1	4	34	42
May	685	4	..	2	4	156	166	4	..	..	5	43	52	6	..	..	6	38	50
June	1,510	1	1	1	9	181	193	3	..	..	14	79	96	9	..	..	9	96	114
July	1,428	6	..	..	12	216	234	8	..	..	10	122	140	12	..	..	8	129	149
August	864	3	..	2	7	181	193	9	1	..	5	80	95	6	..	..	4	54	64
September	660	6	..	..	8	168	182	7	..	..	3	55	65	5	..	..	..	68	73
October	555	4	..	..	5	157	166	2	..	..	8	55	65	2	..	1	..	53	56
November	484	1	..	1	6	128	146	6	..	..	3	53	62	4	..	1	6	39	50
December	557	..	1	1	3	161	166	6	..	3	4	71	84	5	..	..	7	50	62
Grand Total	8,725	34	2	11	72	1,924	2,043	64	1	6	73	684	828	60	..	3	54	657	774

MORTALITY OF CHILDREN UNDER ONE YEAR OF AGE, IN THE INFANTS' HOSPITALS AND IN THE ENTIRE CITY,

During the Year ending December 31, 1880—(*Continued*).

Months.	From 3 to 4 Months.						From 4 to 5 Months.						From 5 to 6 Months					
	Infants' Hospital, Randall's Island.	Ward's Island Hospital.	Nursery and Child's Hospital.	Foundling Asylum.	Rest of the City.	Whole City.	Infants' Hospital, Randall's Island.	Ward's Island Hospital.	Nursery and Child's Hospital.	Foundling Asylum.	Rest of the City.	Whole City.	Infants' Hospital, Randall's Island.	Ward's Island Hospital.	Nursery and Child's Hospital.	Foundling Asylum.	Rest of the City.	Whole City.
January	3	..	..	1	25	29	1	..	..	..	23	24	..	..	..	1	33	34
February	2	..	..	1	25	28	2	..	1	4	25	32	2	..	..	..	25	27
March	3	..	..	1	28	32	1	..	..	4	36	41	..	..	..	1	36	37
April	3	..	..	2	34	39	2	..	..	3	28	33	1	..	..	..	25	26
May	1	..	..	5	45	51	1	..	..	6	48	55	1	..	..	5	50	56
June	2	..	..	5	160	167	5	..	..	8	153	166	5	1	..	2	125	133
July	9	..	1	8	105	123	8	..	1	4	125	138	1	..	2	3	102	108
August	1	..	1	1	46	49	1	..	..	..	58	59	2	..	1	1	62	66
September	2	..	1	..	55	58	2	..	..	4	37	43	..	..	..	3	31	34
October	4	..	..	1	39	44	3	..	..	4	28	35	1	..	..	1	34	36
November	2	..	..	1	41	44	5	..	..	1	29	35	1	..	..	1	16	18
December	3	..	..	2	45	50	1	..	1	4	28	34	..	..	2	3	26	31
Grand Total	35	..	3	28	648	714	32	..	3	42	618	695	14	1	5	21	565	606

MORTALITY OF CHILDREN UNDER ONE YEAR OF AGE, IN THE INFANTS' HOSPITALS AND IN THE ENTIRE CITY,

During the Year ending December 31, 1880—(*Continued*).

Months.	From 6 to 7 Months.						From 7 to 8 Months.						From 8 to 9 Months.					
	Infants' Hospital, Randall's Island.	Ward's Island Hospital.	Nursery and Child's Hospital.	Foundling Asylum.	Rest of the City.	Whole City.	Infants' Hospital, Randall's Island.	Ward's Island Hospital.	Nursery and Child's Hospital.	Foundling Asylum.	Rest of the City.	Whole City.	Infants' Hospital, Randall's Island.	Ward's Island Hospital.	Nursery and Child's Hospital.	Foundling Asylum.	Rest of the City.	Whole City.
January	1	..	..	2	24	27	1	..	..	3	24	28	..	..	..	1	23	24
February	1	..	..	2	34	37	..	..	..	2	24	26	1	..	..	..	24	25
March	1	..	..	1	35	37	2	..	1	..	29	32	2	..	..	1	27	30
April	1	..	..	2	29	32	1	..	..	2	44	47	3	..	..	2	37	42
May	8	..	..	3	36	47	2	..	..	6	39	47	2	..	..	3	42	47
June	3	..	..	3	170	176	2	..	..	3	104	109	..	..	1	1	104	106
July	2	..	1	2	107	112	2	..	..	3	85	90	6	..	..	..	89	95
August	2	..	..	1	46	49	1	..	..	2	58	61	..	..	..	..	54	54
September	..	..	..	2	35	37	..	..	..	1	19	20	1	..	..	1	27	29
October	1	..	..	..	27	28	..	..	..	2	23	25	1	..	..	..	17	18
November	..	..	..	1	19	20	1	..	..	2	15	18	1	..	..	1	21	23
December	..	..	..	3	19	22	1	..	..	1	19	21	..	..	..	..	20	20
Grand Total	20	..	1	22	581	624	13	..	1	27	483	524	17	..	1	10	485	513

MORTALITY OF CHILDREN UNDER ONE YEAR OF AGE, IN THE INFANTS' HOSPITALS AND IN THE ENTIRE CITY,

DURING THE YEAR ENDING DECEMBER 31, 1889—*Continued*

Months	From 9 to 10 Months						From 10 to 11 Months						From 11 to 12 Months					
	Infants' Hospital, Randall's Island.	Ward's Island Hospital.	Nursery and Child's Hospital.	Foundling Asylum.	Rest of the City	Whole City	Infants' Hospital, Randall's Island	Ward's Island Hospital	Nursery and Child's Hospital.	Foundling Asylum.	Rest of the City.	Whole City.	Infants' Hospital, Randall's Island.	Ward's Island Hospital.	Nursery and Child's Hospital.	Foundling Asylum.	Rest of the City	Whole City.
January	..	..	..	..	16	16	..	..	1	..	16	17	..	..	..	1	28	29
February	..	..	1	1	22	24	1	..	..	..	19	20	..	..	..	..	22	22
March	..	..	1	..	34	35	..	..	..	1	23	24	..	..	..	1	17	18
April	1	..	..	2	18	21	1	..	2	4	27	34	1	..	..	2	28	31
May	2	..	1	5	39	47	2	..	..	4	31	37	..	..	1	1	28	30
June	2	..	..	1	34	37	1	..	1	1	65	68	1	..	.	..	64	65
July	1	..	..	..	60	61	1	..	..	2	77	80	3	..	..	1	64	68
August	..	..	..	1	63	64	1	..	..	..	56	57	3	..	..	1	47	51
September	1	..	..	..	38	39	1	..	..	1	33	35	1	..	..	..	44	45
October	1	..	..	..	23	24	..	..	..	..	35	35	..	..	..	..	2[illegible]	2[illegible]
November	1	..	1	1	24	27	..	..	..	..	23	23	..	..	..	.	1[illegible]	1[illegible]
December	1	..	..	1	19	21	..	..	1	..	22	23	..	..	..	2	21	23
Grand Total	10	..	4	12	470	496	1	..	5	13	457	485	9	..	1	9	404	4[illegible]

Abstract Showing the Distribution of Mortality in Tenement and Other Houses,

During the Year ending December 31, 1880.

It will be seen by the following tables that, out of the total deaths for the year (31,937) there were 25,354 which occurred either in private houses or houses not technically tenements and tenement-houses.

There were 7,538 deaths in 6,864 houses of the former class, of which deaths 2,999 or 39.79 per cent. were in children under five years old; while there were 17,816 deaths in 10,609 tenement-houses, of which deaths 10,101, or 56.69 per cent. were in children under five years old. The total number of houses, both tenement and other, in which deaths occurred was 17,473.

ABSTRACT SHOWING THE DISTRIBUTION OF

During the Year ending

The small figures indicate children under 5 years of age.)

Total Deaths.		Streets.	Dwellings other than Tenements.						Tenement-houses.			
			Number of Private Dwellings reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.	Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.					All Ages.	Under 5	
3	2	Abingdon Square ..	3	3	2	3 [2]	....	.....	...	...	...	.....
15	11	Albany street.....	1	1	1	1 [1]	....	.....	8	14	10	4 [3]
4	2	Albany Post road..	4	4	2	4 [2]	....	.....	...	...	...	.....
129	81	Allen street.....	21	21	11	21 [11]	....	.....	64	108	70	38 [22]
8	5	Alexander avenue.	8	8	5	8 [5]	....	.....	...	...	...	.....
3	1	Amity street.....	2	2	1	2 [1]	....	.....	1	1	...	1
1	1	Arthur street.....	1	1	1	1 [1]	...	.....	...	...	...	.....
2	1	Ann st., 2d Ward..	2	2	1	2 [1]	....	.....	...	...	...	.....
1	...	Ann st., 24th Ward	1	1	...	1	....	.....	...	...	...	.....
102	65	Attorney street....	16	17	6	15 [5]	1 [1]	.....	45	85	59	20 [14]
237	137	Avenue A.....	40	41	26	39 [24]	1 [2]	.....	113	196	111	66 [34]
118	59	Avenue B	13	13	6	13 [6]	....	.....	78	105	53	58 [29]
127	70	Avenue C...	14	16	11	12 [8]	2 [3]	.....	73	111	59	46 [27]
37	15	Avenue D.....	11	13	6	9 [5]	2 [1]	.....	16	24	9	9
21	5	Bank street.....	12	14	3	11 [1]	....	123 [2]	6	7	2	5 [2]
1	1	Barette Point.....	1	1	1	1 [1]	....	.....	...	...	...	.....
16	7	Barrow street.....	7	8	3	6 [3]	1	.....	6	8	4	4 [1]
13	8	Batavia street.....	...	...	...	.....	....	.....	5	13	8	1 [1]
159	100	Baxter street	13	14	9	12 [7]	1 [2]	.....	58	145	91	20 [13]
54	33	Bayard street.....	5	5	4	5 [4]	....	.....	27	49	29	16 [9]
24	11	Beach street.....	4	5	2	3 [1]	1 [1]	.....	13	19	9	8 [2]
2	...	Beaver street	...	...	...	.....	....	.....	1	2	...	.....
16	9	Bedford street.....	9	11	7	7 [4]	2 [3]	.....	4	5	2	3
2	...	Beekman street....	2	2	...	2	....	.....	...	...	...	.....
1	...	Beekman place.....	...	...	...	.....	....	.....	1	1	...	1
1	...	Benzania avenue...	1	1	...	1	....	.....	...	...	...	.....
1	1	Bergen avenue.....	1	1	1	1 [1]	....	.....	...	...	...	.....
2	...	Berrian avenue.....	2	2	...	2	....	.....	...	...	...	.....

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880.

The figures inclosed in parenthesis indicate total number of deaths in house.

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
....	.....	.....	.....	.....
3 [6]	.....	11 [1]	.....	.....
....	.....	.....	.....	.....
15 [24]	19 [2], 31 [1], 45 [1], 75 [1], 96, 107 [1], 183 [2].....	37 [2], 39 [4]	108 [4].....	27 [6]
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
14 [20]	61 [1], 88 [3], 96 [1], 98 [2], 124 [1], 154 [2], 161 [2], 162 [2]	156 [4], 174 [3]	166 [2].....	.....
26 [26]	12 [2], 157 [3], 180 [2], 232 [2], 240 [3], 246 [2], 251 [1], 315 [2], 317 [1], 1329 [2], 1460 [1], 1462 [3].....	55 [2], 121 [2], 176 [2], 219 [1], 328 [3], 330 [1], 1333 [4]	.....	14 [6], 133 (8) [6]
16 [12]	42 [2], 274 [1].....	26 [4]	220 [6].....	.....
17 [18]	27 [2], 43 [3], 131, 147 [2], 164 [2], 165 [1], 174 [2], 185 [1], 195 [1].....	301 [2]	.....	.....
6 [6]	114.....	.....	.....	.....
1	.....	.....	.....	.....
....	.....	.....	.....	.....
2 [3]	.....	.....	.....	.....
2 [2]	16 [2].....	.....	5 [3].....	.....
16 [18]	29 [2], 31 [1], 36½ [1], 43, 68 [1], 93, 137 [2].....	33 [1], 38 [2], 39 [2], 40 [3], 47 [1], 55 [2], 87 [4], 90 [2], 119 [1], 128 [3].	39½ [3].....	14 (8) [7], 20 [5], 79 [6], 94 (7) [6]
5 [6]	64 [1], 73 [2], 83 [2].....	102, 105 [2].....	.....	104 [6]
4 [4]	183.....	.....	.....	.....
1	.....	.....	.....	.....
1 [2]	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....

ABSTRACT SHOWING THE DISTRIBUTION OF

DURING THE YEAR ENDING

The small figures indicate children under 5 years of age.

Total Death			Dwellings other than Tenements.						Tenement-Houses.			
All Ages.	Under 5.	Streets.	Number of Private Dwellings Reported.	Total Deaths. All Ages.	Total Deaths. Under 5.	Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.	Number of Tenements Reported.	Total Deaths. All Ages.	Total Deaths. Under 5.	Number of Houses in which One Death was Reported.
5	2	Bethune street. ...	3	3	1	3 [1]	....	.....	1	2	1	.....
10	9	Birmingham street.	2	3	2	1 [1]	1 [1]	.....	5	7	7	3 [3]
85	37	Bleecker street.....	31	34	12	28 [11]	3 [1]	.....	36	51	25	24 [13]
8	2	Bond street.....	6	6	1	6 [1]	....	.....	2	2	1	2 [1]
7	...	Boston avenue.....	6	6	...	6	....	.....	1	1	...	1
4	2	Boston road.....	4	4	2	4 [2]	....	.....	...	...	...	.....
14	7	Eastern Boulevard.	11	11	4	11 [4]	....	.....	3	3	3	3 [3]
1	...	Southern Boulevard	...	...	...	.....	....	.....	1	1	...	1
14	8	Western Boulevard	13	13	7	13 [7]	....	.....	1	1	1	1 [1]
33	16	Bowery	22	25	11	19 [8]	3 [2]	.....	6	8	5	4 [4]
5	3	Bridge street	2	2	...	2	....	.....	2	3	3	1 [1]
3	2	Broad street.....	2	3	2	1 [1]	1 [1]	.....	...	...	...	.....
89	34	Broadway	63	67	20	60 [19]	2	1605 [1].....	17	22	14	14 [11]
1	...	South Broadway ...	1	1	...	1	....	.....	...	...	...	.....
1	1	Bronx street.....	1	1	1	1 [1]	....	.....	...	...	...	.....
5	2	Brook avenue.....	5	5	2	5 [2]	....	.....	...	...	...	.....
168	84	Broome street.....	44	51	19	38 [16]	5 [1]	279 [2].....	73	117	65	44 [22]
63	27	Canal street	26	29	13	23 [9]	3 [4]	.....	21	34	14	12 [6]
54	28	Cannon street.....	6	6	3	6 [3]	....	.....	29	48	25	16 [7]
10	7	Carlisle street	...	...	...	.....	....	....	6	10	7	3 [1]
43	20	Carmine street.....	10	12	4	9 [3]	....	74½ [1].....	16	31	16	8 [5]
6	4	Caroline street.....	1	1	1	1 [1]	....	.....	2	5	3	.....
26	12	Catharine street....	6	7	3	5 [2]	1 [1]	.....	10	19	9	5 [3]
4	3	Catharine Slip.....	1	1	1	1 [1]	....	.....	2	3	2	1
12	7	Cedar street.....	5	5	1	5 [1]	....	.....	3	7	6	.....
4	2	Central avenue	4	4	2	4 [2]	....	.....	...	...	...	.....
23	12	Centre street	10	15	7	7 [4]	2 [1]	241¼ [2].....	4	8	5	2 [1]
1	1	Centre Market.....	...	...	...	.....	....	... .	1	1	1	1 [1]
4	1	Centre Market pl. .	...	...	...	.....	....	....	3	4	1	2 [1]
4	...	Chambers street....	3	3	...	3	....	.....	1	1	...	1

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880— *Continued*).

The figures inclosed in parenthesis indicate total number of deaths in house.

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
1 [1]	.....	.....	.....	.....
2 [4]	.....	.....	.....	.....
9 [8]	147 [1], 185 [1], 356 [2]	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
2 [1]	.....	.....	.....	.....
1 [2]	.....	.....	.....	.....
....	.....	.....	.....	.....
2 [1]	.....	1620 [2]	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
17 [22]	{ 24 [1], 38 [1], 40 [2], 73 [2], 75 [2], 86 [1], 125 [2], 294 [2], 317 [2] }	2 [1], 2.6 [3], 295 [2]	.....	.....
6 [5]	74 [1], 216 [2]	218	.....	.....
8 [10]	24 [2], 73 [1], 90 [3], 94 [2]	99	.....	.....
2 [3]	5 [3]	.....	.....	.....
4 [4]	68 [1], 73 [1]	69 [2]	43 [3]	.....
1 [1]	8 [2]	.....	.....	.....
2 [2]	22½ [2], 67 [1]	21 [1]	.....	.....
1 [2]	.....	.....	.....	.....
2 [3]	127 [3]	.....	.....	.....
....	.....	.....	.....	.....
....	65 [1], 210 [3]	.....	.....	.....
....	.....	.....	.....	.....
1	.....	.....	.....	.....
....	.....	.....	.....	.....

ABSTRACT SHOWING THE DISTRIBUTION OF

DURING THE YEAR ENDING

The small figures indicate children under 5 years of age

Total Deaths		Streets.	Dwellings other than Tenements.						Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.	Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.					All Ages.	Under 5.	
21	10	Charles street	13	14	5	12 ^{4}	1 ^{1}	.....	5	7	5	3 ^{2}
47	18	Charlton street	21	23	6	20 ^{5}	....	69 ^{1}.....	18	24	12	12 ^{7}
10	5	Chatham street	6	6	3	6 ^{3}	....	.....	2	4	2	1
1	1	Chatham Square...	1	1	1	1 ^{1}	....	.....	...	...	...	.....
212	109	Cherry street	25	29	17	21 ^{10}	4 ^{7}	.....	85	183	92	45 ^{22}
2	1	(Chestnut st., 24th Ward .....)	1	1	...	1	....	... ...	1	1	1	1 ^{1}
46	20	Christopher street..	15	19	6	11 ^{2}	4 ^{4}	.....	12	27	14	4 ^{2}
166	99	Chrystie street.....	13	16	5	11 ^{4}	1 ^{1}	111.....	85	150	94	49 ^{28}
1	1	Church street	...	...	...	.....	....	.....	1	1	1	1 ^{1}
16	7	City Hall place....	2	3	1	1	1 ^{1}	.....	6	13	6	2
1	...	Claremont avenue.	1	1	...	1	....	.....	..	..	..	.....
10	7	Clark street.....	6	6	3	6 ^{3}	....	.....	3	4	4	2 ^{2}
20	3	Clarkson street....	9	10	1	8 ^{1}	1	.....	6	10	2	3 ^{1}
6	4	Cliff street.....	3	5	3	2 ^{1}	....	66 ^{2}	1	1	1	1 ^{1}
120	72	Clinton street.....	17	18	9	16 ^{8}	1 ^{1}	.....	58	102	63	32 ^{20}
1	...	Clinton arch.....	...	...	...	.....	....	.....	1	1	...	1
35	13	Clinton place	10	11	2	9	1 ^{2}	.....	14	24	11	8 ^{1}
3	1	Coenties Slip.....	3	3	1	3 ^{1}	....	.....	...	...	...	.....
1	1	Cole's lane.....	1	1	1	1 ^{1}	....	.....	...	...	...	.....
9	6	College avenue.....	8	8	5	8 ^{5}	....	.....	1	1	1	1 ^{1}
1	...	Collister street.....	1	1	...	1	....	.....	...	...	...	.....
81	45	Columbia street....	21	22	9	20 ^{8}	1 ^{1}	.....	37	59	36	25 ^{15}
3	2	Columbia place	2	3	2	1	1 ^{2}	.....	...	...	...	.....
7	1	Commerce street...	5	6	1	4 ^{1}	1	.....	1	1	...	1
7	4	Concord avenue ...	7	7	4	7 ^{4}	....	.....	...	...	...	.....
3	3	Congress street....	...	...	...	.....	....	.....	2	3	3	1 ^{1}
1	1	Conrad avenue.....	...	...	...	.....	....	.....	1	1	1	1 ^{1}
4	2	Cottage place.....	4	4	2	4 ^{2}	....	.....	...	...	...	.....
36	14	Cornelia street.....	4	5	3	3 ^{1}	1 ^{2}	.....	17	31	11	10 ^{1}

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
2^{3}	.....	.....	.....	.....
6^{5}	.....	.....	.....	.....
....	115^{9}	.....	.....	.....
....	.....	.....	.....	.....
22^{23}	24^{1}, 59^{1}, 134, 148^{3}	14^{1}, 174, 221^{2}, 360^{1}.	22^{1}, 146^{3}, 155^{3}	18^{5}, 27^{6}, 130^{4}, 242^{4}, 300^{3}, 36 (13) ^{7}, 38 (8) ^{1}
....	.....	.....	.....	.....
3^{3}	91^{2}, 100^{2}, 111^{1}, 121^{2}	.....	85^{2}	.....
17^{21}	22^{2}, 28^{1}, 29^{2}, 32^{2}, 36^{2}, 54^{2}, 82^{2}, 84^{3}, 86^{2}, 74^{2}, 97^{3}, 118^{2}, 123^{1}, 161^{2}, 176^{3}, 177^{3}, 220^{2}	.....	.....	185^{2}, 117 (10) ^{8}
....	.....	.....	.....	.....
1	15^{2}, 19^{1}, 24^{3}	.....	.....	.....
....	.....	.....	.....	.....
1^{2}	.....	.....	.....	.....
2	22^{1}	.....	.....	.....
....	.....	.....	.....	.....
18^{18}	177^{3}	22^{2}, 46^{3}, 57^{3}, 243^{2}...	48^{4}, 129^{3}, 175^{3}	.....
....	.....	.....	.....	.....
3^{2}	118^{3}, 132^{3}	129^{2}	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
7^{10}	6^{2}, 85^{3}	57^{1}....	59^{3}, 68^{2}	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
1^{2}	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
5^{6}	.....	38^{2}	.....	28 (7) ^{2}

ABSTRACT SHOWING THE DISTRIBUTION OF

During the Year ending

Small figures indicate children under 5 years of age.

Total Deaths.		Streets.	Dwellings other than Tenements.						Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.	Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.					All Ages.	Under 5.	
1	..	Cortlandt street	1	1	...	1	....	.....	...	...	...	.....
43	23	Courtland avenue	25	25	16	25^{16}	....	.....	18	18	14	18^{14}
66	40	Crosby street	4	4	1	4^{1}	....	.....	19	62	39	5^{4}
1	..	Cross street	1	1	...	1	....	.....	...	...	...	.....
180	111	Delancey street	24	31	14	18^{6}	5^{6}	98^{2}	86	149	97	43^{28}
3	3	Depeyster street	1	1	1	1^{1}	....	.....	1	2	2	.....
20	11	Desbrosses street	3	4	1	2	1^{1}	.....	8	16	10	3^{1}
3	1	Dey street	...	...	...	.....	....	.....	3	3	1	3^{1}
63	35	Division street	23	25	14	21^{12}	2^{2}	.....	31	38	21	26^{14}
1	...	Dodge's lane	1	1	...	1	....	.....	...	...	...	.....
12	3	Dominick street	7	7	1	7^{1}	....	.....	3	5	2	2^{1}
1	1	Dorchester avenue	1	1	1	1^{1}	....	.....	...	...	...	.....
8	6	Dover street	3	3	2	3^{2}	....	.....	4	5	4	3^{2}
40	25	Downing street	6	9	6	4^{3}	1^{1}	36^{2}	18	31	19	12^{7}
1	...	Downing place	1	1	...	1	....	.....	...	...	...	.....
3	2	Doyers street	1	1	1	1^{1}	....	.....	1	2	1	.....
5	2	Dry Dock street	2	2	1	2^{1}	....	.....	3	3	1	3^{1}
8	4	Duane street	4	4	1	4^{1}	....	.....	4	4	3	4^{3}
1	...	Dey street	...	...	...	.....	....	.....	1	1	...	1
3	...	Eagle avenue	3	3	...	3	....	.....	...	...	...	.....
122	69	East Broadway	36	42	19	31^{13}	4^{6}	103^{1}	48	80	50	25^{16}
184	96	" Houston street	32	35	13	30^{12}	1	14^{2}	91	149	77	58^{29}
170	83	" 3d street	20	22	7	18^{6}	2^{1}	.....	96	148	76	60^{30}
187	94	" 4th street	32	37	8	29^{8}	2	64^{1}	88	150	86	51^{28}
62	36	" 5th street	13	13	3	13^{3}	....	.....	40	49	33	31^{22}
64	32	" 6th street	5	5	2	5^{2}	....	.....	49	59	30	42^{19}
40	25	" 7th street	7	7	5	7^{5}	...	.....	30	33	20	27^{18}
65	40	" 8th street	5	5	3	5^{3}	....	.....	45	60	37	35^{22}
173	90	" 9th street	20	23	6	18^{3}	1^{1}	$42^{3}2$	98	150	84	60^{31}

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

The figures inclosed in parenthesis indicate total number of deaths in house.

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
....	.....	.....	.....	.....
....	.....	.....	.....	.....
2^{2}	47^{2}, 50^{3}, 64, 83^{3}, 97^{1}.....	33^{3}.....	9^{1}, 35^{3}, 135^{3}..	45^{1}, 55^{3}, 37 7
....	.....	.....	.....	.....
28^{37}	{45^{2}, 49^{2}, 77^{2}, 88^{1}, 129^{2}, 138^{3}, 174^{2}, 19^{1}, 218^{2}, $2[illegible]7^{3}$, 270^{2}.....}	124^{1}, 201^{3}, 322^{3}.....	295^{3}.....	.....
1^{2}	.....	.....	.....	.....
3^{4}	18^{2}.....	34^{3}.....	.....	.....
....	.....	.....	.....	.....
4^{6}	.....	71^{1}.....	.....	.....
....	.....	.....	.....	.....
....	12^{1}.....	.....	.....	.....
....	.....	.....	.....	.....
1^{3}	.....	.....	.....	.....
1^{1}	$16\frac{1}{2}^{2}$, 17^{3}, 38^{1}, 57^{2}.....	.....	10^{1}.....	.....
...	.....	.....	.....	.....
1^{1}	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
16^{21}	20^{3}, 140 [illegible], 16^{1}, 202^{1}.....	48^{1}, 183^{1}.....	.....	.....
12^{10}	{5, 125^{3}, 127, 128^{1}, 181^{3}, $2[illegible]0^{2}$, $2[illegible]$, 252^{2}, 295^{2}, $2[illegible]8^{3}$, 301^{1}, 323^{3}, $42[illegible]$, 371^{1}, 451^{2}, 291^{3}, 443^{1}.....}	120^{1}, 121^{2}, 235^{1}, $26[illegible]^{3}$	.....	.....
23^{2}	{120^{1}, 127^{2}, [illegible]7, 143^{2}, 166^{1}, 185^{1}, 210^{1}, $2[illegible]0^{2}$, 237^{3}, 252^{1}.....}	111^{1}, 212^{2}, $2[illegible]^{3}$.....	.....	.....
22^{23}	{115^{1}, 119^{2}, $12[illegible]^{3}$, 156^{1}, 161^{2}, 207^{3}, 216^{2}, $2[illegible]0^{3}$, 277.....}	145^{2}, 233^{1}, 377^{1}.....	113^{3}, 127^{3}.....	$15[illegible]$
9^{10}	.....	.....	.....	.....
4^{4}	$49[illegible]^{2}$, 717^{2} $72[illegible]^{3}$	.....	.....	.....
3^{2}	.....	.....	.....	.....
6^{7}	101^{3}, $3[illegible]3^{1}$, $30[illegible]^{2}$.....	$324\frac{1}{2}^{2}$.....	.....	.....
27^{32}	{$3[illegible]2^{1}$, 410^{1}, $[illegible]07^{2}$, $6[illegible]9^{2}$, $6[illegible]8^{1}$, 642^{1}, $7[illegible]^{3}$, $75[illegible]^{3}$ ....}	414^{2}, 635^{2}, 718^{2}.....	.....	.....

ABSTRACT SHOWING THE DISTRIBUTION OF

During the Year ending

The small figures indicate children under 5 years of age.

Total Deaths.		Streets.	Dwellings other than Tenements.							Tenement-houses.			
				Total Deaths.							Total Deaths.		
All Ages.	Under 5.		Number of Private Dwellings Reported.	All Ages.	Under 5.	Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.	Number of Tenements Reported.	All Ages.	Under 5.	Number of Houses in which One Death was Reported.
136	74	East 10th street....	26	27	8	25^{8}	1	.....	68	109	66	43^{29}
166	79	" 11th street....	12	15	5	9^{3}	3^{2}	.....	90	151	74	54^{24}
179	89	" 12th street....	27	30	11	24^{8}	3^{3}	.....	84	149	78	42^{20}
161	80	" 13th street....	14	14	5	14^{6}	....	.....	84	147	75	48^{25}
116	55	" 14th street....	8	8	1	8^{1}	....	.....	65	108	54	37^{18}
100	52	" 15th street....	14	15	5	13^{3}	1^{2}	.....	46	85	47	20^{12}
128	58	" 16th street....	14	15	4	13^{4}	1	.....	64	113	54	36^{14}
99	43	" 17th street....	12	14	5	10^{3}	2^{2}	.....	46	85	38	19^{8}
53	21	" 18th street....	15	16	3	14^{3}	1	.....	23	37	18	13^{3}
61	25	" 19th street....	22	22	4	22^{4}	....	.....	21	39	21	7^{2}
45	27	" 20th street....	4	4	3	4^{3}	....	.....	22	41	24	12^{7}
79	33	" 21st street....	19	23	3	15^{3}	4	.....	28	56	30	10^{3}
85	40	" 22d street.....	12	14	3	10^{3}	2	.....	40	71	37	21^{10}
64	27	" 23d street.....	15	16	6	14^{6}	1^{1}	.....	24	48	21	14^{6}
74	30	" 24th street....	12	16	2	8^{1}	4^{1}	.....	31	58	28	19^{10}
56	33	" 25th street....	10	12	1	8^{1}	2	.....	25	44	32	16^{11}
67	31	" 26th street....	13	13	3	13^{3}	....	.....	31	54	28	20^{8}
32	15	" 27th street....	11	11	4	11^{4}	....	.....	15	21	11	11^{7}
48	22	" 28th street....	16	17	4	15^{2}	1^{2}	.....	20	31	18	14^{9}
74	33	" 29th street ...	12	12	4	12^{4}	....	.....	40	62	29	26^{12}
41	15	" 30th street....	19	23	7	15^{3}	4^{4}	.....	14	18	8	11^{7}
55	25	" 31st street....	17	17	2	17^{2}	....	.....	20	38	23	10^{6}
61	30	" 32d street.....	4	4	1	4^{1}	....	.....	37	57	29	22^{12}
46	25	" 33d street.....	9	9	5	9^{6}	....	.....	25	37	20	15^{7}
54	28	" 34th street....	10	11	2	9^{2}	1	.....	25	43	26	13^{8}
65	29	" 35th street....	10	13	3	8^{1}	1	326^{2}	34	52	26	20^{12}
84	39	" 36th street....	11	12	3	10^{3}	1	.....	33	72	36	12^{4}
47	26	" 37th street ..	8	8	3	8^{3}	....	.....	24	39	23	13^{8}
49	27	" 38th street....	10	10	2	10^{2}	....	.....	22	39	25	12^{7}
76	41	" 39th street....	17	21	7	14^{4}	2	304^{3}	34	55	34	18^{10}

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
13^{15}	{247[1], 284[3], 358[1], 368[2], 379[2], 381[1], 388[3], 391[1]}	364[2], 370[2], 415[1], 444[3]	.....	.....
20^{17}	{328[3], 334[2], 432[2], 633[1], 434[2], 533[1], 538[3], 602[1], 608[1]}	338[1], 343[3], 426, 629[2], 638[4]	333[3], 508[4]	.....
27^{31}	{437[1], 502[2], 506[2], 513[1], 523, 545[2], 619[1], 625, 705[3], 707, 711[3]}	515[2], 532[3]	.....	411[2], 423[5]
21^{16}	337[1], 343, 519[2], 603[1], 612[2], 649[1], 708[1]	{141[3], 419[3], 442[3], 448[2], 646[3]}	509[6], 640[4]	443[3]
18^{14}	{335[2], 417[2], 419[3], 514[2], 530[1], 603[2], 606, 610[4]}	.....	521[4]	404[3]
17^{18}	406, 423[1], 432[2], 433[3], 519[1], 542[2], 606[1]	515[3]	.....	419[4]
17^{14}	421[1], 422[1], 431[1], 610[2], 647[1]	409[2], 607[4], 634[4]	337[4], 436[2]	646[4]
19^{15}	409[3], 426[1], 435[1], 530[2], 610[2]	415[1], 433[2]	614[2]	.....
6^{7}	404, 407[2], 423[3], 514[3]	.....	.....	.....
11^{12}	421[2], 439[3]	425[2]	.....	.....
6^{6}	412[2], 416[2]	.....	444[5]	400[2]
13^{12}	221[2]	323[2], 329[4], 344[2]	219[5]	.....
12^{10}	225[1], 322[3], 335[2], 344[2]	320[3]	214[5], 421[1]	.....
5^{4}	410[1], 416[1], 439[3]	.....	.....	406[3], 441 (9)[4]
3^{4}	239[3], 237, 309[3], 315[2], 321[1], 327[1]	343[2]	305[1]	638[1]
4^{8}	215[1], 334[2], 421[3]	.....	339	341[6]
2^{3}	155[2], 308[2], 311[1], 321[3], 327[2], 336[1], 338[3]	324[1]	204[2]	.....
3^{3}	.....	301[1]	.....	.....
2^{6}	244[3], 247[3], 329[1]	245[1]	.....	.....
7^{8}	237[1], 225, 326, 403[2], 407[1], 227[2]	405[2]	.....	.....
2^{1}	240	.....	.....	.....
4^{5}	314[2], 316[1], 317[3], 340[1], 402[1]	.....	336[5]	.....
12^{13}	317[2], 352[1]	.....	331[1]	.....
8^{11}	324[1], 333[1]	.....	.....	.....
6^{7}	239[3], 320[1], 326[1], 332[1], 333[2], 336[3]	.....	.....	.....
11^{9}	221[1], 246[2]	332[2]	.....	.....
10^{12}	305[1], 322, 326[1], 331[2], 335, 336[2], 341[1]	306[2], 324[2]	340[3]	328[6]
8^{8}	323[2], 335[2]	337[3]	.....	.....
5^{6}	316[3], 317[2], 221[2], 332[2]	.....	214[4]	.....
12^{11}	312[1], 313[3], 315[3]	318[3]	.....	.....

ABSTRACT SHOWING THE DISTRIBUTION OF

During the Year ending

The small figures indicate children under 5 years of age.

Total Deaths.			Dwellings other than Tenements.							Tenement Houses.			
				Total Deaths.							Total Deaths.		
All Ages.	Under 5.	Streets.	Number of Private Dwellings Reported.	All Ages.	Under 5.	Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.	Number of Tenements Reported.	All Ages.	Under 5.	Number of Houses in which One Death was Reported.
45	27	East 40th street ...	12	14	8	10^{4}	2^{1}	.....	15	31	19	8^{3}
47	21	" 41st street	17	17	4	17^{4}	....	.....	15	30	17	10^{6}
15	10	" 42d street	5	7	5	3^{2}	2^{2}	.....	7	8	5	6^{3}
34	12	" 43d street	18	13	4	13^{4}	....	.....	9	21	8	3^{2}
44	28	" 44th street....	5	11	7	6^{1}	1^{2}	239^{1}	17	33	21	9^{6}
64	38	" 45th street....	8	10	7	6^{4}	2^{3}	.....	30	54	31	15^{8}
70	44	" 46th street....	6	7	4	5^{4}	1	.....	43	63	40	28^{18}
67	35	" 47th street....	8	8	...	8	....	.....	27	59	35	10^{9}
77	46	" 48th street....	15	18	5	13^{2}	1^{2}	257	26	59	41	12^{11}
44	28	" 49th street....	15	16	9	11	1^{1}	.....	21	28	19	16^{13}
33	11	" 50th street....	15	15	7	15^{7}	....	.....	8	8	4	8^{1}
34	14	" 51st street....	17	19	8	15^{7}	2	.....	10	15	6	6^{2}
50	22	" 52d street.....	16	16	8	16^{8}	....	.....	24	34	14	24^{12}
42	17	" 53d street....	16	16	7	16^{6}	...	.....	15	26	10	14^{5}
87	63	" 54th street....	8	8	5	8^{5}	....	.....	44	88	53	24^{12}
55	25	" 55th street....	12	14	4	[illegible]	[illegible]	.....	21	31	21	14^{10}
50	19	" 56th street....	22	25	7	[illegible]	1^{1}	128^{1}	21	25	12	17^{7}
26	18	" 57th street....	14	14	1	14^{10}	....	.....	9	12	5	6^{2}
32	17	" 58th street....	18	19	9	17^{5}	1^{1}	.....	10	13	11	7^{5}
113	68	" 59th street....	3	3	2	3^{2}	....	.....	53	110	66	24^{16}
63	36	" 60th street....	12	14	4	10^{3}	2^{1}	.....	21	49	32	8^{6}
14	4	" 61st street	10	12	3	8^{2}	2^{1}	.....	2	2	1	2^{1}
26	16	" 62d street.....	13	15	8	11^{6}	2^{2}	.....	5	11	8	1^{1}
50	32	" 63d street	10	10	5	10^{5}	....	.....	15	40	27	5^{3}
12	5	" 64th street....	4	5	2	3^{1}	1^{1}	.....	4	7	3	2^{1}
30	11	" 65th street....	7	9	2	5	2^{2}	.....	12	21	9	7^{1}
17	5	" 66th street....	5	5	...	5	....	.....	11	12	5	10^{4}
6	3	" 67th street....	6	6	3	6^{3}	....	.....	...	...	...	.....
4	2	" 69th street....	3	3	2	3^{2}	....	.....	1	1	...	1
17	11	" 70th street....	10	12	8	8^{5}	2^{3}	.....	5	5	3	5^{3}

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
5^{5}	.....	.....	.....	336^{4}, 338^{7} (7)
5^{5}	202^{1}, 234^{3}	238^{2}	.....	.....
1^{2}	.....	.....	.....	.....
2^{2}	201^{1}, 207^{1}	144, 300^{2}	.....	.....
5^{6}	212^{3}	208^{2}	.....	435 (7) ^{4}
8^{6}	231^{1}, 308^{2}, 310^{3}, 312^{3}, 313^{3}, 317^{1}	.....	340^{1}	.....
11^{14}	236^{2}, 307^{1}, 309^{2}	244^{3}	.....	.....
7^{7}	316^{1}, 325^{3}, 330^{1}, 334^{3}, 337^{2}, 333^{2}	217^{3}, 222^{2}, 318^{2}	320^{3}	.....
6^{7}	315^{2}, 324^{1}, 340^{1}	329^{4}, 335^{2}, 338^{4}	400^{3}	325 (9) ^{6}
4^{4}	.....	336^{2}	.....	.....
.....	.....	.....	.....	.....
3^{2}	229^{2}	.....	.....	.....
5^{1}	.....	.....	.....	.....
2^{2}	.....	160^{1}, 334^{2}	.....	.....
10^{15}	212^{1}, 238^{2}	312^{1}, 316^{4}, 329^{4}, 348^{2}	236^{2}, 330^{5}, 346^{4}	310 (7) ^{6}
5^{5}	238^{2}	240^{4}	.....	.....
4^{5}	.....	.....	.....	.....
3^{3}	.....	.....	.....	.....
3^{6}	.....	.....	.....	.....
14^{18}	147^{2}, 241^{1}, 302^{1}, 313, 315^{2}, 317^{1}, 411^{1}, 427^{2}	401^{3}, 405^{2}, 425^{1}	235^{4}, 413^{5}	237^{4}, 232^{2}
5^{5}	315^{2}, 317^{1}, 345^{2}	305^{2}, 321^{1}, 349^{3}	309^{2}, 319^{4}	.....
.....	.....	.....	.....	.....
2^{2}	252^{2}, 253^{2}	.....	.....	.....
4^{6}	210^{1}, 332^{3}	339^{3}	336^{5}, 338^{2}	340 (7) ^{4}
1^{1}	182^{1}	.....	.....	.....
2^{1}	303^{3}, 319^{1}	252^{3}	.....	.....
1^{1}	.....	.....	.....	.....
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....

ABSTRACT SHOWING THE DISTRIBUTION OF

DURING THE YEAR ENDING

The small figures indicate children under 5 years of age.

Total Deaths.		Streets.	Dwellings other than Tenements.						Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.	Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.					All Ages.	Under 5.	
22	11	East 71st street	10	12	5	8^{4}	2^{1}	.....	6	10	6	4^{2}
13	5	" 72d street.....	9	9	4	9^{4}	....	.....	4	4	1	4^{1}
24	15	" 73d street.....	8	8	5	8^{6}	....	.....	10	16	10	8^{6}
101	59	" 74th street....	14	16	6	12^{6}	2^{1}	.....	50	85	53	30^{14}
56	30	" 75th street....	10	12	4	9^{3}	....	$41^{8}1$	25	44	26	13^{6}
63	35	" 76th street....	9	10	3	8^{2}	1^{1}	.....	30	53	32	15^{10}
35	21	" 77th street....	10	10	5	10^{6}	....	.....	20	25	16	15^{9}
40	26	" 78th street...	18	21	14	16^{10}	1^{1}	117^{3}	14	19	12	9^{5}
32	11	" 79th street....	10	12	3	9^{1}	....	$33^{8}2$	17	20	8	14^{6}
47	25	" 80th street....	3	3	...	3	....	.....	27	44	25	13^{7}
36	18	" 81st street....	13	13	8	13^{n}	....	.....	12	23	10	4^{6}
31	9	" 82d street	19	21	6	17^{6}	2	.....	6	10	3	3
17	3	" 83d street	13	14	2	12^{1}	1^{1}	.....	3	3	1	3^{1}
25	9	" 84th street....	18	19	5	17^{6}	1	.....	6	6	4	6^{4}
41	21	" 85th street....	14	14	4	14^{4}	....	.....	17	27	17	8^{4}
27	13	" 86th street....	16	17	7	15^{6}	1^{2}	.....	7	10	6	6^{2}
16	6	" 87th street....	11	11	3	11^{3}	....	.....	5	5	3	5^{3}
18	6	" 88th street....	8	9	3	7^{3}	1	.....	7	9	3	6^{3}
5	2	" 89th street....	5	5	2	5^{2}	....	.....	...	...	...	.....
12	6	" 90th street....	9	9	4	9^{4}	....	.....	2	3	2	1^{1}
6	4	" 91st street....	3	3	1	3^{1}	....	.....	3	3	3	3^{3}
12	10	" 92d street	5	5	4	5^{4}	....	.....	5	7	6	3^{2}
6	1	" 93d street	5	6	1	4	1^{1}	.....	...	...	...	.....
1	..	" 94th street	1	1	...	1	....	.....	...	...	...	.....
2	1	" 96th street....	1	1	1	1^{1}	....	.....	1	1	...	1
12	2	" 97th street....	5	5	...	5	....	.....	4	7	2	1^{1}
3	1	" 99th street....	3	3	1	3^{1}	....	.....	...	...	...	.....
2	...	" 102d street....	2	2	...	2	....	.....	...	...	...	.....
24	16	" 103d street....	6	6	3	6^{2}	....	.....	8	18	13	3^{5}
12	6	" 104th street...	11	12	6	10^{5}	1^{1}	.....	...	...	...	.....

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
1^{2}	.....	403^{2}	.....	.....
.....	.....	.....	.....	.....
1^{1}	.....	.....	.....	353^{3}
13^{19}	223^{3}, 384^{2}	232^{2}, 330^{4}, 382^{3}	494^{2}	226^{4}
7^{9}	232^{1}, 328^{1}, 331^{1}	236^{4}, 240^{4}	.....	.....
12^{16}	207^{2}, 226^{1}	.....	.....	401 (8) ^{3}
5^{7}	.....	.....	.....	.....
5^{7}	.....	.....	.....	.....
3^{2}	.....	.....	.....	.....
11^{16}	186^{1}, 314, 318^{1}	.....	.....	.....
5^{4}	210, 348^{1}, 436	.....	.....	.....
2^{1}	338^{2}	.....	.....	.....
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....
8^{12}	303^{1}	.....	.....	.....
.....	.....	162^{4}	.....	.....
.....	.....	.....	.....	.....
.....	123	.....	.....	.....
.....	.....	.....	.....	.....
1^{1}	.....	.....	.....	.....
.....	.....	.....	.....	.....
2^{4}	.....	.....	.....	.....
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....
3^{1}	.....	.....	.....	.....
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....
3^{4}	226^{1}	.....	.....	226^{3}
.....	.....	.....	.....	.....

ABSTRACT SHOWING THE DISTRIBUTION OF

DURING THE YEAR ENDING

(The small figures indicate children under 5 years of age.)

Total Deaths.		Streets.	Dwellings other than Tenements.							Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.		Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.						All Ages.	Under 5.	
14	9	East 105th street...	12	12	8	12^{8}	....	.....		2	2	1	2^{1}
11	5	" 106th street...	5	5	1	5^{1}	....	.....		4	6	4	2^{1}
2	1	" 107th street...	2	2	1	2^{1}	....	.....		...	...	...	.....
3	3	" 108th street...	3	3	3	3^{3}	....	.....		...	...	...	.....
44	25	" 109th street...	14	17	6	12^{4}	1	327^{3}		10	27	19	3^{2}
24	13	" 110th street...	13	14	7	12^{6}	1^{1}	.....		7	10	6	5^{4}
41	25	" 111th street...	10	11	5	9^{4}	1^{1}	.....		15	30	20	9^{7}
49	28	" 112th street...	21	22	9	20^{9}	1	.....		14	27	19	6^{5}
41	19	" 113th street...	19	20	11	18^{11}	1	.....		12	21	8	8^{2}
35	16	" 114th street...	19	21	9	17^{7}	2^{2}	.....		10	14	7	6^{3}
43	24	" 115th street...	9	11	6	7^{3}	2^{3}	.....		19	32	18	10^{4}
8	4	" 116th street...	7	7	3	7^{3}	....	.....		1	1	1	1^{1}
34	17	" 117th street...	25	29	14	22^{10}	2^{3}	114^{1}		3	5	3	1
20	6	" 118th street...	17	18	5	16^{5}	1	.....		1	2	1	.....
31	18	" 119th street...	23	23	10	23^{10}	....	.....		7	8	8	6^{6}
21	7	" 120th street...	18	20	7	16^{4}	2^{3}	.....		1	1	...	1
21	16	" 121st street...	16	17	12	15^{10}	1^{2}	.....		4	4	4	4^{4}
14	7	" 122d street....	8	8	3	8^{3}	....	.....		5	6	4	4^{2}
21	8	" 123d street....	19	20	7	18^{6}	1^{1}	.....		1	1	1	1^{1}
14	5	" 124th street...	12	12	4	12^{4}	....	.....		2	2	1	2^{1}
20	5	" 125th street...	14	15	3	13^{2}	1^{1}	.....		3	5	2	1
16	5	" 126th street...	16	16	5	16^{5}	...	.....		...	...	...	.....
14	5	" 127th street...	13	14	5	12^{3}	1^{2}	.....		...	...	...	.....
9	3	" 128th street...	8	8	2	8^{2}	...	.....		1	1	1	1^{1}
12	6	" 129th street...	8	8	5	8^{5}	....	.....		4	4	1	4^{1}
10	2	" 130th street...	4	4	1	4^{1}	....	.....		3	6	1	2^{1}
6	4	" 131st street ..	4	5	3	3^{1}	1^{2}	.....		1	1	1	1^{1}
4	...	" 132d street....	3	3	...	3	....	.....		1	1	...	1
5	1	" 133d street....	5	5	1	5^{1}	....	.....		...	...	...	.....
5	5	" 134th street...	5	5	5	5^{5}	....	.....		...	...	...	.....

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
....	.....	.....	.....	.....
2^{3}	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
4^{6}	.....	343^{4}	345^{4}	$347\ (7^{3}$
1^{1}	318^{1}	.....	.....	.....
....	$229^{2}, 231^{2}, 427^{2}$	$233^{2}, 237^{2}, 247^{3}$	.....	.....
6^{7}	.....	429^{2}	163^{5}	.....
1^{1}	436	$313^{3}, 414^{1}$	.....	.....
4^{4}	.....	.....	.....	.....
5^{7}	$332, 334^{1}, 336^{3}, 341^{3}$	.....	.....	.....
....	.....	.....	.....	.....
2^{3}	.....	.....	.....	.....
1^{1}	.....	.....	.....	.....
1^{2}	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
1^{2}	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
2^{2}	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	67	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....

ABSTRACT SHOWING THE DISTRIBUTION OF

During the Year ending

(The small figures indicate children under 5 years of age.)

Total Deaths.		Streets.	Dwellings other than Tenements.							Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.		Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.						All Ages.	Under 5.	
6	3	East 135th street...	6	6	3	6^{2}	....	.....		...	...	...	.....
1	...	" 136th street...	1	1	...	1	....	.....		...	...	...	.....
3	1	" 137th street...	3	3	1	3^{1}	....	.....		...	...	...	.....
2	1	" 138th street...	2	2	1	2^{1}	....	.....		...	...	...	.....
3	3	" 139th street...	3	3	3	3^{3}	....	.....		...	...	...	.....
6	3	" 140th street...	6	6	3	6^{3}	....	.....		...	...	...	.....
5	1	" 141st street...	5	5	1	5^{1}	....	.....		...	...	...	.....
7	1	" 142d street....	6	6	1	6^{1}	....	.....		1	1	...	1
8	1	" 143d street....	7	7	1	7^{1}	....	.....		1	1	...	1
11	5	" 144th street...	11	11	5	11^{6}	....	.....		...	...	...	.....
6	5	" 145th street...	6	6	5	6^{6}	....	.....		...	...	...	.....
13	8	" 146th street...	13	13	8	13^{8}	....	.....		...	...	...	.....
3	...	" 147th street...	3	3	...	3	....	.....		...	...	...	.....
8	3	" 148th street...	8	8	3	8^{3}	....	.....		...	...	...	.....
12	5	" 149th street...	11	11	4	11^{4}	....	.....		1	1	1	1^{1}
7	4	" 150th street...	6	6	4	6^{4}	....	.....		1	1	...	1
14	8	" 151st street...	13	13	7	13^{7}	....	.....		1	1	1	1^{1}
7	6	" 152d street....	7	7	6	7^{6}	....	.....		...	...	...	.....
14	7	" 153d street....	14	14	7	14^{7}	....	.....		...	...	...	.....
9	4	" 154th street...	9	9	4	9^{4}	....	.....		...	...	...	.....
8	4	" 155th street...	7	7	4	7^{4}	....	.....		1	1	...	1
3	1	" 156th street...	2	2	...	2	....	.....		1	1	1	1^{1}
8	5	" 157th street...	8	8	5	8^{5}	....	.....		...	...	...	.....
9	4	" 158th street...	9	9	4	9^{4}	....	.....		...	...	...	.....
4	1	" 159th street...	4	4	1	4^{1}	....	.....		...	...	...	.....
3	1	" 160th street...	3	3	1	3^{1}	....	.....		...	...	...	.....
5	3	" 161st street ...	5	5	3	5^{3}	....	.....		...	...	...	.....
2	...	" 162d street....	2	2	...	2	....	.....		...	...	...	.....
4	4	" 163d street....	4	4	4	4^{4}	....	.....		...	...	...	.....
5	...	" 164th street...	5	5	...	5	....	.....		...	...	...	.....

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

The figures inclosed in parenthesis indicate total number of deaths in house.

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....
....	....	....	....	....

ABSTRACT SHOWING THE DISTRIBUTION OF

During the Year ending

(The small figures indicate children under 5 years of age.)

Total Deaths.			Dwellings other than Tenements.						Tenement-houses.			
All Ages.	Under 5.	Streets.	Number of Private Dwellings Reported.	Total Deaths. All Ages.	Total Deaths. Under 5.	Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.	Number of Tenements Reported.	Total Deaths. All Ages.	Total Deaths. Under 5.	Number of Houses in which One Death was Reported.
2	1	East 165th street...	2	2	1	2^{1}	....	.....	1	1	...	1
3	1	" 166th street...	3	3	1	3^{1}	....	.....	...	...	...	.....
4	3	" 167th street...	4	4	3	4^{3}	....	.....	...	...	...	.....
3	1	" 168th street...	3	3	1	3^{1}	...	.....	...	...	...	.....
5	2	" 169th street...	5	5	2	5^{2}	....	.....	...	...	...	.....
2	1	" 170th street...	1	1	1	1^{1}	....	.....	1	1	...	1
1	...	" 171st street...	1	1	...	1	....	.....	...	...	...	.....
1	...	" 172d street....	1	1	...	1	....	.....	...	...	...	.....
1	...	" 174th street...	1	1	...	1	....	.....	...	...	...	.....
1	1	" 175th street...	1	1	1	1^{1}	....	.....	...	...	...	.....
2	1	" 176th street...	2	2	1	2^{1}	....	.....	...	...	...	.....
2	...	" 177th street...	2	2	...	2	....	.....	...	...	...	.....
3	...	" 179th street..	2	2	...	2	....	.....	1	1	...	1
1	...	" 189th street...	1	1	...	1	....	.....	...	...	...	.....
29	16	Eighth street.....	6	6	3	6^{3}	....	.....	20	23	13	17^{9}
176	80	Eighth avenue.....	99	111	54	90^{43}	6^{7}	$\{168^{1}, 663^{1}, 835^{2}....\}$	45	65	26	30^{12}
120	68	Eldridge street.....	9	9	4	9^{4}	....	.....	67	111	64	39^{21}
138	85	Eleventh avenue...	27	29	18	25^{15}	2^{3}	.....	78	109	67	55^{31}
169	96	Elizabeth street....	11	13	4	10^{3}	....	256^{1}.....	74	156	92	32^{14}
51	21	Elm street.....	16	22	8	11^{4}	4^{1}	193^{1}.....	18	29	13	11^{4}
9	5	Elton avenue	7	7	3	7^{3}	....	.....	2	2	2	2^{2}
162	101	Essex street.....	11	12	5	10^{5}	1	.....	77	150	96	34^{19}
1	...	Exchange place....	1	1	...	1	....	.....	...	...	...	.....
7	4	Extra place.....	...	...	...	.....	....	.....	7	7	4	7^{4}
1	...	Fairmount avenue..	1	1	...	1	....	.....	...	...	...	.....
56	3	Fifth avenue.....	47	48	3	46^{3}	1	.....	8	8	...	8
114	63	Fifth street	15	18	8	12^{7}	3^{1}	.....	64	96	55	41^{22}
59	36	First street.....	9	9	5	9^{5}	....	.....	32	50	31	20^{15}

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
3^{4}	.....	.....	.....	.....
11^{8}	686^{1}, 688^{1}, 692	799^{4}	.....	.....
16^{22}	$\{18^{1}, 24^{2}, 67, 75^{2}, 129^{1}, 130^{3}, 152^{1}, 155^{2}, 196^{2}$ .....$\}$	68^{1}, 127^{3}.....	78^{3}	.....
18^{24}	679^{3}, 835^{2}.....	548^{3}, 565^{2}, 790^{2}.....	.....	.....
19^{28}	$\{47^{1}, 73^{1}, 79, 103^{1}, 134^{2}, 151^{2}, 157^{2}, 177^{2}, 182^{1}, 183^{1}, 226^{2}, 228^{3}, 247, 262^{2}, 281\frac{1}{2}^{3}$ .....$\}$	$\{224^{2}, 243^{1}, 152^{1}, 184^{3}$... .....$\}$	172^{4}, 216^{4}.....	232^{4}, 249 (9) ^{6}
3^{3}	$94\frac{1}{2}$, 145^{2}, 146^{1}, 208^{3}	.....	.....	.....
....	.....	.....	.....	.....
25^{35}	$\{10^{3}, 17^{1}, 29^{1}, 44^{1}, 47^{2}, 94^{2}, 103^{3}, 119^{1}, 156^{3}, 173^{2}$.....$\}$	$\{49^{3}, 85^{3}, 89^{4}, 115^{1}, 140^{1}$.....$\}$	16^{6}, 48^{4}.....	88^{2}
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
14^{20}	$\{335^{1}, 428^{2}, 506^{1}, 513^{1}, 515^{1}, 520^{2}, 521^{2}, 638^{2}, 640^{1}$.....$\}$	.....	.....	.....
7^{6}	14^{2}, 52^{1}, 101^{3}, 104^{2}.....	53^{2}.....	.....	.....

ABSTRACT SHOWING THE DISTRIBUTION OF

During the Year ending

The small figures indicate children under 5 years of age.

Total Deaths		Streets.	Dwellings other than Tenements.						Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.	Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.					All Ages.	Under 5.	
681	417	First avenue.....	59	64	25	54^{18}	5^{2}	.....	364	620	392	215^{133}
2	...	Fordham street....	2	2	...	2	....	.....	...	...	...	.....
8	4	Fordham avenue...	8	8	4	8^{4}	....	.....	...	...	...	.....
1	1	Fordham Ridge....	1	1	1	1^{1}	....	.....	...	...	...	.....
3	1	Fort Washington...	3	3	1	3^{1}	....	.....	...	...	...	.....
1	...	Forrest avenue.....	1	1	...	1	....	.....	...	...	...	.....
161	96	Forsyth street.....	16	16	7	16^{7}	....	.....	82	145	89	45^{27}
91	30	Fourth avenue.....	56	60	14	52^{11}	4^{3}	.....	28	31	16	25^{12}
12	4	Frankfort street...	...	...	...	.....	....	.....	5	12	4	2^{1}
8	4	Franklin avenue....	7	7	3	7^{3}	....	.....	1	1	1	1^{1}
32	12	Franklin street.....	14	17	7	12^{6}	1	147^{1}.....	12	15	5	9^{4}
14	8	Front street.....	5	5	2	5^{2}	....	.....	3	9	6	.....
1	1	Fulton avenue.....	1	1	1	1^{1}	....	.....	...	...	...	.....
1	...	Fulton Market.....	1	1	...	1	....	.....	...	...	...	.....
3	...	Fulton street.....	3	3	...	3	....	.....	...	...	...	.....
25	14	Gansevoort street..	2	3	1	1^{1}	1	.....	11	22	13	5^{2}
4	2	Gay street.....	3	3	2	3^{2}	....	.....	1	1	..	1
77	44	Goerck street.....	11	12	5	10^{6}	1	.....	34	65	39	16^{10}
1	1	Governor's Island..	1	1	1	1^{1}	....	.....	...	...	...	.....
1	..	Gouverneur Slip....	1	1	...	1	....	.....	...	...	...	.....
19	12	Gouverneur street..	3	4	2	2^{1}	1^{1}	.....	9	15	10	5^{4}
1	..	Gramercy Park....	1	1	...	1	....	.....	...	...	...	.....
1	...	Grand avenue.....	1	1	...	1	....	.....	...	...	...	.....
107	51	Grand street.....	52	56	22	48^{18}	4^{4}	.....	35	51	29	23^{12}
7	2	Great Jones street..	5	6	1	4	1^{1}	.....	1	1	1	1^{1}
33	19	Greene street.....	10	10	6	10^{6}	....	.....	12	23	13	8^{4}
258	133	Greenwich street...	45	47	11	43^{9}	2^{2}	.....	110	211	122	58^{26}

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.

TENEMENT-HOUSES

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
84^{26}	35^{3}, 36^{3}, 38^{2}, 43^{2}, 47^{3}, 73^{3}, 89^{1}, 154^{3}, 157^{2}, 184, 226, 294^{1}, 397^{3}, 399^{1}, 406^{1}, 414^{3}, 415^{1}, 431^{3}, 441^{2}, 502^{3}, 521^{2}, 527^{3}, 563^{1}, 699^{1}, 824^{2}, 838^{2}, 846^{3}, 851^{1}, 952^{2}, 1087^{2}, 1090^{2}, 1109^{2}, 1122^{2}, 1166^{2}, 1168^{2}, 1204^{2}, 1312^{2}, 1335^{2}, 1619^{2}, 1659^{1}.....	45^{2}, 57^{2}, 224^{1}, 357^{3}, 382^{3}, 522^{2}, 524^{2}, 549^{2}, 623^{3}, 854^{4}, 855^{3}, 1073^{3}, 1088^{3}, 1118^{2}.....	492^{3}, 526^{2}, 840^{4}, 848^{4}, 911^{2}, 1250^{4}	262^{5}, 1147^{5}, 1262^{4}, 2129^{8}, 1170 (7) ^{5}
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
20^{28}	3^{1}, 21^{3}, 65^{2}, 73^{1}, 154^{2}, 184^{2}, 186^{1}, 195^{1}	5^{2}, 21^{2}, 44^{3}, 48^{1}, 102^{3}, 139^{2}, 156^{3}, 187^{4}, 199^{3}.....	.....	.....
3^{4}	.....	.....	.....	.....
2^{2}	.....	.....	.....	37^{1}
....	.....	.....	.....	.....
3^{1}	.....	.....	.....	.....
2^{3}	.....	.....	290^{3}.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
3^{3}	10^{2}, 16^{2}.....	.....	18^{4}.....	.....
....	.....	.....	.....	.....
10^{9}	3^{1}, 37^{1}, 51^{3}, 72^{2}.....	8^{4}, 56^{2}, 68^{4}.....	70^{3}.....	.....
...	.....	.....	.....	.....
....	.....	.....	.....	.....
3^{4}	.....	44^{2}.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
9^{12}	14^{1}, 68^{2}.....	445^{2}.....	.....	.....
....	.....	.....	.....	.....
1	197^{2}.....	.....	93^{3}, 211^{4}.....	.....
22^{25}	8^{2}, 26^{2}, 30^{2}, 32^{2}, 95^{1}, 101^{3}, 444^{3}, 463^{2}, 464^{3}, 540^{1}, 559^{2}, 566^{3}, 633^{1}, 686^{2}, 615^{3}, 728^{1}, 784^{3}.....	38^{2}, 90^{2}, 108^{4}, 535^{3}, 550^{2}, 577^{2}, 593^{3}, 609^{2}, 635^{3}.....	125^{3}, 571^{1}.....	557^{3}, 72^{5}

ABSTRACT SHOWING THE DISTRIBUTION OF

DURING THE YEAR ENDING

The small figures indicate children under 5 years of age.

Total Deaths.		Streets.	Dwellings other than Tenements.							Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported	Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.					All Ages.	Under 5.	
32	15	Greenwich avenue.	16	17	8	15^{6}	1^{2}	.....	9	15	7	5^{4}
27	15	Grove street, 9th Ward	17	20	11	14^{6}	3^{5}	.....	5	7	4	3^{1}
1	1	Grove street, 24th Ward	1	1	1	1^{1}	....	.....	...	...	...	.....
1	1	Grove avenue	1	1	1	1^{1}	....	.....	...	...	...	.....
2	1	Grove Hill place...	2	2	1	2^{1}	...	.....	...	...	...	.....
4	3	Hague street.....	...	...	...	.....	....	.....	4	4	3	4^{3}
54	24	Hamilton street....	5	5	...	5	....	.....	22	49	24	10^{7}
18	11	Harrison street....	7	7	4	7^{4}	....	.....	6	11	7	3^{2}
146	80	Henry street.....	33	36	14	30^{13}	3^{1}	.....	48	110	66	23^{16}
97	54	Hester street.....	7	7	4	7^{4}	....	.....	44	90	50	21^{13}
3	...	High Bridge.....	3	3	...	3	....	.....	...	...	...	.....
3	1	Hoboken street....	...	...	...	.....	....	.....	3	3	1	3^{1}
5	3	Hoffman street.....	5	5	3	5^{3}	....	.....	...	...	...	.....
31	15	Horatio street.....	10	14	4	7^{3}	2^{1}	30.....	9	17	11	4^{2}
2	2	Howard street.....	2	2	2	2^{2}	....	.....	...	...	...	.....
12	5	Hubert street.....	5	7	4	3^{1}	2^{3}	.....	3	5	1	1^{1}
141	66	Hudson street.....	53	58	24	49^{18}	3^{3}	460?.....	49	83	42	27^{13}
4	2	Hunt's Point road..	4	4	2	4^{2}	....	.....	...	...	...	.....
1	...	Independence ave..	1	1	...	1	....	.....	...	...	...	.....
6	5	Irving place	5	5	4	5^{4}	....	.....	1	1	1	1^{1}
1	...	Jackson Slip	1	1	...	1	....	.....	...	...	...	.....
38	24	Jackson street.....	7	7	3	7^{3}	...	.....	20	31	21	12^{7}
5	2	James Slip.....	1	1	1	1^{1}	....	.....	4	4	1	4^{1}
49	26	James street	5	6	3	4^{2}	1^{1}	.....	20	43	23	7^{3}
9	5	Jay street	4	5	3	3^{2}	1^{1}	.....	3	4	2	2^{1}
21	7	James street.	13	14	5	12^{6}	1	.....	6	7	2	5^{1}
8	4	Jefferson street.....	5	6	3	4^{3}	1	.....	1	2	1	.....
1	...	Jerome street	1	1	...	1	....	.....	...	...	...	.....
2	1	Jerome avenue.....	2	2	1	2^{1}	....	.....	...	...	...	.....
17	11	Jersey street.....	2	2	...	2	....	.....	6	15	11	3^{2}

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
2	48^{2}, 50^{1}			
2^{3}				
5^{5}	11^{1}, 24^{1}, 30	11^{1}, 40^{2}	33^{2}	10 $(7)^{5}$
2^{3}		30^{2}		
9^{10}	59^{2}, 112^{1}, 192^{2}, 196^{3}, 236	$\{42^{1}, 95^{2}, 296^{3}, 298^{3}, 320^{2}, 322^{3}\}$	60^{4}, 92^{3}, 324^{2}	90 $(7)^{5}$, 330 $(8)^{5}$
14^{11}	174^{3}, 181^{2}, 185^{2}, 185, 215^{2}	211^{3}		$\{104^{4}, 203\ (7)^{5}, 103\ (9)^{5}\}$
2^{2}	4^{1}, 84^{3}, 86^{3}			
2				
15^{14}	166^{2}, 340^{2}, 486^{1}, 634^{2}	409^{3}	157^{2}, 273^{3}	
6^{10}	81^{2}	10^{2}		
7^{8}	26^{1}, 33^{2}, 102^{3}	98^{1}, 77^{2}	24^{3}	
1^{1}				
1^{1}				
1^{1}				
1^{1}	62^{2}			10 $(7)^{6}$

ABSTRACT SHOWING THE DISTRIBUTION OF

DURING THE YEAR ENDING

The small figures indicate children under 5 years of age.)

Total Deaths.		Streets.	Dwellings other than Tenements.							Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.		Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.						All Ages.	Under 5.	
1	...	John street	1	1	...	1	....	.....		...	...	...	.....
4	3	Johnson avenue....	4	4	3	4^{3}	...	.....		...	...	...	.....
23	12	Jones street.....	3	3	1	3^{1}	....	.....		12	20	11	7^{4}
54	31	King street.....	12	13	5	13^{5}	1	.....		19	41	26	8^{8}
3	1	Kingsbridge	3	3	1	3^{1}	....	.....		...	...	...	.....
15	5	Kingsbridge road ..	15	15	5	15^{5}	....	.....		...	...	...	.....
2	2	Lafayette avenue ..	2	2	2	2^{2}	....	.....		...	...	...	.....
6	...	Lafayette place	5	5	...	5	....	.....		1	1	...	1
39	25	Laight street.....	5	7	5	3^{2}	2^{3}	.....		18	32	20	13^{6}
15	9	Lawrence street ...	11	11	6	11^{6}	....	.....		2	4	3	1^{1}
38	14	Leonard street.....	9	10	4	8^{3}	1^{1}	.....		17	28	10	9^{3}
37	22	Leroy street.....	15	17	7	13^{5}	2^{2}	.....		13	20	15	7^{7}
118	68	Lewis street	23	24	13	22^{13}	1	.....		55	94	55	30^{17}
81	24	Lexington avenue..	79	81	24	77^{21}	2	.....		...	...	...	.....
13	7	Liberty street.....	1	1	...	1	....	.....		8	12	7	4^{2}
4	3	Lincoln avenue	1	1	...	1	....	.....		3	3	3	3^{3}
1	...	Linton avenue.....	1	1	...	1	....	.....		...	...	...	.....
3	2	Lispenard street ...	2	2	2	2^{2}	....	.....		1	1	...	1
7	...	Little 12th street ...	1	1	...	1	....	.....		5	6	...	4
1	1	Little B'dway alley.	...	...	...	.....	....	.....		1	1	1	1^{1}
5	2	Locust avenue.	5	5	2	5^{2}	....	.....		...	...	...	.....
1	...	Livingston place ...	1	1	...	1	....	.....		...	...	...	.....
1	1	Lorillard place.....	1	1	1	1^{1}	....	.....		...	...	...	.....
1	...	Ludlow place	1	1	...	1	....	.....		...	...	...	.....
124	76	Ludlow street.....	11	11	4	11^{4}	....	.....		54	113	72	19^{12}
51	21	Macdougal street ..	29	31	11	28^{9}	....	129^{2}.....		12	20	10	7^{1}
227	118	Madison street.....	37	43	15	33^{10}	3^{3}	$223\ (4)^{2}$.....		101	184	103	$(6^{28}$
36	11	Madison avenue ...	32	35	10	29^{9}	3^{1}	.....		1	1	1	1^{1}
14	9	Main street.	14	14	9	14^{9}	....	.....		...	...	...	.....
21	15	Mangin street.....	10	10	5	10^{5}	....	.....		7	11	10	3^{3}

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
....	.....	.....	.....	.....
....	.....	.....	.....	.....
3^{6}	.....	6.....	.....	10^{2}
5^{3}	35^{3}, 81^{2}, 88^{1}.....	71^{3}.....	74^{2}, 82^{4}.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
1^{1}	32^{3}.....	34^{2}, 50^{4}.....	46^{4}.....	.....
....	100^{2}.....	.....	.....	.....
6^{4}	130^{1}.....	152^{2}.....	.....	.....
5^{6}	54^{2}.....	.....	.....	.....
15^{17}	82^{2}, 38^{1}, 81^{1}, 91^{3}, 97^{3}, 163^{1}, 49^{2}.....	41^{2}, $68\frac{1}{2}^{1}$.....	77^{5}.....	.....
....	.....	.....	.....	.....
4^{5}	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
1	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
21^{28}	18^{2}, 36^{2}, 40^{2}, 93^{2}, 154^{3}, 167^{3}, 182^{2}, 186^{2}, 190^{3}.....	28^{3}, 95^{4}.....	104.....	11^{1}, 177^{3}
2^{2}	$2\frac{1}{2}^{2}$, 56^{2}, 105^{3}.....	.....	.....	.....
26^{30}	7^{1}, 35^{1}, 100, 116^{2}, 134^{3}, 139^{3}, 305^{1}, 353^{2}, 395^{1}.....	112^{2}, 118^{3}, 176^{4}, 182^{2}, 196^{1}, 414^{1}.	28^{4}.....	107^{5}, 129^{3}, 186 (8)^{6}
....	.....	.....	.....	.....
....	.....	.....	.....	.....
4^{7}	.....	.....	.....	.....

ABSTRACT SHOWING THE DISTRIBUTION OF

During the Year ending

The small figures indicate children under 5 years of age.

Total Deaths.		Streets.	Dwellings other than Tenements.							Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.		Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages	Under 5.			All Ages.	Under 5.						All Ages.	Under 5.	
13	6	Manhattan street...	7	7	4	7^{4}	....	.....		3	6	2	2
1	...	Marion street, 23d Ward	1	1	...	1	....	.....		...	...	...	.....
33	13	Marion street, 14th Ward ...	8	10	4	6^{2}	2^{2}	.....		13	23	9	8
2	1	Market Slip	2	2	1	2^{1}	....	.....		...	...	...	.....
28	17	Market street.....	9	10	7	8^{5}	1^{2}	.....		10	18	10	4^{2}
1	...	Mechanic street....	1	1	...	1	....	.....		...	...	...	.....
12	3	Mercer street.....	2	2	1	2^{1}	....	.....		10	10	2	10^{2}
1	1	Miller street.....	...	...	...	.....	....	.....		1	1	1	1^{1}
11	6	Minetta street	3	4	1	2	1^{1}	.....		3	7	5	.....
6	2	Minetta lane.....	...	...	...	.....	....	.....		4	6	2	3^{1}
4	...	Monroe avenue	4	4	...	4	....	.....		...	...	...	.....
193	97	Monroe street.....	30	38	17	23^{9}	6^{5}	252^{3}.....		86	155	80	46^{34}
25	16	Montgomery street.	7	7	3	7^{3}	....	.....		9	18	13	4^{4}
11	3	Morris avenue.....	9	9	2	9^{2}	....	.....		2	2	1	2^{1}
9	4	Morris street	1	1	...	1	...	.....		4	8	4	1
23	9	Morton street.....	12	15	4	10^{2}	1	21^{2}.....		5	8	5	2^{1}
242	140	Mott street	13	14	9	12^{8}	1^{1}	.....		105	228	131	42^{22}
3	2	Mott avenue.....	3	3	2	3^{2}	....	.....		...	...	...	.....
1	...	Mt. Eden.....	1	1	...	1	....	.....		...	...	...	.....
279	145	Mulberry street....	16	20	4	13^{2}	2	75^{2}.....		112	259	141	47^{30}
5	3	Murray street.....	2	2	...	2	....	.....		2	3	3	1^{1}
8	2	Nassau street.....	5	6	2	4^{2}	1	.....		2	2	...	2
2	1	New street.....	1	2	1	.....	1^{1}	.....		...	...	...	.....
2	...	New Bowery	2	2	...	2	....	.....		...	...	...	.....
14	6	New Chambers st .	3	3	...	3	....	.....		9	11	6	7^{4}
12	8	New Church street	2	2	1	2^{1}	....	.....		8	10	7	6^{4}
266	133	Ninth avenue.....	77	83	31	72^{28}	4^{3}	194		120	183	102	78^{46}
92	59	Norfolk street.....	15	19	11	12^{7}	2^{3}	78^{1}		44	73	48	30^{12}
19	12	North Moore street	11	12	7	10^{5}	1^{2}	.....		4	7	5	2^{2}
53	32	Oak street.....	3	3	1	3^{1}	....	.....		20	50	31	9^{3}

Statigraphic Chart

Illustrating the Actual Daily Mortality in the City of New York during the Six Months ending June 30th 1880.

(With Daily Meteorological Observations)



Weekly Mortality	At all ages	272	551	441	519	529	498	526	519	564	592	500	527	527	550	542	622	582	546	615	547	544	714	470	837	720	1195	754	At all ages	Weekly Mortality
	Children under 5	61	218	186	215	205	200	202	224	216	229	225	219	214	214	233	241	206	214	261	217	234	441	169	234	402	830	482		
	Zymotic Diseases	44	94	105	120	126	105	95	136	120	105	103	95	101	119	111	115	95	123	117	112	141	158	53	147	271	656	336		Zymotic Diseases
Weekly Mean Temperature (Fahrenheit)		38.7	42.5	35.8	40.0	42.2	27.7	36.5	38.7	32.7	39.5	29.2	34.7	35.4	40.1	45.8	50.9	49.9	52.0	63.6	65.8	68.2	76.7	66.1	70.7	71.1	78.0	61.6		Weekly Mean Temperature (Fahrenheit)
Weekly Mean Pressure of Atmosphere		30.06	30.185	30.169	29.734	30.047	29.958	29.971	30.049	29.857	29.833	30.100	29.896	29.902	29.816	29.776	29.737	29.998	29.937	29.943	29.865	29.962	29.931	29.976	29.901	29.664	29.650	29.784		Weekly Mean Pressure of Atmosphere
Depth of Rain fall (Inches) Each Week		—	.48	.22	.60	.63	.54	.64	.14	.52	.42	.85	2.04	1.38	.64	.34	.13	.64	1.20	—	—	.01	.10	1.14	.01	.11	—	.09		Depth of Rain fall (Inches) Each Week

Staticgraphic Chart

Illustrating the Actual Daily Mortality in the City of New York during the Six Months ending December 31st 1880.

(With Daily Meteorological Observations)



Weekly Mortality — At All Ages	429	916	745	649	641	62?	642	62?	551	531	566	553	540	6??	[illegible]	[illegible]	[illegible]	543	601	540	607	614	699	6??	[illegible]	649	[illegible]
Weekly Mortality — Children Under 5	292	557	445	374	312	31?	314	326	286	265	2??	260	235	21?	[illegible]	[illegible]	216	220	[illegible]	230	238	251	308	238	251	[illegible]	[illegible]
Weekly Mortality — Zymotic Diseases	236	441	339	270	272	212	240	255	197	184	181	171	172	170	[illegible]	[illegible]	[illegible]	159	[illegible]	159	168	195	200	180	[illegible]	156	[illegible]
Weekly Mean Temperature (Fahrenheit)	73.8	78.9	77.9	70.7	72.5	73.0	74.1	71.2	73.9	72.1	67.7	66.5	65.0	61.4	[illegible]	[illegible]	56.2	45.9	51.7	49.3	36.1	22.4	33.0	24.3	[illegible]	[illegible]	16.?
Weekly Mean Pressure of Atmosphere	29790	29.888	29.783	29.945	29.927	29.979	29.867	29.955	30.006	29.979	29.801	29.866	30.055	29.942	30.009	29.895	29.938	29.939	29.95?	29.984	30.008	30.326	29.930	[illegible]	[illegible]	[illegible]	29.853
Depth of Rain Fall (Inches) Each Week	.61	1.96	1.95	2.46	.51	.96	1.68	.97	1.17	.48	1.26	.15	—	.11	.62	[illegible]	.98	1.20	1.00	.64	.48	.14	.71	.90	.17	[illegible]	.48

Daily Mean Temperature

Daily Range of Temperature

Daily Humidity

Mortality Each Day in The Year. From All Causes / Children Under 5

Rain Fall

Total Mortality Each Day. From The Zymotic Diseases / Diarrhœal Maladies / Phthisis Pulmonalis

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
....	.....	7^{2}.....	.....	.....
....	.....	.....	.....	.....
3^{4}	.....	19^{1}.....	25^{4}.....	....
....	.....	.....	.....	.....
5^{6}	.....	13^{2}.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
2^{3}	4^{2}.....	.....	.....	.....
....	20^{1}.....	.....	.....	.....
....	.....	.....	.....	.....
24^{21}	7^{1}, 17^{2}, 27^{2}, 91^{2}, 101^{3}, 125^{1}, 214^{1}, 239^{1}, 311^{1}.....	9^{2}, 31^{2}, 89.....	33^{2}, 307^{2}.....	35^{1}, 242^{2}
2^{4}	69, 73^{2}.....	63^{3}.....	.....	.....
....	.....	.....	.....	.....
2^{2}	21^{2}.....	.....	.....	.....
3^{4}	.....	.....	.....	.....
28^{33}	26^{1}, 39^{2}, 48^{2}, 49^{2}, 60^{3}, 66^{1}, 70^{3}, 71^{3}, 72^{2}, 102^{1}, 113, 122^{1}, 135^{3}, 137^{1}, 139^{2}, 154^{3}, 193^{2}, 202, 231^{2}, 283^{3}, 290^{1}, 312^{1}..	13^{3}, 17^{1}, 22^{1}, 115^{3}, 136^{1}, 217^{3}, 281^{2}, 316^{3}.....	250^{2}..... .	(127 (7) ^{3}, 196 ^{4}, 215 (8) ^{5}, 232^{5}
....	.....	.....	.....	.....
....	.....	.....	.....	.....
28^{29}	5, 22^{1}, 27^{3}, 37^{3}, 49^{2}, 50^{2}, 61^{2}, 62^{2}, 63^{2}, 81^{3}, 118, 133, 232^{1}, 235^{1}, 243^{1}, 284^{3}.....	45^{3}, 49^{2}, 82^{3}, 113^{2}, 140^{1}, 170^{3}, 174^{3}, 199^{1}, 239.....	51^{3}, 71^{3}, 131^{2}, 167^{3}, 231^{1}...	38^{1}, 85^{3}, 115^{5}, 120^{3}, 53 (8) ^{6}, 65 (7) ^{4}, 87 (8) ^{1}
1^{2}	.....	.....	.....	.....
...	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
2^{2}	.....	.....	.....	.....
2^{3}	.....	.....	.....	.....
27^{31}	347^{3}, 361^{2}, 442^{1}, 496, 629, 633^{2}, 750^{1}, 785^{1}, 865^{1}.....	114^{3}, 258^{3}, 494^{2}, 519^{2}, 784^{2}, 802^{2}, ...	.....	.....
7^{16}	157^{3}	30^{2}, 70^{2}, 89^{3}, 144^{3} ..	26^{3}, 93^{4}.....	.....
1^{2}	86^{1}	.....	.....	.....
3^{4}	10^{2}, 13^{2}, $36\frac{1}{2}^{1}$.....	.....	31^{3}, 32^{3}, 35^{6}, 55^{4}.....	25^{4}

ABSTRACT SHOWING THE DISTRIBUTION OF

During the Year ending

(The small figures indicate children under 5 years of age.)

Total Deaths.		Streets.	Dwellings other than Tenements.						Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.	Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.					All Ages.	Under 5.	
4	...	Ogden avenue	4	4	...	4	....	.....	...	...	...	.....
49	24	Oliver street.....	11	13	5	9^{2}	2^{3}	.....	16	36	19	7^{3}
145	79	Orchard street	15	15	5	15^{6}	...	.....	72	130	74	39^{15}
41	21	Park street.....	3	3	1	3^{1}	....	.....	20	38	20	9^{3}
8	2	Park avenue	5	5	2	5^{2}	....	.....	3	3	...	3
3	1	Park place	...	...	...	.....	....	.....	1	3	1	.....
4	3	Patchin place.....	2	2	2	2^{2}	....	.....	1	2	1	.....
1	...	Passage avenue....	1	1	...	1	....	.....	...	...	...	.....
92	47	Pearl street.....	17	21	11	14^{6}	2^{3}	458^{2}	38	71	36	20^{15}
6	4	Peck Slip.....	3	3	2	3^{2}	....	.....	1	3	2	.....
2	...	Pelham avenue....	2	2	...	2	...	.....	...	...	...	.....
9	5	Pelham street.....	1	1	...	1	....	.....	2	8	5	.....
24	8	Pell street	2	2	1	2^{1}	....	.....	9	22	7	3^{1}
34	14	Perry street.....	15	18	7	12^{5}	3^{2}	.....	14	16	7	12^{6}
16	5	Pike street	9	10	4	8^{4}	1	.....	5	6	1	4
2	...	Pine street	2	2	...	2	....	.....	...	...	...	.....
107	58	Pitt street.....	9	11	8	7^{6}	2^{3}	.....	47	96	50	21^{10}
1	..	Pleasant avenue....	1	1	...	1	....	.....	...	...	...	.....
49	19	Prince street	16	19	8	13^{6}	3	.....	20	30	11	14^{6}
2	...	Prospect avenue...	2	2	...	2	....	.....	...	...	...	.....
1	1	Prospect street	1	1	1	1^{1}	....	.....	...	...	...	.....
8	2	Prospect place	7	7	1	7^{1}	....	.....	1	1	1	1^{1}
23	9	Railroad avenue...	23	23	9	23^{9}	....	.....	...	...	...	.....
2	1	Reade street.....	2	2	1	2^{1}	....	.....	...	...	...	.....
13	11	Rector street.....	...	...	...	.....	....	.....	7	13	11	5^{4}
19	6	Renwick street....	10	14	3	6^{1}	4^{2}	.....	2	5	3	1
1	1	Retreat avenue...	1	1	1	1^{1}	....	.....	...	...	...	.....
1	...	Ridge avenue.....	1	1	...	1	....	.....	...	...	...	.....
133	85	Ridge street.....	10	13	5	8^{2}	1^{2}	64^{1}	62	120	80	34^{21}
6	2	Riverdale avenue..	6	6	2	6^{2}	....	.....	...	...	...	.....

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

The figures inclosed in parenthesis indicate total number of deaths in house.

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
....	.....	.....	.....	.....
3^{3}	49^{1}, 72^{3}	50^{1}, 54^{4}, 102^{1}	43^{3}	.....
19^{19}	{53^{3}, 96^{2}, 134^{3}, 146^{1}, 150^{3}, 166^{1}, 175^{1}, 190^{3}}	{74^{4}, 60^{3}, 76^{3}, 156^{3}, 168^{3}}	.....	46 (9) ^{7}
7^{7}	33^{3}, 43^{2}, 51	.....	.....	88^{5}
....	.....	.....	.....	.....
....	101^{1}	.....	.....	.....
1^{1}	.....	.....	.....	.....
....	.....	.....	.....	.....
9^{5}	328^{2}, 336^{1}, 412^{2}, 439^{3}	{357^{1}, 369^{3}, 410, 474^{2}}	434^{2}	.....
....	13^{2}	.....	.....	.....
...	.....	.....	.....	.....
....	1^{2}	.....	12^{3}	.....
2^{2}	92^{2}, 11^{1}	32	23^{1}	.....
2^{1}	.....	.....	.....	.....
1^{1}	.....	.....	.....	.....
....	.....	.....	.....	.....
15^{1b}	30, 129^{2}, 130^{2}	{29, 35^{2}, 60, 82^{3}, 135^{3}}	7^{3}, 55^{4}	133^{3}
....	.....	.....	.....	.....
3^{2}	10^{2}, 161^{1}	22^{1}	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	22^{2}	.....	36^{5}	.....
....	.....	24^{3}	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
16^{2b}	5^{1}, 94^{1}, 124^{3}, 126^{2}	13^{3}, 117^{4}	{47^{5}, 77^{3}, 114^{4}, 17^{2}}	31^{4}, 108^{8} ^{7}
....	.....	.....	.....	.....

ABSTRACT SHOWING THE DISTRIBUTION OF

DURING THE YEAR ENDING

The small figures indicate children under 5 years of age.)

Total Deaths.		Streets.	Dwellings other than Tenements.							Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.		Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.						All Ages.	Under 5.	
3	1	Riverdale street ...	3	3	1	3^{1}	....	.....		...	...	...	.....
1	1	Riverdale lane.....	1	1	1	1^{1}	....	.....		...	...	...	.....
6	3	Riverside Drive...	6	6	3	6^{3}	....	.....		...	...	...	.....
1	...	Riverside avenue..	1	1	...	1	....	.....		...	...	...	.....
1	...	Riverview Terrace.	1	1	...	1	....	.....		...	...	...	.....
141	68	Rivington street...	24	28	11	21^{8}	2^{1}	257^{2}		68	113	57	38^{17}
2	1	Rock street.....	2	2	1	2^{1}	....	.....		...	...	...	.....
57	34	Roosevelt street...	13	15	6	11^{5}	2^{1}	.....		29	42	28	8^{5}
5	3	Robbins avenue....	5	5	3	5^{3}	....	.....		...	...	...	.....
21	7	Rose street.....	8	8	2	8^{2}	....	.....		7	13	5	4^{1}
29	15	Rutgers street	4	6	1	2	2^{1}	.....		13	23	14	7^{5}
1	1	Rutgers avenue....	1	1	1	1^{1}	....	.....		...	...	...	.....
30	14	Rutgers place.....	...	...	...	.....	....	.....		13	30	14	4^{1}
6	2	St. Ann's avenue...	5	5	2	5^{2}	....	.....		1	1	...	1
2	2	St. John's lane.....	...	...	...	.....	....	.....		2	2	2	2^{2}
1	...	St. Luke's place....	1	1	...	1	....	.....		...	...	...	.....
26	13	St. Mark's place...	7	7	1	7^{1}	....	.....		15	19	12	12^{6}
9	4	St. Nicholas avenue.	9	9	4	9^{4}	....	.....		...	...	...	....
22	7	Scammel street....	8	9	4	7^{3}	1^{1}	.....		10	13	3	7^{3}
1	...	Samuel street.....	1	1	...	1	....	.....		...	...	...	.....
2	...	Sedgwick avenue .	2	2	...	2	....	.....		...	...	...	.....
173	104	Second street.....	27	29	11	25^{10}	2^{1}	.....		82	144	93	50^{31}
647	359	Second avenue.....	116	127	51	105^{25}	11^{16}	.....		347	520	308	227^{125}
85	48	Seventh street.....	19	21	10	17^{6}	2^{4}	.....		54	64	38	44^{26}
177	97	Seventh avenue....	52	59	31	47^{22}	4^{6}	$481(4)^{3}$.....		89	118	66	65^{38}
79	51	Sheriff street	11	12	5	10^{3}	1^{2}	.....		39	67	46	22^{18}
104	63	Sixth street.....	11	13	10	9^{8}	2^{2}	.....		73	91	53	59^{33}
112	51	Sixth avenue.....	61	67	27	56^{23}	4^{3}	449^{1}		35	45	24	2^{18}

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
21^{22}	13^{1}, 123^{1}, 256^{1}	{24^{2}, 25^{3}, 154^{3}, 186^{2}, 219^{3}, 221^{2}}	.....	.....
....	.....	.....	.....	.....
6^{7}	14^{1}, 18^{3}, 48^{3}, 81^{2}	16^{1}	.....	10^{6}
....	.....	.....	.....	.....
1	22^{1}	55^{3}	.....	.....
3^{3}	42^{1}, 47^{3}	53^{2}	.....	.....
....	.....	.....	.....	.....
4^{4}	13^{1}, 16^{1}, 18^{2}	12^{2}	10^{3}	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
2^{3}	26^{3}	.....	.....	.....
....	.....	.....	.....	.....
3	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
20^{24}	100^{1}, 188^{3}, 192^{2}, 235^{2}	{173^{3}, 174^{3}, 246^{3}, 286^{2} .....}	239^{4}	{232^{6}, 243^{3}, 237 (9)^{7}
83^{94}	{28^{2}, 583^{3}, 402^{3}, 504^{2}, 590^{2}, 657^{3}, 710^{1}, 812^{1}, 854^{1}, 808^{2}, 886^{2}, 1014^{3}, 1090^{2}, 1130^{2}, 1170, 1234^{2}, 1237^{2}, 1244^{2}, 1601^{3}, 2015^{2}, 2130^{2}, 2172^{2}, 2176^{2}, 2226^{2}, 2332^{3}.....}	{512^{1}, 656^{3}, 756^{4}, 831^{3}, 978^{4}, 1126^{3}, 1129^{3}, 1179^{2}, 1436^{3}, 1513^{3}....}	436^{2}	647 (7)^{6}
10^{13}	.....	.....	.....	.....
20^{26}	214, 477^{2}, 825^{2}	390^{4}	.....	.....
10^{14}	52^{2}, 129^{2}, 124^{3}	36, 56^{4}, 83^{3}, 85	.....	.....
12^{15}	.....	234^{1}, 331^{4}	.....	.....
5^{7}	.....	.....	.....	488^{2}

ABSTRACT SHOWING THE DISTRIBUTION OF

DURING THE YEAR ENDING

(The small figures indicate children under 5 years of age.)

Total Deaths.		Streets.	Dwellings other than Tenements.							Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.		Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages	Under 5.			All Ages.	Under 5.						All Ages.	Under 5.	
10	4	South street.....	3	4	2	2^{1}	1^{1}	.....		3	6	2	2
82	46	South Fifth avenue..	11	12	4	10^{3}	1^{1}	.....		37	70	42	20^{10}
1	...	South William st...	...	...	...	.....	....	.....		1	1	...	1
111	70	Spring street.....	31	35	21	27^{16}	4^{5}	.....		51	76	49	36^{25}
5	3	Springhurst.....	3	3	2	3^{2}	....	.....		2	2	1	2^{1}
9	4	Spuyten Duyvil....	7	7	3	7^{3}	....	.....		2	2	1	2^{1}
1	1	Spruce street.....	...	...	...	.....	....	.....		1	1	1	1^{1}
164	93	Stanton street.....	22	22	8	22^{8}	....	.....		76	142	85	35^{19}
9	8	State street.....	7	8	8	6^{7}	1^{1}	.....		1	1	...	1
5	1	Stone street.....	...	...	...	.....	....	.....		3	5	1	1
1	1	Stryker's lane.....	1	1	1	1^{1}	....	.....		...	...	...	.....
1	...	Stryker's place....	1	1	...	1	....	.....		...	...	...	.....
1	...	Stryker's Row.....	1	1	...	1	....	.....		...	...	...	.....
3	2	Stuyvesant place...	2	3	2	1	1^{2}	.....		...	...	...	.....
2	...	Stuyvesant street..	2	2	...	2	....	.....		...	...	...	.....
111	63	Suffolk street.....	16	21	13	13^{9}	1	21^{3}, 102^{1} ...		50	90	50	26^{18}
125	74	Sullivan street.....	19	22	11	16^{7}	3^{4}	.....		48^{8}	103	63	19^{11}
5	2	Sutton place	...	...	...	.....	....	.....		5	5	2	5^{2}
1	...	Sutton street.....	1	1	...	1	....	.....		...	...	...	.....
1	1	Taylor street.....	1	1	1	1^{1}	....	.....		...	...	...	.....
345	177	Tenth avenue.....	84	89	38	80^{34}	3^{2}	591^{1}		165	256	139	110^{59}
2	2	Thames street.....	1	1	1	1^{1}	....	.....		1	1	1	1^{1}
77	42	Third street.....	13	13	6	13^{6}	....	.....		52	64	36	42^{22}
670	333	Third avenue.....	234	260	112	211^{89}	20^{8}	$\{66^{2}, 333^{1}, 1538^{2}..\}$		308	410	221	233^{122}
1	1	Thirteenth avenue..	1	1	1	1^{1}	...	.....		...	...	...	.....
5	2	Thomas avenue....	5	5	2	5^{2}	....	.....		...	...	...	.....
6	3	Thomas street.....	...	...	...	.....	....	.....		3	6	3	2^{2}
137	84	Thompson street...	24	28	17	21^{11}	2^{3}	221^{3}		64	109	67	37^{20}

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
....	.....	196^{2}.....	.....	.....
6^{6}	26^{2}, 36^{3}, 91^{2}, 94^{1}, 96^{3}, 131^{2}, 189. 193^{3}, 197^{2}.....	.....	199^{2}.....	196^{5}
....	.....	.....	.....	.....
9^{9}	18^{2}, 171^{2}, 280^{1}.....	42^{3}, 272^{2}.....	8^{4}.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
24^{23}	18^{1}, 20^{1}, 29^{1}, 46^{3}, $57\frac{1}{2}^{2}$, 128^{2}, 159^{2}. 214^{1}, 216^{2}, 230^{1}, 251^{1}.....	13^{2}, 64^{3}, 126^{2}, 224^{2}, 263^{3}.....	.....	160^{4}
....	.....	.....	.....	.....
2^{1}	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
12^{10}	26^{2}, 28^{1}, 71^{2}, 114^{1}, 116^{1}, 137^{2}, 165^{1}. 168^{1}, 172^{3}.....	127^{4}, 131^{2}.....	55^{3}.....	.....
15^{20}	41^{3}, 109^{2}, 139^{2}, 143^{3}.....	43^{3}, 103^{3}, 113^{3}, 145^{3}, 152^{2}, 217, 221^{3}, 228^{2}.....	63^{2}, 141^{2}.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
33^{37}	265^{1}, 306^{1}, 513^{2}, 584^{3}, 656^{2}, 658^{1}, 661^{2}, 817^{1}, 819^{1}, 825^{1}, 835^{1}, 887^{1}.	316^{1}, 323^{4}, 284^{2}, 470, 639^{4}, 665^{2}, 759^{1}.....	729^{1}, 776^{4}.....	752^{6}
....	.....	.....	.....	.....
8^{8}	190^{2}, 247^{3}.....	.....	.....	.....
51^{56}	69^{2}, 360, 419^{1}, 510, 672^{3}, 695^{2}, 962^{2}, 1215^{2}, 1300^{1}, 1328^{2}, 1343^{1}, 1416^{2}, 1570^{2}, 1612, 1650^{1}, 1682^{1}, 1842^{3}, 1886^{3}, 1951^{2}, 2140^{2}, 2174^{1}.....	1665^{3}, 1973^{4}, 2127^{2}..	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	79^{1}.....	.....	.....
17^{19}	28^{3}, 63^{2}, 68^{3}, 76^{3}, 143^{2}, 147^{2}.....	37^{3}, 66^{3}.....	.....	41^{4}, 141^{3}

ABSTRACT SHOWING THE DISTRIBUTION OF

DURING THE YEAR ENDING

(The small figures indicate children under 5 years of age.)

Total Deaths.		Streets.	Dwellings other than Tenements.							Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.	Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.					All Ages.	Under 5.	
1	...	Tiebout street.....	1	1	...	1	....	.....	...	...	...	.....
3	3	Tompkins street ...	1	1	1	1^{1}	....	.....	1	2	2	.....
2	...	Tremont street.....	2	2	...	2	....	.....	...	...	...	.....
1	...	Trenton street.....	1	1	...	1	....	.....	...	...	...	.....
1	...	Twelfth avenue....	1	1	...	1	....	.....	...	...	...	.....
8	2	Union avenue.....	8	8	2	8^{2}	....	.....	...	...	...	.....
4	1	Union Court.	4	4	1	4^{1}	....	.....	...	...	...	.....
2	...	Union Square.....	2	2	...	2	....	.....	...	...	...	.....
2	2	Union street.....	2	2	2	2^{2}	....	.....	...	...	...	.....
8	3	University place...	5	8	3	2	3^{3}	.....	...	...	...	.....
2	2	Valentine avenue..	2	2	2	2^{2}	....	.....	...	...	...	.....
38	19	Vandam street.....	19	22	12	16^{9}	3^{3}	.....	12	16	7	5^{1}
6	2	Vandewater street.	3	3	2	3^{2}	....	.....	2	3	...	1
4	2	Van Ness place....	3	4	2	2	1^{2}	.....	...	...	...	.....
1	1	Varick place.....	...	...	...	.....	....	.....	1	1	1	1^{1}
51	21	Varick street	15	17	7	14^{6}	....	$14^{6\,2}$	25	34	14	17^{8}
1	1	Vesey street.....	1	1	1	1^{1}	....	.....	...	...	...	.....
9	8	Vestry street.....	1	1	1	1^{1}	....	.....	4	8	7	3^{2}
8	3	Walker street, 6th Ward.....	5	5	1	5^{1}	....	.....	2	3	2	1
2	2	Walker street, 24th Ward...	2	2	2	2^{2}	....	.....	...	...	...	.....
7	2	Wall street.....	7	7	2	7^{2}	....	.....	...	...	...	.....
1	...	Warren street.....	1	1	...	1	....	.....	...	...	...	.....
220	109	Washington street.	37	52	18	25^{8}	10^{7}	727^{1}, 635 (4) ^{2}	96	168	91	50^{27}
22	9	Washington avenue	21	21	9	21^{9}	....	.....	1	1	...	1
3	1	Washington place..	3	3	1	3^{1}	....	.....	...	...	...	.....
9	2	Washington Square.	6	6	1	6^{1}	....	.....	3	3	1	3^{1}
79	43	Water street.....	23	27	19	20^{17}	2	670^{2}	31	52	24	20^{9}
36	19	Watts street.....	14	14	5	14^{6}	....	.....	14	22	14	10^{6}
15	5	Waverley place....	9	9	2	9^{2}	....	.....	5	6	3	4^{1}
1	...	Waverly street....	1	1	...	1	....	.....	...	...	...	.....

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
....	.....	.....	.....	.....
1^{2}	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
4^{3}	99^{3}.....	.....	.....	.....
1	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
7^{6}	62^{1}.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	16^{8}.....	.....
1^{2}	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
29^{29}	13^{3}, 23^{2}, 27^{1}, 31^{2}, 103^{1}, 157^{1}, 445^{2}, 447^{3}, 451^{1}, 479^{1}, 761^{2}.....	25^{3}, 28^{1}, 462^{2}.....	10^{2}, 17^{4}, 113^{4}.	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
6^{3}	313^{2}.....	336^{3}, 605^{3}, 608^{2}.....	614^{2}.....	.....
2^{2}	51^{3}.....	.....	78^{3}.....	.....
1^{2}	.....	.....	.....	.....
....	.....	.....	.....	.....

ABSTRACT SHOWING THE DISTRIBUTION OF

During the Year ending

The small figures indicate children under 5 years of age.)

Total Deaths.		Streets.	Dwellings other than Tenements.							Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.		Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.						All Ages.	Under 5.	
1	...	Weehawken street..	...	...	...	.....	....	.....		1	1	...	1
48	16	West street.... ...	17	21	4	13^{2}	4^{2}	.....		13	27	12	6^{3}
2	...	Westchester avenue	2	2	...	2	....	.....		...	...	...	.....
2	...	Westchester road..	2	2	...	2	....	.....		...	...	...	.....
3	1	West Farms road...	3	3	1	3^{1}	....	.....		...	...	...	.....
18	6	West Broadway....	6	7	3	5^{3}	1	.....		8	11	3	6^{3}
85	45	West Houston street	19	24	10	16^{6}	2^{1}	$158\ (4)^{3}$.....		34	61	35	23^{12}
12	4	West Washington pl	7	7	3	7^{3}	....	.....		3	5	1	2^{1}
2	...	West Washington Sq	2	2	...	2	....	.....		...	...	...	.....
35	25	West 3d street.....	13	13	7	13^{7}	....	.....		14	22	18	9^{14}
35	14	" 4th street	24	25	8	23^{8}	1	... .		9	10	6	8^{5}
8	4	" 9th street	5	7	4	4^{1}	....	18^{3}.....		1	1	...	1
72	36	" 10th street. ..	35	43	18	27^{9}	8^{9}	.....		17	29	18	9^{7}
52	20	" 11th street....	25	27	10	23^{8}	2^{2}	.....		18	25	10	13^{5}
37	14	" 12th street....	23	25	6	21^{6}	2	.....		9	12	8	6^{5}
63	26	" 13th street....	31	33	11	29^{10}	2^{1}	.....		19	30	15	10^{5}
19	7	" 14th street....	13	15	6	11^{5}	2^{1}	.....		4	4	1	4^{1}
41	15	" 15th street....	23	23	8	23^{8}	....	.....		14	18	7	11^{4}
107	38	" 16th street....	35	42	13	29^{6}	5^{5}	248^{2}		43	65	25	28^{12}
85	45	" 17th street....	24	26	11	23^{10}	....	30^{1}.....		35	59	34	21^{11}
74	31	" 18th street....	30	32	11	28^{11}	2	.....		26	42	20	14^{8}
100	34	" 19th street....	38	44	12	33^{6}	4^{6}	262...		38	56	22	28^{11}
69	28	" 20th street....	35	42	13	28^{8}	7^{5}	.....		18	27	15	10^{6}
34	7	" 21st street....	26	28	3	25^{2}	....	335^{1}.....		5	6	4	4^{3}
46	10	" 22d street....	34	39	9	29^{6}	5^{3}	.....		7	7	1	7^{1}
30	6	" 23d street....	27	29	6	25^{5}	2^{1}	.....		1	1	...	1
65	34	" 24th street....	30	39	15	23^{9}	5^{3}	145^{2}, 433^{1}...		15	26	19	9^{8}
105	48	" 25th street....	20	22	9	18^{8}	2^{1}	.....		44	83	39	20^{10}
164	88	" 26th street....	26	29	12	23^{10}	3^{2}	.....		78	135	76	41^{23}
155	67	" 27th street....	33	42	17	27^{8}	4^{4}	212^{2}, $313\ (4)^{4}$		72	113	50	45^{1}

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880— *Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
....	.....	.....	.....	.....
5^{5}	.....	.....	22^{2}.....	21^{2}
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
1	62.....	.....	.....	.....
5^{7}	165^{2}, 264^{1}.....	113^{1}, 258^{3}.....	97^{4}.....	300 (10) ^{4}
1	.....	.....	.....	.....
....	.....	.....	.....	.....
3^{2}	89^{1}.....	101^{1}.....	.....	.....
1^{1}	.....	.....	.....	.....
....	.....	.....	.....	.....
5^{5}	244^{2}, 250^{1}.....	273^{3}.....	.....	.....
3^{3}	113^{1}, 290^{1}.....	.....	.....	.....
3^{3}	.....	.....	.....	.....
8^{9}	.....	439^{1}.....	.....	.....
....	.....	.....	.....	.....
2	328^{3}.....	.....	.....	.....
10^{5}	352^{1}, 354^{3}, 435.....	427^{4}, 458.....	.....	.....
8^{9}	222^{1}, 337^{3}.....	201^{2}, 250^{3}, 343^{3}, 430^{2}	.....	.....
8^{7}	224, 252^{3}, 431, 451^{2}.....	.....	.....	.....
5^{7}	129^{1}, 136^{1}, 217^{1}.....	131.....	144^{1}.....	.....
7^{7}	206^{2}.....	.....	.....	.....
1^{1}	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
4^{5}	201^{2}.....	.....	.....	235^{4}
14^{12}	165^{1}, 338^{1}, 349^{2}, 353, 360^{2}, 409^{1}.....	115^{2}, 121^{3}, 412^{3}.....	411^{2}.....	.....
25^{25}	{117, 206^{1}, 209^{1}, 404^{1}, 413^{2}, 419^{1}, 439^{2}, 443^{2}.....}	328^{3}.....	411^{5} 553^{4}.....	437^{6}
16^{12}	{161^{2}, 215^{3}, 447^{2}, 454^{2}, 456, 501^{2}, 507^{2}, 540^{2}.....}	155^{2}, 221^{3}, 542^{2}.....	.....	.....

ABSTRACT SHOWING THE DISTRIBUTION OF

DURING THE YEAR ENDING

The small figures indicate children under 5 years of age.

Total Deaths.		Streets.	Dwellings other than Tenements.							Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.		Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.						All Ages.	Under 5.	
141	79	West 28th street....	41	51	21	32^{13}	8^{7}	221^{1}.....		47	90	58	23^{17}
105	64	" 29th street....	25	26	16	24^{14}	1^{2}	.....		50	79	48	32^{24}
106	54	" 30th street....	22	24	10	20^{8}	2^{2}	.....		54	82	44	36^{20}
84	37	" 31st street....	25	27	6	23^{5}	2^{1}	.....		34	57	31	19^{9}
138	62	" 32d street ...	29	33	11	25^{7}	4^{4}	.....		57	105	51	29^{14}
105	59	" 33d street....	23	31	20	17^{10}	4^{6}	135^{3}, 220^{1}...		47	74	39	30^{14}
46	19	" 34th street...	25	27	7	23^{6}	2^{1}	.....		13	19	12	7^{6}
115	61	" 35th street....	39	44	20	35^{14}	3^{3}	210^{3}.....		54	71	41	41^{23}
126	63	" 36th street ...	38	42	12	35^{9}	2^{2}	326^{1}.....		48	84	51	24^{16}
98	63	" 37th street....	36	39	18	33^{16}	3^{2}	.....		31	59	45	11^{12}
131	60	" 38th street....	37	41	11	33^{9}	4^{2}	.....		53	90	49	26^{11}
180	96	" 39th street....	22	25	5	19^{3}	3^{2}	.....		84	155	91	36^{20}
144	76	" 40th street....	19	23	8	15^{4}	4^{4}	.....		69	121	68	38^{26}
179	103	" 41st street....	17	22	15	16^{9}	....	220 (6)^{8}.....		84	157	88	47^{23}
118	61	" 42d street	15	17	7	13^{5}	2^{2}	.....		60	101	54	32^{18}
82	35	" 43d street....	28	30	10	26^{8}	2^{2}	.....		36	52	25	27^{16}
92	60	" 44th street....	20	21	14	19^{12}	1^{2}	.....		41	71	46	21^{10}
89	49	" 45th street....	23	26	8	20^{4}	3^{4}	.....		37	63	41	23^{13}
122	64	" 46th street....	30	32	5	28^{5}	2	.....		52	90	59	32^{19}
86	46	" 47th street....	20	21	6	19^{5}	1^{1}	.....		30	65	40	14^{8}
55	32	" 48th street....	20	20	12	20^{12}	....	.....		23	35	20	14^{8}
96	55	" 49th street...	27	29	10	25^{9}	2^{1}	.....		42	67	45	26^{16}
78	38	" 50th street....	27	29	10	25^{8}	2^{4}	.....		36	49	28	29^{18}
78	36	" 51st street....	32	36	12	29^{10}	2^{1}	505^{1}.....		25	42	24	17^{10}
141	78	" 52d street....	31	35	14	27^{11}	4^{3}	.....		54	106	64	22^{12}
85	44	" 53d street....	27	34	14	22^{5}	3^{4}	67^{2}, 406^{3}....		35	51	30	23^{14}
77	47	" 54th street ...	15	16	9	14^{8}	1^{1}	.....		37	61	38	22^{16}
59	25	" 55th street....	20	24	7	17^{5}	2	634^{2}.....		24	35	18	16^{6}
68	37	" 56th street ...	8	11	4	5^{3}	3^{1}	.....		29	57	33	17^{10}

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
14^{17}	$131, 226^{1}, 248^{1}, 441^{3}, 447^{1}, 520^{1}$	137^{4}	448^{5}	$253^{6}, 510^{2}$
10^{14}	$211^{1}, 241^{3}, 414, 509, 516, 533^{1}$	532^{2}	251^{3}	
9^{10}	$113^{2}, 149, 216^{3}, 245^{1}, 254^{2}, 257^{2}, 429, 541^{2}$	255^{2}		
10^{11}	$200^{2}, 402^{3}, 444^{2}$	257^{1}	408^{2}	
19^{21}	$204^{1}, 252^{2}, 446^{1}, 452^{2}, 555^{1}$	239^{1}	$145^{1}, 423^{3}$	$127, 9, ^{4}$
13^{19}	$111^{1}, 405^{3}$	441^{2}		$142 (8)$
6^{6}				
9^{11}	$136^{2}, 217^{1}, 512^{2}, 532^{2}$			
15^{17}	$337^{2}, 360^{2}, 408^{3}, 410^{1}, 412^{3}, 428^{2}, 525^{1}$	508^{3}	527^{1}	
13^{20}	$239^{2}, 318^{2}, 349^{1}, 352^{1}, 404^{2}, 439^{2}$	541^{3}		
20^{27}	$246^{1}, 402^{2}, 415^{1}, 439^{3}, 445$	454^{2}	347^{2}	
29^{35}	$305^{2}, 306, 311^{2}, 317^{2}, 319^{2}, 344^{3}, 350^{2}, 407^{1}, 427^{1}, 438^{2}, 447, 451^{3}, 504^{1}, 506^{2}, 520^{3}, 522^{2}$	$340^{2}, 439^{1}$	420^{3}	
17^{17}	$268^{3}, 411^{2}, 441, 445^{2}, 452^{1}, 519^{2}, 531^{2}$	$229^{3}, 330^{4}, 422^{2}, 424^{1}, 443^{2}, 522^{2}, 553$		
13^{14}	$248^{2}, 250^{3}, 258^{1}, 315^{2}, 324^{2}, 326^{2}, 328^{3}, 330^{1}, 341, 411^{3}, 423^{1}, 446^{2}, 542^{3}$	$212^{2}, 254^{3}, 335^{3}, 337^{1}, 342^{3}, 347^{2}, 407^{1}, 409^{2}, 413^{2}, 445^{3}$	340^{5}	
19^{14}	$325, 410^{2}, 423^{3}, 438^{1}, 457^{2}, 557^{2}$	$413^{4}, 427^{3}$	639^{3}	
6^{6}	543^{1}		$513^{1}, 550^{1}$	
11^{16}	$339^{3}, 345^{2}, 354, 508^{2}, 514^{3}, 531^{3}, 542^{3}, 558^{2}$	526^{2}		
16^{10}	$346^{1}, 522^{3}, 526^{2}, 533^{2}$	$433^{1}, 531^{4}, 550^{3}, 553^{2}$		
10^{14}	$430^{2}, 446^{2}, 448^{3}, 453^{1}, 500^{3}$	$428^{3}, 627^{3}$	$113^{3}, 432^{4}, 535^{2}$	
7^{7}	$244^{3}, 250^{2}, 534^{1}, 570^{3}$	546^{4}	$242^{3}, 541^{4}, 610^{2}$	252^{3}
6^{6}	$334^{2}, 542^{3}, 550^{1}$			
9^{12}	$416^{1}, 420^{3}, 428^{3}, 435^{3}, 560^{3}$	$437^{1}, 441^{3}$		
4^{4}		$413^{1}, 415^{2}, 141^{3}$		
4^{4}	$552^{2}, 621^{2}$	504^{2}		$155 (7)^{4}$
19^{24}	$147, 160^{1}, 349^{3}, 356^{1}, 458^{1}, 627^{3}$	$154^{2}, 350^{3}, 360^{2}, 423^{3}, 449^{3}, 451^{2}, 629$		
9^{11}	$358^{3}, 441^{1}$	438^{1}		
9^{9}	$312^{1}, 503^{2}, 541^{2}$	$505^{1}, 535^{3}, 556^{4}$		
6^{7}	498^{2}	552^{3}		
3^{5}	$419^{1}, 435^{2}$	$117^{2}, 131^{3}, 165^{2}, 417^{2}, 420^{2}, 421^{2}, 431^{2}$		

ABSTRACT SHOWING THE DISTRIBUTION OF

During the Year ending

The small figures indicate children under 5 years of age

Total Deaths.		Streets.	Dwellings other than Tenements.						Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.	Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.					All Ages.	Under 5.	
56	30	West 57th street....	15	17	7	13^{4}	2^{3}	.....	20	39	23	9^{3}
13	5	" 58th street. ..	5	6	1	4	1^{1}	.....	6	7	4	5^{3}
20	11	" 59th street....	1	1	...	1	....	.....	10	19	11	5^{2}
24	15	" 60th street....	1	2	1	.....	1^{1}	.....	14	22	14	8^{4}
4	2	" 61st street....	2	2	1	2^{1}	....	.....	2	2	1	2^{1}
10	4	" 62d street....	3	4	1	2	1^{1}	.....	4	6	3	2^{1}
13	7	" 63d street	8	8	4	8^{4}	....	.....	4	5	3	3^{2}
11	6	" 64th street ...	8	8	4	8^{4}	....	.....	3	3	2	3^{2}
9	6	" 65th street....	8	8	5	8^{5}	....	.....	1	1	1	1^{1}
5	3	" 66th street....	5	5	3	5^{3}	....	.....	...	...	...	.....
12	3	" 67th street.. ..	9	9	2	9^{2}	....	.....	3	3	1	3^{1}
13	8	" 68th street....	13	13	8	13^{8}	....	....	...	...	...	.....
7	6	" 69th street...	5	5	4	5^{4}	....	....	2	2	2	2^{2}
11	6	" 70th street....	8	8	5	8^{5}	....	.....	3	3	1	3^{1}
3	2	" 71st street....	3	3	2	3^{2}	....	.....	...	...	...	.....
3	2	" 72d street	3	3	2	3^{2}	....	.....	...	...	...	.....
2	...	" 73d street	2	2	...	2	....	.....	...	...	...	.....
2	1	" 74th street ...	2	2	1	2^{1}	....	.....	...	..	...	.....
1	...	" 75th street....	1	1	...	1	....	.....	...	...	...	.....
2	2	" 76th street....	1	1	1	1^{1}	....	.....	1	1	1	1^{1}
2	1	" 77th street	2	2	1	2^{1}	....	.....	...	...	...	.....
2	1	" 78th street....	1	1	...	1^{1}	....	.....	1	1	1	1^{1}
3	:	" 79th street....	3	3	1	3^{1}	....	.....	...	...	...	.....
1	1	" 80th street....	1	1	1	1^{1}	....	.....	...	...	...	.....
4	1	" 81st street....	4	4	1	4^{1}	....	.....	...	...	...	.....
3	1	" 82d street.....	2	2	1	2^{1}	....	.....	1	1	...	1
3	1	" 83d street....	3	3	1	3^{1}	....	.....	...	...	...	.....
2	1	" 84th street....	2	2	1	2^{1}	....	.....	...	...	...	.....
1	...	" 85th street ...	1	1	...	1	....	.....	...	...	...	.....
1	...	" 86th street....	1	1	...	1	....	.....	...	...	...	.....

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
7[11]	539[2]	543[2], 545[2]	541[3]	...
1[1]	...	...	...	...
2[1]	539[2], 545[2]	547[4]	...	...
4[6]	225[2], 293[2]	...	...	...
....	...	...	...	...
2[2]	...	...	...	...
1[1]	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...
....	...	...	...	...

ABSTRACT SHOWING THE DISTRIBUTION OF

DURING THE YEAR ENDING

(The small figures indicate children under 5 years of age.)

Total Deaths.		Streets.	Dwellings other than Tenements.						Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.	Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.					All Ages.	Under 5.	
1	1	West 89th street....	1	1	1	1[1]	....	.....	...	...	...	.....
2	...	" 90th street....	2	2	...	2	....	.....	...	...	...	.....
1	1	" 92d street	1	1	1	1[1]	....	.....	...	...	...	.....
1	1	" 93d street	1	1	1	1[1]	....	.....	...	...	...	.....
3	2	" 95th street....	2	2	1	2[1]	....	.....	1	1	1	1[1]
2	2	" 96th street ...	2	2	2	2[2]	....	.....	...	...	...	.....
2	1	" 97th street....	1	1	1	1[1]	....	.....	1	1	...	1
1	...	" 98th street....	1	1	...	1	....	.....	...	...	...	.....
6	2	" 99th street....	5	5	1	5[1]	....	.....	1	1	1	1[1]
6	1	" 100th street...	6	6	1	6[1]	....	.....	...	...	...	.....
1	...	" 101st street...	1	1	...	1	....	.....	...	...	...	.....
1	...	" 104th street...	1	1	...	1	....	.....	...	...	...	.....
2	1	" 105th street...	2	2	1	2[1]	....	.....	...	...	...	.....
3	2	" 106th street...	3	3	2	3[2]	....	.....	...	...	...	.....
3	3	" 107th street...	3	3	3	3[3]	....	.....	...	...	...	.....
1	...	" 108th street...	1	1	...	1	....	.....	...	...	...	.....
3	2	" 109th street...	3	3	2	3[2]	....	.....	...	...	...	.....
8	2	" 110th street...	8	8	2	8[2]	....	.....	...	...	...	.....
2	...	" 114th street...	2	2	...	2	....	.....	...	...	...	.....
2	...	" 116th street...	2	2	...	2	....	.....	...	...	...	.....
1	...	" 117th street...	1	1	...	1	....	.....	...	...	...	.....
1	1	" 118th street...	1	1	1	1[1]	....	.....	...	...	...	.....
1	1	" 120th street...	1	1	1	1[1]	....	.....	...	...	...	.....
1	1	" 121st street...	1	1	1	1[1]	....	.....	...	...	...	.....
1	1	" 122d street....	1	1	1	1[1]	....	.....	...	...	...	.....
8	4	" 123d street....	7	7	4	7[4]	....	.....	1	1	...	1
7	3	" 124th street...	7	7	3	7[3]	....	.....	...	...	...	.....
8	3	" 125th street...	7	8	3	6[3]	1	.....	...	...	...	.....
17	8	" 126th street...	9	13	4	7[1]	1	35, 314[3].....	3	4	4	2[2]
7	1	" 127th street...	6	6	...	6	....	.....	1	1	1	1

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
12	.....	.....	.....	.....
....	.....	.....	.....	.....

ABSTRACT SHOWING THE DISTRIBUTION OF

DURING THE YEAR ENDING

The small figures indicate children under 5 years of age.)

Total Deaths.		Streets.	Dwellings other than Tenements.							Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.		Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.						All Ages.	Under 5.	
10	2	West 128th street...	7	8	2	6^{1}	1^{1}	.....		2	2	...	2
8	2	" 130th street...	6	6	2	6^{2}	....	.....		2	2	...	2
7	3	" 131st street...	7	7	3	7^{3}	....	.....		..	...	...	.....
3	...	" 132d street....	3	3	...	3	....	.....		...	...	...	.....
1	...	" 133d street...	1	1	...	1	....	.....		...	...	...	.....
3	2	" 134th street...	3	3	2	3^{2}	....	.....		...	...	...	.....
1	1	" 137th street...	1	1	1	1^{1}	....	.....		...	...	...	.....
4	2	" 141st street...	2	2	...	2	....	.....		2	2	2	2^{2}
1	...	" 142d street...	1	1	...	1	....	.....		...	...	...	.....
2	2	" 143d street...	2	2	2	2^{2}	....	.....		...	...	...	.....
1	...	" 144th street...	1	1	...	1	....	.....		...	...	...	.....
1	1	" 146th street...	1	1	1	1^{1}	....	.....		...	...	...	.....
1	1	" 147th street...	1	1	1	1^{1}	....	.....		...	...	...	.....
1	1	" 151st street...	1	1	1	1^{1}	....	.....		...	...	...	.....
1	...	" 152d street....	1	1	...	1	....	.....		...	...	...	.....
1	...	" 153d street ...	1	1	...	1	....	.....		...	...	...	.....
1	1	" 154th street...	1	1	1	1^{1}	....	.....		...	...	...	.....
1	...	" 155th street...	1	1	...	1	....	.....		...	...	...	.....
2	1	" 159th street...	2	2	1	2^{1}	....	.....		...	...	...	.....
1	1	" 158th street...	1	1	1	1^{1}	....	.....		...	...	...	.....
2	1	" 161st street...	2	2	1	2^{1}	....	.....		...	...	...	.....
1	...	" 163d street...	1	1	...	1	....	.....		...	...	...	.....
4	2	" 165th street...	3	3	2	3^{2}	....	.....		1	1	...	1
2	...	" 175th street...	2	2	...	2	....	.....		...	...	...	.....
1	1	" 180th street...	1	1	1	1^{1}	....	.....		...	...	...	.....
1	...	" 181st street...	1	1	...	1	....	.....		...	...	...	.....
1	..	" 182d street....	1	1	...	1	....	.....		...	...	...	.....
6	3	White street.....	5	6	3	4^{2}	1^{1}	.....		...	...	...	.....
2	...	Whitehall street ...	1	1	...	1	....	.....		1	1	...	1
95	51	Willett street.....	9	9	3	9^{3}	....	.....		37	86	48	10^{10}

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
	.....	.....	.....	.....
....	.....	.....	.....	.....
.	.....	.....	.....	.....
.	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
.	.....	.....	.....	.....
.	.....	.....	.....	.....
..	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
...	.....	.....	.....	.....
..	.....	.....	.....	.....
...	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
.. ..	.....	.....	.....	.....
.. .	.....	.....	.....	.....
....	.....	.....	.....	.....
	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
19^{17}	31^{1}, 68^{1}, 88^{2}.....	62^{1}, 95^{3}.....	98^{3}.....	$\{92\ 7)^{5}$, $\{119\frac{1}{2}\ 9)^{5}$

ABSTRACT SHOWING THE DISTRIBUTION OF

DURING THE YEAR ENDING

The small figures indicate children under 5 years of age.)

Total Deaths.		Streets.	Dwellings other than Tenements.							Tenement-houses.			
			Number of Private Dwellings Reported.	Total Deaths.		Number of Houses in which One Death was Reported.	Number of Houses in which Two Deaths were Reported.	No. of the House in which Three or more Deaths were Reported.		Number of Tenements Reported.	Total Deaths.		Number of Houses in which One Death was Reported.
All Ages.	Under 5.			All Ages.	Under 5.						All Ages.	Under 5.	
27	14	William street.....	15	17	8	13^{6}	2^{2}	.....		6	10	6	4^{2}
15	8	Willis avenue.....	13	13	6	13^{6}	....	.....		2	2	2	2^{2}
1	1	Williamsbridge	1	1	1	1^{1}	....	.....		...	...	...	.....
1	...	Winthrop place....	1	1	...	1	....	.....		...	...	...	.....
2	2	Woodlawn	2	2	2	2^{2}	....	.....		...	...	...	.....
1	1	Woodlawn Heights.	1	1	1	1^{1}	....	.....		...	...	...	.....
57	24	Wooster street.....	22	23	9	21^{8}	1^{1}	.....		22	34	15	15^{7}
20	14	Worth street.....	3	3	...	3	....	.....		8	17	14	5^{3}
4	4	York street.....	...	...	...	.....	....	.....		4	4	4	4^{4}

MORTALITY IN TENEMENT AND OTHER HOUSES,

DECEMBER 31, 1880—(*Continued*).

(The figures inclosed in parenthesis indicate total number of deaths in house.)

TENEMENT-HOUSES.

Number of Houses in which Two Deaths were Reported.	No. of the House in which Three Deaths were Reported.	No. of the House in which Four Deaths were Reported.	No. of the House in which Five Deaths were Reported.	No. of the House in which Six or more Deaths were Reported.
1 [1]	.....	255 [3]	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
....	.....	.....	.....	.....
2 [1]	42 [2], 149 [2], 150, 169 [2], 218 [1]	.....	.....	.....
1 [2]	.....	.....	3 [5], 160 [4]	.....
....	.....	.....	.....	.....

RECAPITULATION.

* PRIVATE HOUSES.

† Total Number of Deaths Occurring in the City of New York, Exclusive of Deaths in Streets and Institutions.		Total number of Streets, Avenues, etc., in which Deaths were Reported.	Total number of Houses containing Three Families or less, in which Deaths have been Reported.	Total Number of Deaths Occurring in Private Houses, as Reported.		Total number of Houses in which One Death was Reported.	Total number of Houses in which Two Deaths were Reported.	Total number of Houses in which Three Deaths were Reported.	Total number of Houses in which Four Deaths were Reported.	Total number of Houses in which Six Deaths were Reported.
All Ages.	Under 5.			All Ages.	Under 5.					
25,354	13,100	686	6,864	7,538	2,999	6,277 ^{2417}	510 ^{446}	69 ^{118}	7 ^{16}	1 ^{6}

* TENEMENT-HOUSES.

Total number of Houses containing Four or more Families in which Deaths have been Reported.	Total Number of Deaths Occurring in Tenement-Houses, as Reported.		Total number of Houses in which One Death was Reported.	Total number of Houses in which Two Deaths were Reported.	Total number of Houses in which Three Deaths were Reported.	Total number of Houses in which Four Deaths were Reported.	Total number of Houses in which Five Deaths were Reported.	Total number of Houses in which Six Deaths were Reported.	Total number of Houses in which Seven Deaths were Reported.	Total number of Houses in which Eight Deaths were Reported.	Total number of Houses in which Nine Deaths were Reported.	Total number of Houses in which Ten Deaths were Reported.	Total number of Houses in which Thirteen Deaths were Reported.
	All Ages.	Under 5.											
10,609	17,816	10,101	6,310 ^{3457}	2,564 ^{2876}	1,025 ^{1787}	440 ^{1017}	156 ^{489}	74 ^{282}	18 ^{84}	11 ^{47}	8 ^{43}	2 ^{12}	1 ^{7}

* The small figures indicate children under 5 years of age.

† Total deaths for the year ending December 31, 1880, all sources, 31,937, of which 14,650 were under 5 years of age.

RECAPITULATION—(*Continued*).

Private Houses.				Tenement-Houses.		
Total Number of Deaths.	Total Number of Houses.	Total Number of Deaths.	Total Number Under 5.	Total Number of Houses.	Total Number of Deaths.	Total Number Under 5.
1	6,277	6,277	2,417	6,310	6,310	3,457
2	510	1,020	445	2,564	5,128	2,876
3	69	207	115	1,025	3,075	1,787
4	7	28	16	440	1,760	1,017
5	.....	.....	.....	156	780	489
6	1	6	6	74	444	282
7	.....	.....	.....	18	126	84
8	.....	.....	.....	11	88	47
9	.....	.....	.....	8	72	43
10	.....	.....	.....	2	20	12
13	.....	.....	.....	1	13	7
...	6,864	7,538	2,999	10,609	17,816	10,101

Total Number of Houses.	Total Deaths.	
	All Ages.	Under 5.
17,473	25,354	13,100

CONDENSED SUMMARY OF THE RECORDS OF DEATH IN

By Classes of Causes, in the Different

Classes of Causes.		Nativity. U. S.	Nativity. Foreign.	Under 1 Year.	1—	2—	3—	4—	Under 5 Years.	5—	10—	15—	20—	25—
ZYMOTIC.	1866.....	....	....	2,614	1,265	528	334	257	4,998	498	171	196	400	421
	1867.....	....	....	2,656	1,281	505	294	181	4,917	306	71	85	152	163
	1868.....	6,207	1,249	3,394	1,336	478	310	188	5,706	396	72	103	146	178
	1869.....	6,179	1,497	2,943	1,400	632	424	301	5,700	419	92	108	178	177
	1870.....	6,614	1,700	3,406	1,389	598	370	238	6,001	401	96	113	187	232
	1871.....	6,928	1,436	3,549	1,393	632	371	246	6,191	408	117	143	223	245
	1872.....	9,760	2,055	4,862	1,895	909	612	359	8,637	743	243	193	333	278
	1873.....	8,193	1,400	3,868	1,497	740	644	427	7,176	807	131	108	157	170
	1874....	8,594	1,208	3,803	1,573	836	626	446	7,284	907	160	126	183	200
	1875.....	9,560	1,408	4,025	1,802	957	736	514	8,034	984	157	142	259	237
	1876.....	8,644	972	3,821	1,735	882	626	438	7,502	715	118	104	160	156
	1877.....	7,220	822	3,369	1,375	692	483	355	6,274	585	100	85	104	98
	1878.....	6,847	801	2,862	1,321	737	570	364	5,854	624	104	79	105	101
	1879.....	7,135	859	3,016	1,378	759	606	356	6,115	630	103	74	102	115
	1880.....	8,344	1,228	3,755	1,683	883	606	461	7,388	701	118	87	123	157
CONSTITUTIONAL.	1866.....	....	....	1,358	517	184	84	48	2,191	131	81	223	491	482
	1867.....	....	....	1,042	483	165	75	50	1,815	108	71	188	444	480
	1868.....	2,984	2,680	997	513	142	66	39	1,757	109	60	188	483	521
	1869.....	2,900	2,820	993	474	190	65	45	1,767	116	57	177	450	503
	1870.....	3,154	3,175	1,062	428	173	78	51	1,792	94	84	223	512	591
	1871.....	3,126	3,137	988	448	148	78	44	1,706	99	76	222	498	684
	1872.....	3,331	3,273	1,063	461	158	84	59	1,825	124	79	247	538	687
	1873.....	3,119	3,174	966	360	120	73	48	1,567	101	72	263	550	659
	1874.....	2,936	3,087	857	338	113	59	39	1,406	108	74	234	491	613
	1875.....	3,066	3,024	807	335	117	63	48	1,370	106	91	279	571	591
	1876.....	3,102	2,973	760	333	133	66	32	1,324	115	86	295	557	637
	1877.....	2,926	2,874	681	292	106	57	36	1,172	91	61	271	555	585
	1878.....	3,343	3,093	787	327	122	68	50	1,354	106	51	281	587	627
	1879.....	3,393	3,024	889	275	131	63	42	1,400	91	66	310	584	619
	1880.....	3,672	3,301	989	304	102	60	45	1,500	99	85	295	662	732

NEW YORK, IN THE FIFTEEN YEARS FROM 1866 TO 1880,

Age-Periods, with Percentage of each.

30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95—	100 and Upwards	Total both Sexes.	Percentage of each Class on Total.
377	342	297	243	217	189	158	131	64	46	30	6	1	2	1	8,788	32.77
170	159	100	104	80	70	69	52	40	22	10	10	3	..	..	6,583	28.41
154	137	80	115	90	48	76	69	35	28	14	6	2	1	..	7,456	29.96
173	163	150	101	112	82	75	60	31	30	13	5	4	2	1	7,676	30.50
215	213	185	134	136	100	89	68	69	48	20	6	1	..	..	8,314	30.60
199	164	130	120	98	68	60	62	67	33	22	10	2	1	1	8,364	31.01
243	238	200	154	142	84	102	68	73	44	19	13	5	3	..	11,815	36.19
147	156	133	132	115	73	84	71	51	46	22	8	3	3	..	9,593	32.98
175	162	96	99	105	49	70	41	62	40	30	7	3	1	2	9,802	34.12
217	156	180	125	89	79	76	63	63	53	23	21	6	3	1	10,968	35.71
128	141	94	93	89	70	69	65	34	37	23	12	5	1	..	9,616	32.99
115	108	83	86	84	73	56	66	59	36	15	8	1	5	1	8,042	30.69
119	101	82	86	79	52	72	56	47	32	34	14	2	3	2	7,648	28.32
102	126	98	90	100	63	74	69	54	37	24	12	4	2	..	7,994	28.21
122	147	118	109	108	71	73	67	73	47	41	15	5	1	1	9,572	29.97
451	458	361	296	255	205	170	147	86	51	31	9	1	1	..	6,121	22.83
412	470	367	311	237	166	157	141	69	49	21	7	..	..	..	5,513	23.80
468	444	355	329	229	211	181	151	92	53	21	8	4	..	..	5,664	22.76
450	468	405	324	261	196	189	160	104	61	19	10	2	1	..	5,720	22.73
551	505	430	387	345	243	212	153	106	55	26	14	3	3	..	6,329	23.28
580	591	433	372	305	227	178	130	91	45	18	6	1	..	1	6,263	23.22
593	570	509	387	315	195	214	119	105	58	27	9	3	..	..	6,604	20.23
561	553	464	394	320	222	207	157	109	55	25	9	4	1	..	6,293	21.64
605	544	452	388	340	222	216	135	98	66	18	7	4	2	..	6,023	20.97
574	553	469	408	303	236	197	138	106	61	18	16	3	..	..	6,090	19.83
611	504	447	375	361	227	188	153	87	75	23	8	2	..	..	6,075	20.84
560	544	412	384	315	267	215	165	109	66	13	10	4	1	..	5,800	22.13
619	563	503	453	412	285	213	171	111	68	19	10	2	..	1	6,436	23.83
613	617	481	441	344	280	199	151	106	64	39	7	4	1	..	6,417	22.64
658	621	539	444	387	297	242	186	122	55	31	14	3	1	..	6,973	21.83

CONDENSED SUMMARY OF THE RECORDS OF DEATH IN

By Classes of Causes, in the Different

	Classes of Causes.	Nativity. U. S.	Nativity. Foreign.	Under 1 Year.	1—	2—	3—	4—	Under 5 Years.	5—	10—	15—	20—	25—
LOCAL.	1866.....	....	....	2,752	821	337	177	124	4,211	305	131	184	334	393
	1867.....	....	....	2,651	953	361	199	128	4,292	284	157	146	302	346
	1868.....	6,119	3,253	2,764	986	396	199	126	4,471	299	156	175	330	412
	1869.....	6,046	3,343	2,530	995	442	218	157	4,342	343	158	166	281	363
	1870.....	6,082	3,817	2,840	842	347	187	123	4,339	270	141	175	331	370
	1871.....	5,630	3,650	2,336	815	363	169	131	3,814	289	157	187	275	375
	1872.....	6,489	4,414	2,713	947	403	215	161	4,439	371	186	204	323	424
	1873.....	6,061	4,093	2,744	842	326	182	123	4,217	320	160	179	291	388
	1874.....	6,020	3,967	2,571	859	324	182	131	4,067	268	142	165	265	369
	1875.....	6,444	4,316	2,647	964	349	187	123	4,270	278	151	190	278	395
	1876.....	6,381	4,277	2,574	975	346	211	128	4,234	294	150	193	254	386
	1877.....	5,869	3,851	2,385	798	289	160	121	3,753	261	130	170	266	358
	1878.....	6,193	4,020	2,439	928	362	206	118	4,053	280	152	173	248	333
	1879.....	6,505	4,577	2,538	833	362	167	123	4,023	316	169	183	301	382
	1880.....	7,010	5,111	2,813	964	351	186	126	4,440	322	161	200	306	459
DEVELOPMENTAL.	1866.....	....	....	1,008	64	12	5	3	1,092	6	7	20	31	28
	1867.....	....	....	1,016	60	5	2	4	1,087	3	5	14	35	30
	1868.....	1,117	406	902	33	9	4	3	951	6	2	15	31	38
	1869.....	1,045	390	871	11	2	2	1	887	3	..	20	34	40
	1870.....	1,191	442	994	15	1	1	2	1,013	2	..	13	57	43
	1871.....	1,251	514	1,047	5	1	2	1	1,056	3	2	23	71	93
	1872.....	1,321	683	1,083	6	2	..	..	1,091	2	3	38	122	118
	1873.....	1,278	605	1,048	5	2	..	1	1,056	3	3	33	116	112
	1874.....	1,146	521	969	4	4	..	1	978	1	..	21	70	74
	1875.....	1,147	557	985	4	2	3	..	994	1	..	17	54	91
	1876.....	1,192	503	974	3	..	..	1	978	..	1	18	58	86
	1877.....	1,172	443	959	4	2	..	..	956	1	1	16	64	58
	1878.....	1,191	510	981	6	1	1	..	989	..	1	19	56	69
	1879.....	1,318	526	1,090	2	3	..	1	1,096	2	1	24	66	86
	1880.....	1,345	617	1,104	7	2	..	1	1,114	..	1	20	79	95

NEW YORK, IN THE FIFTEEN YEARS FROM 1866 TO 1880,

AGE-PERIODS, WITH PERCENTAGE OF EACH—(*Continued*).

30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95—	100 and Upwards	TOTAL BOTH SEXES.	Percentage of each Class on Total.
498	461	411	359	400	324	299	316	212	122	67	24	6	4	..	9,061	33.79
368	400	348	370	321	272	300	245	194	115	54	27	5	1	..	8,547	36.91
434	482	437	421	348	289	299	319	239	158	52	36	5	..	..	9,362	37.61
412	450	418	495	398	309	359	333	250	165	91	46	7	2	1	9,389	37.31
459	556	532	473	428	376	426	360	289	187	106	58	17	4	2	9,899	36.43
415	449	492	501	460	418	413	367	326	164	116	44	11	4	3	9,280	34 40
492	605	580	601	541	452	475	391	375	241	118	54	15	13	3	10,903	33.40
444	512	569	541	509	395	436	382	390	205	137	52	19	8	..	10,154	34.91
409	508	460	561	564	444	432	416	412	265	138	64	24	10	4	9,987	34 76
468	584	557	602	546	503	493	456	389	327	157	83	25	7	1	10,760	35.04
444	571	573	574	561	438	507	445	422	338	152	77	29	12	4	10,658	36.56
388	484	467	544	542	468	488	462	400	298	143	70	20	7	1	9,720	37.09
425	467	511	571	570	511	502	462	417	309	159	53	11	4	2	10,213	37.80
446	613	580	646	638	586	543	535	481	329	189	78	26	13	5	11,082	39.10
486	638	648	677	685	641	682	571	491	375	215	82	24	9	1	12,121	37.95
41	33	18	20	18	15	46	55	100	111	118	70	24	16	6	1,875	6.99
37	37	21	18	8	19	31	36	65	70	108	53	27	11	5	1,720	7.43
32	37	15	10	5	8	10	25	57	98	93	45	32	8	5	1,523	6.12
41	33	14	7	6	4	12	27	42	77	88	54	29	11	6	1,435	5.70
50	49	16	6	9	7	16	22	71	84	83	50	24	9	9	1,633	6.01
67	47	20	6	7	10	32	26	81	65	64	46	22	15	9	1,765	6.54
117	84	20	15	5	6	25	22	83	83	81	49	22	11	7	2,004	6.14
83	63	31	6	4	8	21	30	81	70	86	33	17	22	5	1,883	6.47
64	62	23	5	4	8	17	32	69	75	73	51	26	11	3	1,667	5.80
66	55	29	9	2	8	12	38	63	75	90	55	12	19	14	1,704	5.55
61	51	19	7	3	4	20	25	77	96	71	66	28	16	10	1,695	5 81
64	43	19	4	3	3	13	31	62	82	86	55	32	13	7	1,615	6.16
48	50	15	5	3	8	23	26	78	93	107	55	27	19	10	1,701	6.30
69	49	15	4	2	5	11	30	71	90	110	59	24	15	15	1,844	6.50
69	66	26	6	4	8	21	30	65	84	139	78	26	13	8	1,952	6.11

CONDENSED SUMMARY OF THE RECORDS OF DEATH IN

By Classes of Causes, in the Different

Classes of Causes.		Nativity. U. S.	Nativity. Foreign.	Under 1 Year.	1—	2—	3—	4—	Under 5 Years.	5—	10—	15—	20—	25—
VIOLENCE.	1866	....	....	104	21	29	15	10	179	76	39	36	65	89
	1867	....	....	99	17	20	17	10	163	52	42	36	70	61
	1868	388	496	100	20	25	21	16	182	46	43	42	53	79
	1869	387	560	68	26	29	24	16	163	60	47	27	61	97
	1870	420	580	81	29	32	28	18	188	55	43	43	73	109
	1871	535	769	74	46	35	28	21	204	66	53	67	108	142
	1872	547	774	70	33	42	27	24	196	81	64	69	100	107
	1873	484	677	52	29	30	30	25	166	79	65	54	88	105
	1874	555	693	79	44	42	28	28	221	64	59	41	71	108
	1875	527	660	76	31	32	23	18	180	85	50	53	83	94
	1876	495	613	41	29	40	42	20	172	63	50	45	68	78
	1877	468	558	34	26	44	36	12	152	70	40	55	70	75
	1878	444	566	31	34	46	32	17	160	62	44	32	53	86
	1879	453	552	37	30	24	22	30	143	73	39	32	62	67
	1880	586	733	64	43	40	34	27	208	58	58	50	89	108
TOTAL.	1866	....	....	7,836	2,688	1,090	615	442	12,671	1,016	429	659	1,321	1,413
	1867	....	....	7,464	2,794	1,056	587	373	12,274	753	346	469	1,003	1,080
	1868	16,805	8,084	8,157	2,888	1,050	600	372	13,067	856	333	523	1,043	1,228
	1869	16,557	8,610	7,405	2,906	1,295	733	520	12,859	941	354	498	1,004	1,180
	1870	17,461	9,714	8,383	2,703	1,151	664	432	13,353	822	364	567	1,160	1,345
	1871	17,470	9,506	7,994	2,707	1,179	648	443	12,971	865	405	642	1,175	1,539
	1872	21,448	11,199	9,791	3,342	1,514	938	603	16,188	1,321	575	751	1,416	1,614
	1873	19,135	9,949	8,678	2,733	1,218	929	624	14,182	1,310	431	637	1,202	1,434
	1874	19,251	9,476	8,279	2,818	1,319	895	645	13,956	1,348	435	587	1,080	1,364
	1875	20,744	9,965	8,540	3,136	1,457	1,012	703	14,848	1,454	449	681	1,245	1,408
	1876	19,814	9,338	8,170	3,075	1,401	945	619	14,210	1,187	405	655	1,097	1,343
	1877	17,655	8,548	7,419	2,495	1,133	736	524	12,307	1,008	332	597	1,059	1,174
	1878	18,018	8,990	7,100	2,616	1,268	877	549	12,410	1,072	352	584	1,049	1,216
	1879	18,804	9,538	7,570	2,518	1,279	858	552	12,777	1,112	378	623	1,115	1,269
	1880	20,947	10,990	8,725	3,001	1,378	886	660	14,650	1,180	423	651	1,259	1,551

NEW YORK, IN THE FIFTEEN YEARS FROM 1866 TO 1880,

AGE-PERIODS, WITH PERCENTAGE OF EACH—(*Continued*).

30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95—	100 and Upwards	TOTAL BOTH SEXES.	Percentage of each Class on Total.
106	105	88	47	39	27	38	19	8	6	1	2	..	..	..	970	3.62
61	114	63	44	30	16	10	19	7	4	3	1	..	..	..	796	3.44
98	101	75	59	28	23	26	9	12	6	..	2	..	..	..	884	3.55
88	85	97	81	59	20	23	14	8	7	5	2	2	1	..	947	3.77
80	106	85	65	56	29	23	19	13	8	3	2	..	..	..	1,000	3.68
119	145	116	89	59	42	41	25	15	7	3	3	..	..	..	1,304	4.83
156	138	118	79	72	48	36	18	19	13	3	2	1	1	..	1,321	4.04
101	134	108	85	53	39	29	21	16	10	4	2	2	..	..	1,161	3.99
115	145	109	90	74	45	42	25	22	10	6	..	1	..	..	1,248	4.34
101	120	112	81	79	62	30	18	13	18	4	3	1	..	..	1,187	3.86
86	118	111	84	78	53	44	22	18	6	7	4	..	..	1	1,108	3.80
98	107	103	72	56	34	29	22	24	11	6	..	1	..	1	1,026	3.92
89	97	97	72	70	52	35	28	12	11	6	2	..	1	1	1,010	3.74
111	109	100	69	59	47	29	15	24	16	8	..	1	1	..	1,005	3.55
114	140	141	93	87	53	52	26	17	19	2	4	..	..	..	1,319	4.13
1,473	1,399	1,175	965	929	760	711	668	470	336	247	111	32	23	7	26,815	....
1,048	1,180	899	847	676	543	567	495	375	260	196	98	35	12	5	23,159	....
1,186	1,201	962	934	700	579	592	573	435	343	180	97	43	9	5	24,889	....
1,164	1,199	1,084	1,008	836	611	658	594	435	340	216	117	44	17	8	25,167	....
1,355	1,429	1,248	1,065	974	755	766	622	548	382	238	130	45	16	11	27,175	....
1,380	1,396	1,191	1,088	929	765	724	610	580	314	223	109	36	20	14	26,976	....
1,601	1,635	1,427	1,236	1,075	785	852	618	655	439	248	127	46	28	10	32,647	....
1,336	1,418	1,305	1,158	1,001	737	777	661	647	386	274	104	45	34	5	29,084	....
1,368	1,421	1,140	1,143	1,087	768	777	649	663	456	265	129	58	24	9	28,727	....
1,425	1,468	1,347	1,225	1,019	888	808	713	634	534	292	178	47	29	16	30,709	....
1,330	1,385	1,244	1,133	1,092	792	828	710	638	552	276	167	64	29	15	29,152	....
1,225	1,286	1,084	1,090	1,000	847	801	746	654	493	263	143	58	26	10	26,203	....
1,300	1,278	1,208	1,187	1,134	908	845	743	665	513	325	134	42	27	16	27,608	....
1,341	1,514	1,274	1,250	1,143	981	856	800	736	536	370	156	59	32	20	28,342	....
1,449	1,621	1,472	1,329	1,271	1,070	1,070	880	768	580	428	193	58	24	10	31,937	....

PERCENTAGE OF EACH OF THESE SUB-DIVISIONS OF THE TOTAL

IN THE DIFFERENT

YEARS.	NATIVITY.		Under 1 Year.	1—	2—	3—	4—	Under 5 Years.	5—	10—	15—	20—
	U. S.	Foreign										
1866	.....	.....	29.22	10.02	4.06	2.29	1.65	47.25	3.79	1.60	2.45	4.93
1867	.....	.....	32.23	12.06	4.56	2.53	1.61	52.99	3.25	1.49	2.03	4.33
1868	67.52	32.48	32.77	11.60	4.22	2.41	1.49	52.50	3.44	1.34	2.10	4.19
1869	65.79	34.21	29.42	11.55	5.14	2.91	2.07	51.09	3.74	1.40	1.98	3.99
1870	64.26	35.74	30.84	9.95	4.24	2.44	1.59	49.06	3.02	1.34	2.09	4.26
1871	64.76	35.24	29.63	10.03	4.37	2.40	1.64	48.08	3.20	1.50	2.38	4.35
1872	65.70	34.30	29.99	10.23	4.64	2.87	1.85	49.58	4.05	1.76	2.30	4.34
1873	65.79	34.21	29.84	9.40	4.19	3.19	2.14	48.76	4.50	1.48	2.19	4.13
1874	67.01	32.98	28.82	9.81	4.59	3.11	2.24	48.58	4.69	1.51	2.04	3.75
1875	67.55	32 45	27.81	10.21	4.74	3.29	2.29	48.35	4.73	1.46	2.22	4.05
1876	67.97	32.03	28.03	10 55	4.80	3.24	2.12	48.74	4.07	1.39	2.25	3.76
1877	67.40	32.60	28.31	9.52	4.32	2.81	2.00	46.97	3 85	1.26	2.28	4.04
1878	66 71	33.29	26.29	9.69	4.69	3.25	2.03	45.95	3.97	1.30	2.12	3.88
1879	66.36	33.65	26.71	8.88	4.51	3.03	1.95	45.08	3.92	1.33	2.20	3.93
1880	65.59	34.41	27.32	9.39	4.31	2.77	2.07	45.87	3.69	1.32	2.03	3.94

MORTALITY, IN THE FIFTEEN YEARS FROM 1866 TO 1880,

AGE-PERIODS.

25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95—	100 and Upwards.
5.27	5.49	5.22	4.37	3.60	3.46	2.83	2.65	2.49	1.75	1.25	.92	.41	.12	.09	.02
4.66	4.53	5.10	3.88	3.66	2.91	2.34	2.45	2.13	1.62	1.12	.85	.42	.15	.05	.02
4.93	4.77	4.83	3.87	3.75	2.81	2.32	2.34	2.30	1.75	1.38	.72	.39	.17	.04	.02
4.69	4.62	4.76	4.31	4.00	3.32	2.43	2.61	2.36	1.73	1.35	.86	.46	.17	.07	.03
4.95	4.99	5.26	4.59	3.92	3.58	2.78	2.82	2.29	2.02	1.40	.88	.48	.17	.06	.04
5.71	5.12	5.17	4.41	4.03	3.45	2.84	2.68	2.26	2 15	1.17	.82	.40	.14	.07	.05
4.94	4.90	5.01	4.37	3.79	3.29	2.40	2.61	1.89	2.01	1.34	.76	.39	.14	.09	.03
4.93	4.58	4.87	4.49	3.98	3.44	2.53	2.67	2.27	2.22	1.33	.94	.36	.15	.12	.02
4.75	4.76	4.96	3.97	3.97	3.78	2.67	2.70	2.27	2.30	1.58	.92	.45	.20	.08	.03
4.58	4.65	4.78	4.38	3.98	3.32	2.89	2.63	2.32	2.07	1.73	.95	.57	.15	.09	.05
4.61	4.56	4.75	4.27	3.89	3.74	2.73	2.84	2.44	2.19	1.89	.95	.57	.22	.09	.05
4.48	4.67	4.91	4.14	4.16	3.82	2.23	3.06	2.85	2.49	1.89	1.00	.54	.22	.09	.04
4.50	4.81	4.73	4.47	4.39	4.20	3.36	3.13	2.75	2.46	1.90	1.20	.50	.19	.10	.06
4.48	4.73	5.34	4.50	4.41	4.03	3.46	3.02	2.82	2.60	1.89	1.31	.55	.21	.11	.07
4.86	4.54	5.08	4.60	4.16	3.98	3.35	3.35	2.75	2.45	1.82	1.34	.64	.18	.08	.03

METEOROLOGICAL OBSERVATIONS FOR THE TWELVE MONTHS ENDING DECEMBER 31, 1880,

CONDENSED FROM DAILY OBSERVATIONS OF PROFESSOR DANIEL DRAPER, PH. D., OBSERVER OF CENTRAL PARK OBSERVATORY.

WEEK ENDING—	Mean Temperature (Fahrenheit).	Range of Temperature.	Average Humidity, Saturation being 100.	Total Rain-fall (inches).	Mean Pressure of the Atmosphere.	Prevalent Winds.	REMARKS CONCERNING THE GENERAL ASPECT OF THE WEATHER
January 3 (3 days ending)...	38.7	15	76	...	30.197	S.W.	Two clear and pleasant, 1 cloudy and mild day.
" 10.....	42.5	19	78	.48	30.185	N.E.	Pleasant and partly clear, partly cloudy; rain on 2 days.
" 17.....	33.9	36	90	.22	30.169	N.E.	Mostly mild and pleasant and partly clear, partly cloudy; rain or snow on 3 days.
" 24.....	40.0	22	69	.69	29.734	N.W.	A mild, pleasant and mostly clear week, with 1 raw, cloudy day; rain on 3 days.
" 31.....	42.2	44	65	.63	30.047	W. & N.W.	Partly clear, partly cloudy and pleasant weather, with one raw day; rain on 2 days.
Month of January.....	39.62	48	76	2.02	30.049	N.E.	Travel of wind, 4,029 miles.
February 7.....	27.7	35	65	.54	29.958	W. & S.W.	Partly cool and pleasant, partly cold, raw weather: snow on 1 day; slight rain on 1 day. travel of wind, 1,616 miles.
" 14.....	36.5	50	71	.84	29.971	N.W.	Partly clear and pleasant, partly cloudy and raw; rain on 3 days.
" 21.....	38.7	44	63	.14	30.079	N.W.	Four days of clear, 3 of cloudy weather, with slight snow or rain; travel of wind, 1,420 miles.
" 28.....	42.7	44	62	.52	29.857	N.W.	Pleasant and partly clear, partly cloudy, with slight rain on 3 days.
March 6.....	49.3	41	61	.42	29.833	N.W.	Mostly cloudy and pleasant, with 1 raw day; slight rain on 3 days; travel of wind, 1,339 miles.
Month of February....	37.20	62	64	2.12	29.960	N.W.	Travel of wind, 5,174 miles.

March 13	29.2	21	93	.85	30.109	N.E.	A raw, cloudy week, with rain or snow on 5 days; travel of wind, 1,310 miles.
" 20	34.7	23	86	2.04	29.908	N.W	Weather cloudy and pleasant, with rain or snow on 5 days.
" 27	35.4	41	79	1.38	29.902	N.W.	Mostly clear and pleasant, with 1 cold, windy day; rain on 2 days; travel of wind, 1,709 miles.
April 3	43.3	35	77	.64	29.816	N.E.	Partly clear and pleasant, partly cloudy and raw; rain or snow on 3 days; travel of wind, 1,246 miles.
Month of March	36.47	58	81	4.66	29.913	N.W.	Travel of wind, 6,125 miles.
First Quarter	37.76	65	74	8.80	29.974	N.W	Travel of wind, 15,328 miles.
April 10	45.8	36	74	.34	29.776	N.W.	Mostly pleasant and partly clear, partly cloudy; hail, lightning and thunder on the 5th, slight rain on 3 days; travel of wind, 1,254 miles.
" 17	50.9	54	69	.13	29.797	N.W.	Partly pleasant, partly windy and raw; slight rain on 2 days; travel of wind, 1,594 miles.
" 24	49.9	26	71	.64	29.998	N.E.	Weather partly clear and pleasant, partly cloudy, windy and raw; rain on 3 days.
May 1	52.0	26	68	1.20	29.937	N.W.	A pleasant, cloudy week, with 1 clear, cold, windy day; rain on 3 days; travel of wind, 1,271 miles.
Month of April	50.02	54	71	2.90	29.884	N.W.	Travel of wind, 5,202 miles.
May 8	63.6	35	63	...	29.953	S.W.	A week of pleasant, partly clear, partly cloudy weather.
" 15	63.8	42	57	...	29.968	N.E.	A dry, partly hazy and pleasant, partly cloudy and windy week.
" 22	68.2	35	70	.01	29.962	S.W., S. & E.	A hazy, pleasant week; slight rain on 1 day.
" 29	78.7	37	57	.10	29.939	N.W.	Weather mostly close and partly clear, partly cloudy; rain on 1 day.
June 5	66.1	36	71	1.14	29.976	S.E.	Weather pleasant, partly clear, partly cloudy, with 4 rainy days
Month of May	67.91	61	62	.62	29.952	N.W.	Travel of wind, 4,415 miles.
June 12	70.7	33	71	.01	29.904	S.E.	A cloudy, pleasant week, with slight rain on 1 day
" 19	71.1	29	64	.41	29.864	N.W. & S.E.	Weather pleasant and partly clear, partly cloudy; rain on 2 days.
" 26	78.6	33	59	...	29.810	N.W.	A warm, dry, pleasant and mostly clear week.
July 3	78.2	28	64	.72	29.792	S.W.	Weather warm and pleasant and alternately clear and cloudy; rain on 2 days.
Month of June	73.14	46	65	1.14	29.879	N.W.	Travel of wind, 4,305 miles.
Second Quarter	63.69	70	66	4.66	29.905	N.W.	Travel of wind, 13,922 miles.

METEOROLOGICAL OBSERVATIONS FOR THE TWELVE MONTHS ENDING DECEMBER 31, 1880,

CONDENSED FROM DAILY OBSERVATIONS OF PROFESSOR DANIEL DRAPER, PH. D., OBSERVER OF CENTRAL PARK OBSERVATORY—(*Continued*).

WEEK ENDING—	Mean Temperature (Fahrenheit).	Range of Temperature.	Average Humidity, Saturation being 100.	Total Rain-fall, inches.	Mean Pressure of the Atmosphere.	Prevalent Winds.	REMARKS CONCERNING THE GENERAL ASPECT OF THE WEATHER.
July 10	78.9	28	62	1.98	29.888	S.W.	Weather pleasant and partly clear, partly cloudy; rain on 3 days.
" 17	77.9	21	71	1.95	29.783	N.W.	Weather mostly pleasant and cloudy, with 2 clear days; rain on 4 days; lightning and thunder on 11th.
" 24	70.7	21	84	2.46	29.945	S.	Weather pleasant; 2 clear, 5 cloudy days, with rain on 2.
" 31	72.5	27	72	.51	29.927	N.W.	A clear, cool, pleasant week, with 1 cloudy, close day; rain on 1 day
Month of July	74.90	32	72	8.53	29.876	N W.	Travel of wind, 4,276 miles.
August 7	73.0	26	76	.96	29.979	N.E.	Weather partly clear, partly cloudy, partly pleasant, partly close; rain on 3 days.
" 14	74.1	25	70	1.68	29.867	S.W.	Mostly pleasant and partly clear, partly cloudy; rain on 3 days.
" 21	71.2	34	72	.97	29.955	S.W.	Weather pleasant and partly clear, partly cloudy, with 1 close, rainy day.
" 28	73.9	31	79	1.17	30.006	S.E.	Weather partly clear, partly cloudy and mostly pleasant; rain on 1 day.
September 4	72 1	30	86	.48	29.979	S.E.	Weather mostly cloudy and pleasant, with 1 close day; rain on 2 days.
Month of August	72.65	34	76	5.26	29.958	N.E.	Travel of wind, 4,442 miles.
September 11	67.7	34	82	1.26	29.901	N.E.	Weather mostly pleasant and cloudy, with 2 clear days; rain on 4 days.
" 18	66.5	33	67	.45	29.866	N W.	Partly clear, partly cloudy; rain on 2 days; travel nf wind, 1,282 miles

" 25	65.0	30	64	...	30.055	N.W.	A dry, pleasant and mostly clear week.
October 2	61.4	33	72	.14	29.942	S.E	Pleasant and partly clear, partly cloudy; slight rain on 1 day.
Month of September	67.10	39	72	1.85	29.925	N.W.	Travel of wind, 4,655 miles.
Third Quarter	71.55	41	73	15.64	29.920	N.W.	Travel of wind, 13,373 miles.
October 9	58.5	36	76	.62	30.009	S.E.	Pleasant and mostly clear, with 2 rainy days.
" 16	59.5	35	78	.01	29.995	S.W.	A calm, pleasant week, with slight rain on 1 day.
" 23	50.2	35	85	.98	29.938	W.	Partly clear, partly cloudy, with rain on 3 days; travel of wind, 1,316 miles.
" 30	45.9	26	88	1.20	29.939	N.E.	A cloudy and partly windy and raw, partly mild and pleasant week; rain on 2 days; travel of wind, 1,507 miles.
November 6	51.5	28	80	1.00	29.953	S.E.	Mostly mild and pleasant; rain on 2 days; travel of wind, 1,385 miles.
Month of October	53.62	44	81	2.81	29.969	N.W.	Travel of wind, 5,172 miles.
November 13	49.3	32	73	.64	29.984	W.	Five clear and pleasant, 2 cloudy days; rain on 2 days; travel of wind, 1,742 miles.
" 20	36.1	28	92	.48	30.008	N.W.	Weather partly cloudy, partly clear and partly mild, partly raw; rain on 2 days.
" 27	22.4	18	87	.14	30.326	N.W.	Cold and mostly clear; slight rain or snow on 3 days; travel of wind, 1,475 miles.
December 4	33.0	18	80	.71	29.930	N.W.	Partly clear, partly cloudy, partly mild, partly raw; rain or snow on 2 days.
Month of November	38.72	55	82	2.46	30.083	N.W.	Travel of wind, 5,504 miles.
December 11	24.3	43	91	.90	29.938	N.W.	Cold, partly clear, partly cloudy, with 1 mild, rainy day; travel of wind, 1,544 miles.
" 18	32.6	25	85	17	29.676	N.W.	Mostly cloudy and mild, with 1 raw day; rain or snow on 2 days; travel of wind, 1,522 miles.
" 25	28.1	17	95	.21	29.963	N.E.	Partly cold, partly mild, partly clear, partly cloudy; snow on 2 days; travel of wind, 1,670 miles.
" 31 (6 days)	16.3	33	98	.48	29.833	N.W.	Partly clear and pleasant, partly cloudy and raw; snow on 3 days; travel of wind, 1,727 miles.
Month of December	26.53	55	90	2.27	29.854	N.W.	Travel of wind, 7,270 miles.
Fourth Quarter	39.62	85	84	7.54	29.969	N.W.	Travel of wind, 17,946 miles.
Year	53.15	102	74	36.64	29.942	N.W.	Travel of wind, 60,569 miles.

In submitting this Report to the Board, I take pleasure in testifying to the general harmony and industry of the gentlemen engaged in chronicling the various subjects connected with the births, marriages and deaths which have been reported during the past year.

The Board is, as usual, indebted to Professor Daniel Draper, of the Central Park Observatory, for the daily meteorological observations on which the Statigraphic Chart has been constructed.

All of which is respectfully submitted,

WALTER DE F. DAY, M. D.,
Register of Vital Statistics.

HEALTH DEPARTMENT OF THE CITY OF NEW YORK,
BUREAU OF VITAL STATISTICS,
August 7, 1881.

W. DE F. DAY, M. D.,

Sanitary Superintendent and Register:

SIR—I have the honor to state that during the year 1880 there were 35,659 burial permits issued by this Bureau; of this number 31,866 were issued for city deaths, 1,431 for bodies in transitu, and 2,362 for the interment of still-born infants. There were 312 transcripts of the record of births, 299 of marriages, and 1,427 of deaths granted, and 2,465 searches made during the year, and upward of 600 circulars were sent to American and foreign cities requesting information in regard to births, marriages, still-births, deaths, etc., for comparative statistics of American and foreign cities.

BIRTHS.

The number of births reported to this Bureau during the year 1880 was 27,536, showing a birth-rate of 22.82 to every 1,000 of the population, or 1 to every 43.8 inhabitants; of this number 27,174 were white, and 362 colored; 14,356 were males, and 13,179 were females, and the sex of one was not ascertained; 11,388 mothers and 8,624 fathers were born in the United States; 7,427 mothers and 9,274 fathers were born in Germany; 4,811 mothers and 4,757 fathers were born in Ireland; 725 mothers and 798 fathers were born in England; 655 mothers and 627 fathers were born in Bohemia; 579 mothers and 626 fathers were born in Italy, and the nativity of 32 mothers and 394 fathers was either unknown or not stated, and the balance of the children had parents who were born in other foreign countries than those stated. One American-born mother was reported to have borne her twenty-second child, one bore her seventeenth child and one her fifteenth. The largest number of children borne by a foreign-born mother was 19; 2 each gave birth to their seventeenth and eighteenth child; 3 each bore their sixteenth child, and 12 each bore their fifteenth child. Only about 75 per cent. of the

births that take place in this city annually are reported for registration. This failure is specially noticed among those who practice midwifery among the Irish. The number of births registered of children whose mothers were born in Ireland only exceeds the deaths of children under 5 years of age of Irish mothers by 1,694. The births reported of Irish parents is a little over half the number reported of German parents, although the Irish population is 35,113 in excess of the German population.

The comparative table of the vital statistics of American and foreign cities will show that there are very few American cities that have a perfect registration of births, while in Europe there are very few cities that have not a complete registration.

MARRIAGE REGISTRATION.

9,002 marriages were registered in this city during the year, showing a marriage-rate of 7.46 to every 1,000 of the population, or 1 to every 134 inhabitants. Of this number 8,791 males and 8,801 females were white, and 211 males and 201 females were colored. 10 white women married colored men. 5,004 brides and 4,174 grooms were born in the United States; 1,661 brides and 2,287 grooms were born in Germany; 742 brides and 646 grooms were born in Ireland; 326 brides and 364 grooms were born in England; 257 brides and 287 grooms were born in Italy; 131 brides and 123 grooms were born in Bohemia, and 106 brides and 141 grooms were born in France. But about 80 per cent. of the marriages that take place in this city are registered. This failure is more noticeable among those who perform the ceremony among the Irish. The marriage-rate of those who were born in Ireland was 3.49 in the 1,000 of the population, while the rate to the 1,000 of those who were born in Germany was 12.07.

STILL-BIRTHS.

2,362 still-births were registered in this city during the year. The still-birth rate to every 1,000 of the population was 1.96, or 1 to every 510.7 of the population. Of this number 1,285 were males, and 1,060 females, and the sex of 17 was unknown or not stated. 2,305 were of white, and 57 were of colored parentage; 849 mothers and 664 fathers were born in the United States; 563 fathers and 563 mothers

were born in Ireland; 515 mothers and 597 fathers were born in Germany; 71 mothers and 83 fathers were born in England; 55 mothers and 58 fathers were born in Italy; 50 mothers and 58 fathers were born in Poland, and 34 mothers and 35 fathers were born in Bohemia. The still-births in the very early period of utero-gestation are the only ones that escape registration.

The nativity of the population of this city, according to the United States census, which was taken in June, 1880, is given in the accompanying table, as also the births, marriages and still-births which were reported to this Bureau during the year 1880. The percentage of each branch of statistics to the natives of the various countries which compose the population of the city will show where any marked delinquency in the returns exists. The number of mixed marriages where the husband is a native of one country and the bride of another country, and also the number of births and still-births where the father and mother were born in different countries, required the addition of all persons, male and female, born in the same country and division by two in order to arrive at a correct rate of the proportion that the natives of each country is entitled to.

Very respectfully, your obedient servant,

JOHN T. NAGLE, M. D.,
Deputy Register.

TABLE SHOWING NATIVITY OF PARENTS OF CHILDREN BORN AND STILL-BORN,

And of Brides and Grooms Married in the City of New York, with the Birth, Still-Birth and Marriage Rate per 1,000 Inhabitants for the Year 1880.

Total Population, 1,206,577, United States Census taken June, 1880.

Country.	U. S. Census, Population.	Births.		Still-Births.		Marriages.	
		Number.	Rate per 1,000.	Number.	Rate per 1,000.	Number.	Rate per 1,000.
United States	727,629	10,006	13.75	756.5	1.04	4,589	6.31
Austria and Hungary	8,844	38[illegible]	43 53	22	2.49	131.5	14.87
Bohemia	8,093	646	79.82	34.5	4.26	127	15.69
British America	7,011	167.5	23.89	14	2.00	76.5	10.91
Belgium	556	19.5	35 07	4	7.19	7	12.59
Denmark	1,096	35.5	32.39	9	8.21	30	27.37
England	29,664	761.5	25.67	77	2.60	345	11.63
France	9,910	275.5	27.80	23.5	2.37	123.5	12.46
Germany	163 482	8,350.5	51.08	506	3.10	1,974	12.07
Holland	1,860	51.5	27.69	7.5	4.03	14.5	7.80
Ireland	198,595	4,784	24.09	563	2.83	694	3 49
Italy	12,223	602.5	49.29	56.5	4.62	272	22.25
Norway	893	21.5	24.08	5.5	6.16	20	22.40
Poland	9,020	432.5	47.95	54	5.99	68	7.54
Russia	4,551	176.5	38.78	20.5	4.50	104.5	22.96
Scotland	8,683	225	25.91	33.5	3.86	81.5	9.39
Sweden	3,194	113	35.38	5.5	1.72	81	25.36
Switzerland	4,545	130.5	28.71	11.5	2.53	79.5	17.49
Spain	669	20	29.89	4.5	6.73	6	8.97
Wales	929	17.5	18.84	1	1.08	13.5	14.53
West Indies	2,458	58	23.59	7	2.85	30.5	12.40
Africa	87	1.5	17.24	.....	....	1.5	17.24
China	747	4	5.35	.....	....	2.5	3.35
Mexico	132	4	30.30	0 5	3.79	3.5	26.52
South America	427	11.5	26.93	.....	....	3	7.03
Portugal	66	1.5	22.73	.....	....	2.5	37.88
Greece	69	1.5	21.74	0.5	7.25	.....	....
Total	1,206,577	27,536	22.82	2,362	1.96	9,002	7.46

TABLE SHOWING THE NUMBER OF BURIAL PERMITS ISSUED FOR CITY DEATHS, STILL-BIRTHS, AND BODIES IN TRANSITU,

During the Years 1877, 1878, 1879 and 1880, with the Number of Births, Marriages, Transcripts and Searches of the Records of Births, Marriages, and Deaths for the same period.

	1877.	1878.	1879.	1880.
Number of burial permits issued for deaths in this city	26,194	27,075	28,367	31,866
Number of burial permits issued for bodies in transitu	1,214	1,307	1,140	1,431
Number of burial permits issued for still-births in this city	2,164	2,192	2,191	2,362
Number of permits for disinterment and removal of bodies from city cemeteries	135	158	131	119
Number of births	25,569	25,729	25,573	27,536
Number of marriages	7,129	7,629	8,446	9,002
Number of transcripts of birth-record issued	159	200	238	312
Number of transcriots of marriage-record issued	142	188	283	299
Number of transcripts of death-record issued	1,039	1,168	1,335	1,427
Number of searches of births, marriages and deaths made	1,340	1,614	1,973	2,465

Years.	Transcripts of			Transits.	Disinterment from City Cemeteries.	Searches.
	deaths.	marriages.	births.			
1870	773	157	76	2,649	261	....
1871	734	119	65	2,645	133	627
1872	961	132	72	3,080	179	773
1873	1,100	170	115	2,733	143	996
1874	1,072	199	145	1,233	148	1,286
1875	1,108	137	173	1,423	84	1,326
1876	975	165	154	1,296	137	1,252
1877	1,039	142	159	1,214	135	1,340
1878	1,168	188	200	1,307	158	1,614
1879	1,335	283	238	1,140	131	1,973
1880	1,427	299	312	1,431	119	2,465
Total	11,692	1,991	1,709	20,151	1,628	13,652

YEARLY ABSTRACT OF

1880.	Total.	Color.		Sex.		
		White.	Colored.	Male.	Female.	Not stated.
January	2,313	2,284	29	1,345	968	..
February	2,176	2,146	30	1,086	1,090	..
March	2,457	2,421	36	1,266	1,190	1
First Quarter	6,946	6,851	95	3,697	3,248	1
April	2,107	2,094	13	1,093	1,014	..
May	1,890	1,857	33	995	895	..
June	2,337	2,300	37	1,203	1,134	..
Second Quarter	6,334	6,251	83	3,291	3,043	..
July	2,418	2,394	24	1,255	1,163	..
August	2,367	2,337	30	1,192	1,175	..
September	2,398	2,361	37	1,262	1,136	..
Third Quarter	7,183	7,092	91	3,709	3,474	..
October	2,334	2,302	32	1,191	1,143	..
November	2,340	2,316	24	1,233	1,107	..
December	2,399	2,362	37	1,235	1,164	..
Fourth Quarter	7,073	6,980	93	3,659	3,414	..
Total	27,536	27,174	362	14,356	13,179	1

BIRTHS BY MONTHS.

Nativity of Parents.									Name of Child.	
				Nativity of Father stated only.		Nativity of Mother stated only.				
Foreign.	Native.	Foreign Father only.	Foreign Mother only.	Foreign.	Native.	Foreign.	Native.	Not stated.	Stated.	Not stated.
1,254	565	338	121	2	..	9	20	4	1,632	681
1,149	557	323	118	1	..	14	14	..	1,537	639
1,316	654	351	107	2	..	12	12	3	1,719	738
3,719	1,776	1,012	346	5	..	35	46	7	4,888	2,058
1,068	555	305	141	..	..	13	25	..	1,450	657
975	508	273	104	..	1	15	13	1	1,281	609
1,189	646	326	126	2	..	18	29	1	1,584	753
3,232	1,709	904	371	2	1	46	67	2	4,315	2,019
1,238	610	404	125	..	..	21	19	1	1,647	771
1,235	637	340	118	1	..	18	18	..	1,596	771
1,281	593	344	155	3	2	7	12	1	1,777	621
3,754	1,840	1,088	398	4	2	46	49	2	5,020	2,163
1,232	596	344	134	2	..	11	13	2	1,569	765
1,222	602	339	141	2	..	14	20	..	1,628	712
1,275	582	382	126	..	..	14	19	1	1,817	582
3,729	1,780	1,065	401	4	..	39	52	3	5,014	2,059
14,434	7,105	4,069	1,516	15	3	166	214	14	19,237	8,299

YEARLY ABSTRACT OF

1880.	Age of Parents. Mother.						
	15-20	20-25	25-30	30-35	35-40	40-45	45-50
January	121	470	544	489	364	127	12
February	74	520	597	439	271	82	10
March	107	562	678	540	309	80	12
First Quarter	302	1,552	1,819	1,468	944	289	34
April	104	519	538	417	280	89	6
May	108	456	539	374	206	66	8
June	107	598	655	444	291	81	6
Second Quarter	319	1,573	1,732	1,235	777	236	20
July	116	613	692	458	278	96	12
August	105	606	700	480	253	71	8
September	110	630	653	459	294	101	4
Third Quarter	331	1,849	2,045	1,397	825	268	24
October	104	565	679	471	282	80	6
November	99	607	589	510	280	86	11
December	118	566	588	523	310	86	8
Fourth Quarter	321	1,738	1,855	1,504	872	252	25
Total	1,273	6,712	7,452	5,604	3,418	1,045	103

NUMBER OF CHILDREN

	1	2	3	4	5	6	7
Native	3,660	2,305	1,610	1,172	757	513	344
Foreign	2,803	2,397	2,185	1,959	1,626	1,263	951
Not Reported	3	7	9	7	5	1	....
At Sea	2	1	1	2	3	....	....
Total	6,468	4,710	3,805	3,140	2,391	1,777	1,295

Total number of births reported during the year ending December 31, 1880, 27,536.

BIRTHS BY MONTHS—*(Continued)*.

AGE OF PARENTS.

MOTHER.		Multiple Births.	FATHER.								
Over 50	Not Stated.		15-20	20-25	25-30	30-35	35-40	40-45	45-50	Over 50	Not Stated.
..	186	8	3	166	443	541	494	305	129	61	171
..	183	18	17	209	485	533	379	211	86	40	216
..	169	26	3	215	574	559	481	254	103	48	220
..	538	52	23	590	1,502	1,633	1,354	770	318	149	607
..	154	15	5	218	463	451	405	233	96	30	206
..	133	19	4	206	455	431	332	162	74	41	185
..	155	25	6	253	534	545	433	212	89	43	222
..	442	59	15	677	1,452	1,427	1,170	607	259	114	613
..	153	25	8	275	551	580	439	218	87	49	211
..	144	17	8	262	578	540	443	218	77	41	200
..	147	22	15	276	549	558	444	236	84	53	183
..	444	64	31	813	1,678	1,678	1,326	672	248	143	594
..	147	*19	5	235	538	558	414	245	89	44	206
2	156	25	7	220	535	552	437	245	79	41	224
..	200	*29	7	248	486	556	430	281	93	47	251
2	503	73	19	703	1,559	1,566	1,281	771	261	132	681
2	1,927	248	88	2,783	6,191	6,404	5,131	2,820	1,086	538	2,495

* One triplet.

BORNE BY EACH MOTHER.

8	9	10	11	12	13	14	15	16	17	18	19	22	Not Stated.
223	123	71	50	26	10	6	1	..	1	..	..	..	515
664	447	281	155	78	51	19	12	3	2	2	1	1	1,208
....	....	....	....	..	..	..	..	..	..	..	..	..	....
....	....	....	....	..	..	..	..	..	..	..	..	..	....
887	570	352	205	104	61	25	13	3	3	2	1	1	1,723

Total number of births reported during the year ending December 31, 1879, 25,573.

YEARLY ABSTRACT

1880.	Totals.	Color.		Sex.		
		White.	Colored.	Male.	Female.	Not stated.
First Quarter	6,946	6,851	95	3,697	3,248	1
Second Quarter	6,334	6,251	83	3,291	3,043	..
Third Quarter	7,183	7,092	91	3,709	3,474	..
Fourth Quarter	7,073	6,980	93	3,659	3,414	..
Totals	27,536	27,174	362	14,356	13,179	1

1880.	Age of Parents.						
	Mother.						
	15-20	20-25	25-30	30-35	35-40	40-45	45-50
First Quarter	302	1,552	1,819	1,468	944	289	34
Second Quarter	319	1,573	1,732	1,235	777	236	20
Third Quarter	331	1,849	2,045	1,397	825	268	24
Fourth Quarter	321	1,738	1,856	1,504	872	252	25
Totals	1,273	6,712	7,452	5,604	3,418	1,045	103

NUMBER OF CHILDREN

	1	2	3	4	5	6	7
Native	3,660	2,305	1,610	1,172	757	513	344
Foreign	2,803	2,397	2,185	1,959	1,626	1,263	951
Not Reported	3	7	9	7	5	1	...
At Sea	2	1	1	2	3	....	...
Totals	6,468	4,710	3,805	3,140	2,391	1,777	1,295

Total number of births reported during the

OF BIRTHS.

Nativity of Parents.									Name of Child.	
Foreign.	Native.	Foreign Father only.	Foreign Mother only.	Nativity of Father stated only.		Nativity of Mother stated only.		Not stated.	Stated.	Not stated.
				Foreign.	Native.	Foreign.	Native.			
3,719	1,776	1,012	346	5	..	35	46	7	4,888	2,058
3,232	1,709	904	371	2	1	46	67	2	4,315	2,019
3,754	1,840	1,088	398	4	2	46	49	2	5,020	2,163
3,729	1,780	1,065	401	4	..	39	52	3	5,014	2,059
14,434	7,105	4,069	1,516	15	3	166	214	14	19,237	8,299

Age of Parents.

Mother.		Multiple Births.	Father.								
Over 50	Not Stated.		15-20	20-25	25-30	30-35	35-40	40-45	45-50	Over 50	Not Stated.
..	538	52	23	590	1,502	1,633	1,354	770	318	149	607
..	442	59	15	677	1,452	1,427	1,170	607	259	114	613
..	444	64	31	813	1,678	1,678	1,326	672	248	143	594
2	5-3	*73	19	703	1,559	1,666	1,281	771	261	132	681
2	1,927	248	88	2,783	6,191	6,404	5,131	2,820	1,086	538	2,495

* 2 Triplets.

BORNE BY EACH MOTHER.

8	9	10	11	12	13	14	15	16	17	18	19	22	Not Stated.
223	123	71	50	26	10	6	1	..	1	..	..	1	515
664	447	281	155	78	51	19	12	3	2	2	1	..	1,208
...	...	...	...	..	..	..	..	..	..	..	..	..	....
...	...	...	...	..	..	..	..	..	..	..	..	..	....
887	570	352	205	104	61	25	13	3	3	2	1	1	1,723

year ending December 31, 1880, 27,536.

YEARLY ABSTRACT OF BIRTHS REGISTERED IN THIS BUREAU DURING THE PAST TWELVE YEARS.

Years.	Total.	Color.			Sex.			Nativity of Parents.									Name of Child.	
												Nativity of Father stated only.		Nativity of Mother stated only.				
		White.	Colored.	Not stated.	Male.	Female.	Not stated.	Foreign.	Native.	Foreign Father only.	Foreign Mother only.	Native.	Foreign.	Native.	Foreign.	Not stated.	Stated.	Not stated.
1869.....	13,947	13,755	192	..	7,096	6,835	16	9,080	2,457	1,227	555	5	10	59	522	32	9,945	4,002
1870.....	14,524	14,353	169	2	7,560	6,910	54	9,283	2,553	1,459	829	2	17	75	286	20	9,987	4,537
1871.....	20,821	20,595	226	..	10,749	10,032	40	14,144	3,631	1,914	835	2	16	124	125	30	14,551	6,270
1872.....	22,068	21,769	299	..	11,282	10,763	23	14,829	3,721	2,175	969	12	25	104	206	27	15,311	6,757
1873.....	22,683	22,465	218	..	11,707	10,917	59	15,353	3,827	2,261	889	21	44	114	127	47	15,992	6,691
1874.....	25,747	25,514	233	..	13,276	12,387	84	16,594	4,728	2,811	1,069	76	34	176	160	99	17,334	8,413
1875.....	23,813	23,559	253	1	12,054	11,669	90	15,067	4,528	2,902	1,021	21	36	106	105	27	16,130	7,683
1876.....	23,744	23,403	341	..	12,114	11,550	80	14,749	4,721	2,900	1,158	2	15	73	112	14	16,017	7,727
1877.....	25,569	25,266	303	..	13,074	12,495	..	14,976	5,751	3,284	1,292	23	12	101	107	23	19,266	6,303
1878.....	25,729	25,381	348	..	13,154	12,575	..	14,697	5,920	3,465	1,338	6	20	151	108	24	19,893	5,836
1879.	25,573	25,236	337	..	13,269	12,303	1	14,028	6,223	3,648	1,390	10	5	106	146	17	19,936	5,637
1880.....	27,536	27,174	362	..	14,356	13,179	1	14,434	7,105	4,069	1,516	3	15	214	166	14	19,237	8,299
Total. ..	271,754	268,470	3,281	3	139,691	131,615	448	167,234	55,165	32,115	12,861	183	249	1,403	2,170	374	193,599	78,155

NUMBER OF BIRTHS REGISTERED IN THIS BUREAU EACH MONTH DURING THE PAST TWELVE YEARS.

Years	Months.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
1869	1,224	1,075	1,440	1,220	764	849	1,103	1,263	1,484	1,027	1,241	1,257	13,947
1870	1,254	1,221	1,375	1,067	1,092	1,080	1,139	1,405	1,004	1,285	1,085	1,517	14,524
1871	1,708	1,809	1,808	1,320	1,512	1,439	1,741	1,918	1,764	1,936	1,915	1,951	20,821
1872	1,899	1,710	1,870	1,721	1,688	1,579	1,882	1,998	1,983	1,963	1,886	1,884	22,068
1873	1,969	1,761	1,809	1,[illegible]6	1,571	1,651	2,112	2,080	2,122	1,928	1,923	2,051	22,683
1874	2,168	1,957	2,140	1,856	1,869	2,283	2,419	2,312	2,172	2,229	2,116	2,226	25,747
1875	2,100	1,888	2,209	1,927	1,670	1,922	2,046	2,086	1,976	1,996	1,952	2,041	23,813
1876	1,998	2,077	2,109	1,708	1,897	1,867	1,986	2,188	1,929	2,041	1,954	1,990	23,744
1877	2,110	1,886	2,234	1,787	1,753	1,975	2,173	2,300	2,052	2,511	2,091	2,697	25,569
1878	2,462	1,887	2,331	1,958	1,797	1,774	2,332	2,200	2,230	2,320	1,897	2,541	25,729
1879	2,140	1,777	2,539	1,812	1,849	2,016	2,001	2,274	2,249	2,432	2,081	2,403	25,573
1880	2,313	2,176	2,457	2,107	1,890	2,337	2,418	2,367	2,398	2,334	2,340	2,399	27,536
Total	23,345	21,224	24,321	20,189	19,352	20,772	23,352	24,391	23,368	24,002	22,481	24,957	271,754

NATIVITY OF PARENTS OF CHILDREN BORN IN NEW YORK

During the Year ending

Nativity of Mother.	Total.	Nativity of Father.													
		Austria.	Bohemia.	Belgium.	British America.	Denmark.	England.	France.	Germany.	Holland.	Ireland.	Italy.	Norway.	Poland.	Russia.
Austria	349	293	5	..	..	..	..	1	25	..	....	1	..	4	5
Bohemia	665	13	596	..	..	..	..	..	38	..	....	1	..	2	..
Belgium	18	..	..	3	..	..	1	6	2	1	....	1	..	..	..
British America	169	..	..	3	33	..	15	4	10	1	20	2	1	..	..
Denmark	21	..	..	..	..	9	2	..	3	..	....	..	1	..	..
England	725	4	..	..	11	3	246	7	65	8	112	9	..	4	6
France	232	..	..	5	..	1	8	141	20	..	5	2	..	2	3
Germany	7,427	51	16	1	3	7	31	36	6,658	12	16	3	1	46	24
Holland	42	..	..	..	..	.	1	..	5	29	1	..	..	1	..
Ireland	4,811	..	1	..	32	14	147	34	146	3	3,581	8	3	..	1
Italy	579	..	..	..	..	..	..	..	3	..	1	568	..	..	..
Norway	19	..	..	..	..	..	..	..	....	..	....	..	13	..	..
Poland	401	5	..	..	..	..	..	..	10	..	....	..	..	380	4
Russia	153	3	..	..	..	1	1	..	4	..	1	..	..	4	138
Scotland	195	1	..	..	1	..	19	..	11	..	25	1	..	..	1
Sweden	106	..	..	1	..	2	..	1	6	..	2	1	1	..	..
Switzerland	118	2	..	..	..	1	3	13	40	..	....	..	..	..	..
Spain	8	..	..	..	..	..	..	1	....	..	....	..	..	..	..
United States	11,388	48	9	8	84	11	321	75	2,270	7	989	28	4	21	18
Unknown	32	1	..	..	..	1	..	..	8	..	1	..	..	..	..
Wales	16	..	..	..	..	..	2	..	....	..	1	1	..	..	..
West Indies	30	..	..	..	..	..	..	..	3	..	....	..	..	..	..
Africa	2	..	..	..	..	..	..	..	1	..	....	..	..	..	..
At Sea	9	..	..	..	2	..	..	..	2	..	1	..	..	..	..
Australia	4	..	..	..	..	..	1	..	2	..	....	..	..	..	..
Borneo	1	..	..	..	..	..	..	..	....	..	....	..	..	..	..
East Indies	2	..	..	..	..	..	..	..	....	..	1	..	..	..	..
Greece	2	..	..	..	..	..	..	..	....	..	....	..	..	..	..
Japan	1	..	..	..	..	..	..	..	....	..	....	..	..	..	..
Mexico	1	..	..	..	..	..	..	..	....	..	....	..	..	..	..
South Africa	1	..	..	..	..	..	..	..	....	..	....	..	..	..	..
South America	7	..	..	..	..	..	..	..	1	..	....	..	..	..	..
Turkey	2	..	..	..	..	..	..	..	1	..	....	..	..	..	..
Total	27,536	421	627	21	166	50	798	319	9,274	61	4,757	626	24	464	200

CITY, AND REPORTED TO THE BUREAU OF VITAL STATISTICS,

DECEMBER 31, 1880.

NATIVITY OF FATHER.

Scotland.	Sweden.	Switzerland.	Spain.	United States.	Unknown.	Wales.	West Indies.	Africa.	At Sea.	Asia.	Australia.	China.	East Indies.	Gibraltar.	Greece.	Japan.	Malta.	Mexico.	Portugal.	Roumania.	South America.	Turkey.
..	..	1	1	9	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
..	..	..	..	6	9	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	3	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
6	..	..	..	68	4	..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..
..	2	..	..	3	1	..	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..	..
22	4	1	2	202	13	2	1	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1
1	..	7	..	25	5	..	3	..	..	..	..	..	..	..	..	..	1	1	1	..	1	..
9	5	37	1	393	66	..	4	..	..	..	..	..	..	1	..	..	..	1	1	1	2	1
..	..	..	..	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
32	6	7	9	713	53	4	9	..	..	..	..	3	2	..	..	..	..	1	1	..	1	..
..	..	1	..	4	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	5	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
86	..	..	..	46	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
1	85	..	..	4	1	..	1	..	..	..	..	..	.	..	..	..	..	..	..	..	..	..
..	..	50	1	4	3	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	3	1	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	.	..	..
96	13	37	14	7,105	214	7	47	1	1	1	1	4	1	1	..	..	..	3	..	..	6	3
2	..	1	..	3	14	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..
..	..	..	..	6	..	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	7	..	..	17	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
..	..	..	..	....	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	1	3	..	.	..	..	..	..	..	..	..	..	..	..		..	..	..	2	..
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
255	120	143	32	8,624	394	19	86	1	1	1	1	8	4	2	1	1	1	7	3	3	16	5

NUMBER OF CERTIFICATES OF MARRIAGE SOLEMNIZED IN THE CITY OF NEW YORK,

And Received in the Bureau of Vital Statistics for the Year ending December 31, 1880.

1880.	Total.	Color				Nativity.								Condition.									
		White.		Black.		Foreign.		Native.		Born at Sea.		Not Stated.		1st Marriage.		2d Marriage.		3d Mar'ge.		4th Mar'ge.		Not Stated.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
January	766	749	749	17	17	394	333	368	427	..	1	4	5	620	626	107	95	6	4	1	1	32	43
February	729	714	715	15	14	376	293	338	419	..	..	15	17	599	589	100	96	2	4	..	..	28	40
March	645	626	626	19	19	331	253	299	378	..	..	15	14	510	530	101	75	1	3	..	..	33	37
First Quarter	2,140	2,089	2,090	51	50	1,101	879	1,005	1,224	..	1	34	36	1,729	1,745	308	266	9	11	1	1	93	120
April	746	731	731	15	15	379	324	363	416	..	..	4	6	596	626	110	73	8	7	..	1	32	39
May	732	713	714	19	18	391	309	329	410	..	..	12	13	587	596	99	85	9	5	1	..	36	46
June	800	780	781	20	19	411	333	376	454	..	..	13	13	650	658	114	107	9	2	1	..	25	33
Second Quarter	2,278	2,224	2,226	54	52	1,181	966	1,068	1,280	..	..	29	32	1,833	1,880	323	265	26	14	2	1	94	118
July	618	606	607	12	11	300	256	308	351	..	..	10	11	469	495	106	78	7	3	..	..	36	42
August	589	575	576	14	13	333	279	252	306	..	..	4	4	464	474	95	86	2	2	..	..	28	27
September	768	754	755	14	13	410	341	359	420	1	1	7	6	622	620	108	103	10	4	2	..	26	41
Third Quarter	1,975	1,935	1,938	40	37	1,043	876	910	1,077	1	1	21	21	1,555	1,589	309	267	19	9	2	..	90	110
October	882	865	865	17	17	461	383	415	490	..	..	6	9	685	720	142	100	10	3	..	..	45	59
November	857	832	833	25	24	446	365	396	475	1	..	14	17	694	713	116	94	13	5	..	..	34	45
December	870	846	849	24	21	489	412	380	458	1	..	..	..	708	731	113	94	9	3	1	..	39	42
Fourth Quarter	2,609	2,543	2,547	66	62	1,396	1,160	1,191	1,423	2	..	20	26	2,087	2,164	371	288	32	11	1	..	118	146
Total for Year	9,002	8,791	8,801	211	201	4,721	3,881	4,174	5,004	3	2	104	115	7,204	7,378	1,311	1,083	86	45	6	2	395	494

AGES OF PERSONS MARRIED.

1880.	Ages.																									
	Under 20		20-25		25-30		30-35		35-40		40-45		45-50		50-55		55-60		60-65		65-70		70-80		Not Stated.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.
January	16	186	272	325	221	125	115	52	68	38	33	15	18	11	10	6	6	2	1	..	2	..	1	..	3	6
February	25	193	249	309	231	112	97	52	63	31	32	12	18	8	7	3	4	1	..	..	1	..	..	..	2	8
March	17	196	221	264	214	85	90	35	44	32	29	18	11	6	8	1	2	..	4	2	2	..	..	..	3	6
First Quarter	58	575	742	898	666	322	302	139	175	101	94	45	47	25	25	10	12	3	5	2	5	..	1	..	8	20
April	21	184	247	313	235	126	92	56	71	27	30	18	18	6	9	5	10	1	4	..	1	1	1	..	7	9
May	18	172	223	318	231	132	133	57	62	27	31	12	21	6	7	2	4	3	1	1	1	..	..	..	..	2
June	12	206	276	328	244	130	115	55	62	45	37	15	23	10	15	2	6	..	5	..	3	..	1	..	1	9
Second Quarter	51	562	746	959	710	388	340	168	195	99	98	45	62	22	31	9	20	4	10	1	5	1	2	..	8	20
July	13	162	215	264	183	102	93	39	51	16	21	12	14	6	10	4	10	3	1	1	..	..	1	..	6	9
August	19	169	209	232	165	89	93	40	40	30	20	13	25	8	7	3	7	1	2	..	1	..	..	..	1	4
September	22	208	274	323	222	107	99	57	65	36	37	14	16	7	15	6	5	3	10	1	..	..	..	..	3	6
Third Quarter	54	539	698	819	570	298	285	136	156	82	78	39	55	21	32	13	22	7	13	2	1	..	1	..	10	19
October	10	200	291	375	273	167	141	64	71	48	46	14	23	3	12	5	9	3	4	..	2	..	..	..	..	3
November	15	202	302	355	273	166	115	70	62	33	36	18	21	9	17	3	12	..	1	..	..	..	1	..	2	1
December	22	225	327	392	237	134	116	49	75	36	38	14	23	7	16	3	8	5	4	..	1	..	1	..	2	5
Fourth Quarter	47	627	920	1,122	783	467	372	183	208	117	120	46	67	19	45	11	29	8	9	..	3	..	2	..	4	9
Total for Year	210	2,303	3,106	3,798	2,729	1,475	1,299	626	734	399	390	175	231	87	133	43	83	22	37	5	14	1	6	..	30	68

ABSTRACT OF MARRIAGES SOLEMNIZED IN THE CITY OF NEW YORK, AND REPORTED TO THE BUREAU OF VITAL STATISTICS,

During the Year ending December 31, 1880.

1880.	Total.	Color.				Nativity.								Condition.									
		White.		Black.		Foreign.		Native.		Born at Sea.		Not Stated.		1st Marriage.		2d Marriage.		3d Mar'ge.		4th Mar'ge.		Not Stated.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
First Quarter	2,140	2,089	2,090	51	50	1,101	879	1,005	1,224	..	1	34	36	1,729	1,715	308	263	9	11	1	1	93	120
Second Quarter	2,278	2,224	2,226	54	52	1,181	966	1,068	1,280	..	..	29	32	1,833	1,880	323	265	26	14	2	1	94	118
Third Quarter	1,975	1,935	1,938	40	37	1,043	876	910	1,077	1	1	21	21	1,555	1,589	309	267	19	9	2	..	90	110
Fourth Quarter	2,609	2,543	2,547	66	62	1,396	1,160	1,191	1,423	2	..	20	26	2,087	2,164	371	288	32	11	1	..	118	146
Total	9,002	8,791	8,801	211	201	4,721	3,881	4,174	5,004	3	2	104	115	7,204	7,378	1,311	1,083	86	45	6	2	395	494

AGES OF PERSONS MARRIED.

1880.	Ages.																									
	Under 20		20-25		25-30		30-35		35-40		40-45		45 50		50-55		55-60		60-65		65-70		70-80		Not Stated.	
	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
First Quarter	58	575	742	898	666	322	302	139	175	101	94	45	47	25	25	10	12	3	5	2	5	..	1	..	8	20
Second Quarter	51	562	746	959	710	388	340	168	195	99	98	45	62	22	31	9	20	4	10	1	5	1	2	..	8	20
Third Quarter	54	539	698	819	570	298	285	136	156	82	78	39	55	21	32	13	22	7	13	2	1	..	1	..	10	19
Fourth Quarter	47	627	920	1,122	783	467	372	183	208	117	120	46	67	19	45	11	29	8	9	..	3	..	2	..	4	9
Total	210	2,303	3,106	3,798	2,729	1,475	1,299	626	734	399	390	175	231	87	133	43	83	22	37	5	14	1	6	..	30	68

TABLE SHOWING THE NUMBER OF MARRIAGES BETWEEN BACHELORS AND SPINSTERS, AND ALSO THE AGE.

Females.	Males.												Totals.
	Under 20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-80	
Under 20.....	161	1,262	505	119	24	4	2	..	..	..	..	..	2,077
20-25.....	39	1,388	1,211	362	94	29	6	3	..	1	..	..	3,133
25-30.....	2	119	424	234	94	25	5	1	..	..	..	..	904
30-35.....	...	9	59	77	51	17	11	1	1	..	..	..	226
35-40.....	...	4	7	12	28	13	1	5	..	..	..	..	70
40-45	...	2	....	2	4	5	3	..	..	..	..	..	16
45-50.....	...	....	....	...	..	2	2	1	..	..	..	..	5
50-55.....	...	....	1	...	..	..	2	..	..	..	..	..	3
55-60.....	...	....	....	...	..	..	..	..	..	..	..	..	....
60-65.....	...	....	....	...	..	..	..	..	..	..	..	..	....
65-70.....	...	....	....	...	..	..	..	..	..	..	..	..	....
70-80.....	...	....	....	...	..	..	..	..	..	..	..	..	....
Totals.....	202	2,784	2,207	806	295	95	32	11	1	1	..	..	6,434

TABLE SHOWING THE NUMBER OF MARRIAGES BETWEEN BACHELORS AND WIDOWS, AND ALSO THE AGE.

Females.	Males.												Totals.
	Under 20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-80	
Under 20.....	2	7	2	1	..	..	..	..	..	..	..	..	12
20-25.....	..	36	32	14	6	..	1	1	..	..	..	..	90
25-30.....	1	31	56	37	10	7	..	1	..	..	..	..	143
30-35.....	..	15	53	43	22	12	3	..	1	..	..	..	149
35-40.....	..	4	17	31	25	9	3	3	..	1	..	..	93
40-45.....	..	3	12	3	8	11	6	3	2	..	..	..	48
45-50.....	..	..	..	2	5	6	5	2	..	..	..	..	20
50-55.....	..	..	..	..	2	..	3	1	..	..	..	..	6
55-60.....	..	..	..	.	..	1	..	..	..	..	..	..	1
60-65.....	..	..	..	..	..	..	..	..	..	..	..	..	...
To als.....	3	96	172	131	78	46	21	11	3	1	..	..	562

TABLE SHOWING THE NUMBER OF MARRIAGES BETWEEN WIDOWERS AND SPINSTERS.

Females.	Males.												Totals.
	Under 20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-80	
Under 20	1	8	23	27	17	7	3	2	..	..	..	..	88
20-25	..	20	68	69	69	39	9	1	3	2	1	..	281
25-30	..	3	29	62	66	27	23	6	6	1	1	..	224
30-35	..	1	8	13	23	19	18	10	3	1	1	..	97
35-40	..	1	1	7	16	19	14	8	8	4	2	2	82
40-45	..	1	..	..	3	5	6	5	2	2	1	..	25
45-50	..	..	..	1	..	1	2	..	2	1	1	..	8
50-55	..	..	..	..	..	..	1	1	1	1	..	1	5
55-60	..	..	..	..	..	..	..	..	..	..	..	..	....
60-65	..	..	..	..	..	..	..	..	..	2	..	..	2
65-70	..	..	..	..	..	..	..	..	..	..	..	..	....
Totals	1	34	129	179	194	117	76	33	25	14	7	3	812

TABLE SHOWING THE NUMBER OF MARRIAGES BETWEEN WIDOWERS AND WIDOWS, AND ALSO THE AGE.

Females.	Males.												Totals.
	Under 20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-80	
Under 20	..	..	1	1	..	..	..	..	..	..	..	..	2
20-25	..	2	4	11	6	5	1	..	..	1	..	..	30
25-30	..	2	9	18	24	17	7	6	2	..	..	..	85
30-35	..	..	3	16	35	22	14	15	2	..	1	..	108
35-40	..	..	1	13	28	33	29	15	7	3	..	..	129
40-45	..	..	1	2	7	14	20	13	10	3	2	..	72
45-50	..	..	..	..	3	7	16	7	8	6	..	..	47
50-55	..	..	..	..	1	..	3	13	8	5	1	..	31
55-60	..	..	..	..	..	1	2	1	12	2	1	1	20
60-65	..	..	..	..	..	..	..	..	3	..	..	..	3
65-70	..	..	..	..	..	..	..	..	..	..	..	2	2
70-80	..	..	..	..	..	..	..	..	..	..	..	..	....
Totals	..	4	19	61	104	99	92	70	52	20	5	3	529

CONDITION OF PERSONS MARRIED IN NEW YORK DURING THE YEAR 1880.

Condition.	Total Marriages.	Total Men and Women.
Bachelors married to Spinsters	6,434	12,868
Bachelors married to Widows	562	1,124
Widowers married to Spinsters	812	1,624
Widowers married to Widows	529	1,058
Condition not stated	665	1,330
Totals	9,002	18,004

NATIVITY OF PERSONS MARRIED IN NEW YORK CITY

During the Year ending

Nativity of Bride.	Total.	Nativity of Groom.														
		Austria.	Africa.	Australia.	Bohemia.	Belgium.	British America.	China.	Denmark.	England.	Europe.	France.	Germany.	Gibraltar.	Holland.	Ireland.
Austria	112	72	..	..	3	..	..	..	1	..	..	..	20	..	..	..
Australia	2	..	..	..	..	..	..	..	..	..	..	..	....	..	..	..
Bohemia	131	6	..	..	91	1	..	..	..	..	..	1	25	..	..	..
Belgium	7	..	..	..	..	..	..	..	..	..	..	2	....	..	..	1
British America	71	..	..	..	..	..	12	..	..	6	..	2	8	..	..	7
Denmark	23	..	..	..	..	..	..	..	14	..	..	..	5	..	..	..
England	326	2	..	1	..	..	7	..	..	94	..	2	28	..	4	26
Europe	2	..	..	..	..	..	..	..	..	..	..	..	....	..	..	..
France	106	..	..	..	..	2	..	..	..	3	..	55	8	..	.	3
Germany	1,661	30	..	..	13	3	4	..	6	13	..	16	1,307	..	3	7
Holland	10	..	..	..	..	..	..	..	..	..	..	..	2	..	1	2
Ireland	742	1	..	..	..	..	9	..	5	37	..	13	35	..	3	393
Italy	257	..	..	..	..	..	..	..	..	..	..	1	....	..	..	..
India	1	..	..	..	..	..	..	..	..	1	..	..	....	..	..	..
Luxembourg	1	..	..	..	..	..	..	..	..	..	..	..	....	..	..	..
Mexico	4	..	..	..	..	..	..	..	..	..	..	..	....	..	..	1
Norway	19	..	..	..	..	..	..	..	2	..	..	1	1	..	..	..
Poland	60	..	..	..	..	..	..	..	..	..	..	..	6	..	1	..
Portugal	2	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..
Russia	82	2	..	..	..	..	..	..	..	1	..	..	5	..	..	1
Roumania	1	1	..	..	..	..	..	..	..	..	..	..	....	..	..	..
Scotland	68	..	..	..	..	..	..	..	..	7	..	2	3	..	..	9
Sweden	73	..	..	..	..	1	..	..	..	1	..	..	2	..	1	..
Switzerland	68	1	..	..	..	..	..	..	..	..	..	5	27	..	..	..
Spain	4	1	..	..	1	..	..	..	..	..	..	1	....	..	..	..
South America	5	..	..	..	..	..	..	..	..	..	..	1	3	..	..	..
United States	5,004	34	2	2	15	..	49	5	9	196	1	39	794	1	6	191
Unknown	115	1	..	..	..	..	1	..	..	..	..	..	5	..	..	2
Turkey	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..
Wales	18	..	..	..	..	..	..	..	..	3	..	..	1	..	..	2
West Indies	24	..	..	..	..	..	..	..	..	1	..	..	....	..	..	1
At Sea	2	..	..	..	..	..	..	..	..	..	..	..	....	..	..	..
Totals	9,002	151	2	3	123	7	82	5	37	364	1	141	2,287	1	19	646

AND REPORTED TO THE BUREAU OF VITAL STATISTICS,

DECEMBER 31, 1880.

NATIVITY OF GROOM.

Italy.	Jerusalem.	Luxemburg.	Mexico.	Norway.	Poland.	Portugal.	Russia.	Roumania.	Scotland.	Sweden.	Switzerland.	Spain.	South America.	Turkey.	United States.	Unknown.	Wales.	West Indies.	At Sea.	Alsace.
..	.	..	..	..	2	..	6	..	..	1	1	..	..	..	6	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	..	..	..	..	..
..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	2	..	..	..	..	..
..	..	..	..	..	..	..	..	..	3	..	..	..	..	..	32	..	1	..	..	..
..	..	..	..	1	..	..	1	..	1	1	..	..	..	..	....	..	..	..	..	..
2	..	..	..	2	2	..	5	..	11	3	..	..	..	1	135	1	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..
3	..	..	..	..	..	..	1	..	1	..	8	1	..	..	18	..	..	3	..	..
4	..	..	..	..	15	..	18	1	3	3	34	2	1	..	178	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	3	..	..	..	..	..
3	..	..	1	1	..	..	2	..	19	5	3	..	..	..	211	..	..	..	1	..
251	..	..	..	..	..	..	1	..	..	..	..	..	..	..	4	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	..	..	..	..	..
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	....	..	..	..	..	..
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	....	..	..	2	..	..
..	..	..	..	9	..	..	..	..	..	5	..	..	..	..	1	..	..	..	..	..
..	..	..	..	..	46	..	4	..	..	..	..	..	..	..	3	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	..	..	..	..	..
..	..	..	..	..	1	..	69	..	..	..	..	..	..	..	3	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	..	..	..	..	..
..	..	..	..	..	..	..	..	..	19	..	..	..	..	..	27	..	..	1	..	..
..	..	..	..	4	..	..	1	..	..	60	..	..	..	..	2	..	..	1	..	..
..	..	..	..	..	..	..	..	..	..	1	27	..	..	..	6	..	..	1	..	..
..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	....	..	..	..	..	..
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	..	..	..	..	..
23	1	..	1	4	9	2	19	..	36	8	17	4	..	..	3,508	4	2	18	2	2
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	99	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..	6	..	..	..
..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	9	..	..	11	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..
287	1	1	3	21	76	3	127	1	94	89	91	8	1	1	4,174	104	9	37	3	2

NATIVITY OF PERSONS WHOSE MARRIAGES WERE REGISTERED IN THIS BUREAU DURING THE PAST TWELVE YEARS.

Years.	Foreign.		Native.		Not Stated.		Born at Sea.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female
1869	5,860	5,255	2,605	3,202	230	238	..	..
1870	5,471	4,848	2,270	2,900	242	236	2	1
1871	5,601	4,924	2,610	3,271	433	443	2	8
1872	6,015	5,289	2,785	3,502	205	213	3	4
1873	5,982	5,132	2,688	3,530	194	203	7	6
1874	5,270	4,443	2,875	3,687	249	263	3	4
1875	4,880	4,073	2,508	3,304	175	184	2	4
1876	4,211	3,487	2,712	3,435	173	174	3	3
1877	4,015	3,336	3,006	3 673	104	115	4	5
1878	4,169	3,396	3,348	4,112	108	118	4	3
1879	4,456	3,590	3,892	4,751	95	105	3	[illegible]
1880	4,721	3,881	4,174	5,004	104	115	3	2
Total	60,651	51,654	35,473	44,371	2,312	2,407	36	40

NUMBER OF MARRIAGES REGISTERED DURING EACH MONTH FOR THE PAST TWELVE YEARS.

Years.	Months.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
1869	687	621	565	883	832	709	656	608	998	620	822	694	8,695
1870	717	580	734	500	702	804	590	538	628	662	1,049	481	7,985
1871	636	640	523	654	830	749	583	651	901	894	808	777	8,646
1872	723	713	515	864	833	767	699	639	779	885	863	728	9,008
1873	778	687	645	776	852	853	649	606	781	825	733	686	8,871
1874	639	622	611	765	806	781	655	538	723	830	737	690	8,397
1875	583	579	489	724	736	677	649	518	620	710	732	548	7,565
1876	610	654	541	566	623	652	471	521	580	735	594	552	7,099
1877	555	526	526	585	693	619	510	504	596	706	692	617	7,129
1878	600	507	637	635	665	684	555	472	670	750	748	706	7,629
1879	673	589	530	664	754	752	615	515	717	976	888	773	8,446
1880	766	729	645	746	732	800	618	589	768	882	857	870	9,002
Total	7,967	7,447	6,961	8,362	9,058	8,847	7,250	6,699	8,761	9,475	9,523	8,122	98,472

STILL-BIRTHS IN NEW YORK CITY REPORTED

Nativity of Mother.	Total.	Nativity of Father.							
		Austria.	Bohemia	Belgium.	British America.	Denmark.	England.	France.	Germany.
Austria	22	19	..	..	..	..	..	..	1
Bohemia	34	..	33	..	..	..	..	..	1
Belgium	3	..	..	3	..	..	..	..	..
British America	13	..	..	..	3	..	1	1	1
Denmark	7	..	..	..	..	6	..	..	..
England	71	..	..	..	..	2	39	1	8
France	18	..	..	1	..	..	..	11	3
Germany	515	2	1	..	..	1	6	6	468
Holland	6	..	..	..	1	..	..	..	..
Ireland	563	1	..	..	6	1	15	1	11
Italy	55	..	..	..	..	..	..	..	..
Norway	6	..	..	.	..	..	..	..	..
Poland	50	..	..	..	..	..	1	..	..
Russia	19	..	..	..	..	..	..	..	..
Scotland	31	..	..	..	..	1	1	..	1
Sweden	4	..	..	..	..	..	..	..	..
Switzerland	7	..	..	..	..	..	..	..	..
Spain	5	..	..	..	..	..	..	..	..
United States	849	..	1	1	5	..	20	9	102
Unknown, or not stated	77	..	..	..	..	..	..	..	1
Wales	1	..	..	..	..	..	..	..	..
West Indies	5	..	..	..	..	..	..	..	..
Mexico	1	..	..	..	..	..	..	..	..
Total	2,362	22	35	5	15	11	83	29	597

Total.	Sex.			Color.		Nativity of					
						Father.			Mother.		
	Male.	Female.	Not Stated.	White.	Colored.	Native.	Foreign.	Not stated.	Native.	Foreign.	Not stated.
2,362	1,288	1,089	25	2,305	57	464	1,786	112	849	1,436	77

DURING THE YEAR ENDING DECEMBER 31, 1880.

NATIVITY OF FATHER.

Holland.	Ireland.	Italy.	Norway.	Poland.	Russia.	Scotland.	Sweden.	Switzerland.	Spain.	United States.	Unknown, or not stated.	Wales.	West Indies.	Greece.
..	..	..	..	..	..	..	..	1	..	1	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	3	..	..	..	..	..	..	..	..	3	1	..	..	..
..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
1	6	1	..	1	..	..	..	..	..	9	3	..	..	..
1	..	..	..	..	..	..	..	..	..	2	..	..	..	..
..	2	..	1	6	1	1	1	2	..	13	4	..	..	..
5	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	460	2	..	..	1	6	1	2	1	51	4	..	..	..
..	2	53	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	3	3	..	..	..	..	..	..	..	..	..	..
..	..	..	..	47	1	..	..	..	..	1	..	..	..	..
..	..	..	..	1	18	..	..	..	..	..	..	..	..	..
..	3	..	..	..	..	21	..	1	..	3	..	..	..	..
..	..	..	..	..	..	..	4	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	7	..	..	..	..	..	..
..	..	..	..	..	..	..	..	1	3	1	..	..	..	..
2	87	2	1	..	1	8	1	2	..	76	28	..	2	1
..	..	..	..	..	..	..	..	..	..	1	72	..	3	..
..	..	..	..	..	..	..	..	..	..	..	..	1	..	.
..	..	..	..	..	..	..	..	..	..	1	..	..	4	..
..	..	..	..	..	..	..	..	.	..	1	..	..	..	..
9	563	58	5	58	22	36	7	16	4	664	112	1	9	1

PERIOD OF UTERO-GESTATION.

First Month.	Second Month.	Third Month.	Fourth Month.	Fifth Month.	Sixth Month.	Seventh Month.	Eighth Month.	Ninth Month.	Tenth Month.	Not stated.
....	7	37	96	157	273	329	373	1,075	10	5

RETURN OF STILL-BIRTHS, SHOWING THE NATIVITY OF PARENTS AND PERIOD OF UTERO-GESTATION SINCE 1870.

Years.	Totals.	Sex.			Nativity.						Period of Utero-gestation—Months.										
					Father.			Mother.													
		Males.	Females.	Not stated.	Native.	Foreign.	Not stated.	Native.	Foreign.	Not stated.	1	2	3	4	5	6	7	8	9	10	Not stated.
1870	2,254	1,284	947	23	401	1,650	203	479	1,623	152	2	2	14	51	114	231	319	275	1,050	9	187
1871	2,276	1,286	977	13	448	1,677	151	540	1,643	93	2	7	29	62	106	244	305	315	1,138	5	63
1872	2,322	1,308	997	17	422	1,737	163	546	1,669	107	..	..	23	55	132	257	352	344	1,080	19	60
1873	2,312	1,317	964	31	447	1,705	160	566	1,632	114	2	8	24	65	141	254	308	352	1,099	4	55
1874	2,277	1,271	976	30	513	1,624	140	608	1,556	113	..	3	18	56	110	216	340	302	1,162	6	64
1875	2,274	1,236	988	50	524	1,598	152	612	1,535	127	..	3	21	63	91	249	278	326	1,152	12	79
1876	2,290	1,274	986	30	568	1,576	146	665	1,504	121	2	4	35	76	113	250	299	323	1,136	17	35
1877	2,164	1,275	880	9	578	1,473	113	720	1,354	90	..	4	31	62	120	259	293	309	1,061	23	2
1878	2,192	1,229	946	17	608	1,445	139	725	1,353	114	1	13	33	79	123	235	279	342	1,058	21	8
1879	2,191	1,123	1,061	7	627	1,450	114	775	1,326	90	..	8	27	57	118	251	268	466	978	17	1
1880	2,362	1,285	1,060	17	683	1,562	117	863	1,415	84	..	7	37	96	157	273	329	373	1,075	10	5
Totals	24,914	13,888	10,782	244	5,819	17,497	1,598	7,099	16,610	1,205	9	59	292	722	1,325	2,719	3,370	3,727	11,989	143	559

DISPOSITION OF THE DEAD OF THIS CITY DURING THE YEAR ENDING DECEMBER 31, 1880.

Cemeteries.	Denomination.	Location.	First Quarter.		Second Quarter.		Third Quarter.		Fourth Quarter.		Total.	
			Deaths.	Still-births.	Deaths.	Still-births.	Deaths.	Still-births.	Deaths.	Still-births.	Deaths.	Still-births.
Bayside	Jewish	Bayside, Long Island, N. Y.	114	21	161	19	177	21	180	18	632	79
Calvary	Roman Catholic	Newtown, Long Island, N. Y.	2,759	207	3,178	174	3,273	202	3,049	173	12,259	756
City (pauper burial ground)	Undenominational	Hart's Island, N. Y.	558	128	795	143	758	141	624	153	2,735	565
Cypress Hills	"	Near Ridgewood, Long Island, N. Y.	264	19	277	11	241	8	274	9	1,056	47
Evergreen	"	" " "	389	23	584	36	518	29	451	35	1,942	123
"	"	Elizabeth, N. J.	13	..	19	..	35	..	11	..	78	..
Flushing	"	Flushing, Long Island, N. Y.	4	..	3	..	25	..	6	..	38	..
Greenwood	"	Brooklyn, Long Island, N. Y.	522	15	566	13	512	14	593	23	2,193	65
Hoboken (Jews' Own, 64 ft. square)	"	Hoboken, N. J.	5	..	8	..	7	3	6	..	26	3
Hudson County Catholic	Roman Catholic	Jersey City, N. J.	4	..	12	..	9	..	5	..	30	..
Holy Cross	"	Flatbush, Long Island, N. Y.	82	..	104	4	117	1	97	2	400	7
Jersey City		New Jersey	4	..	6	1	12	1	6	..	28	2
Lutheran	Undenominational	Middle Village, Long Island, N. Y.	847	72	1,239	104	1,284	91	1,071	92	4,441	359

DISPOSITION OF THE DEAD OF THIS CITY DURING THE YEAR ENDING DECEMBER 31, 1880—(*Continued*).

Cemeteries.	Denomination	Location.	First Quarter.		Second Quarter.		Third Quarter.		Fourth Quarter.		Total.	
			Deaths.	Still-births.	Deaths.	Still-births.	Deaths.	Still-births	Deaths.	Still-births.	Deaths.	Still-births.
Machpelah	Jewish	New Lots, Long Island, N. Y.	56	6	53	7	80	6	62	2	251	21
"	Undenominational	New Durham, N. J.	8	..	15	..	21	1	18	1	62	2
Methodist Episcopal	Methodist Episcopal	East Williamsburgh, Long Island, N. Y.	48	4	49	2	75	5	70	3	242	14
Marble	Undenominational	Seventeenth Ward, New York City	6	1	16	..	8	..	12	..	42	1
New York Bay	Undenominational	Near Greenville, N. J.	45	2	61	1	62	3	63	1	231	7
Newark		New Jersey	19	..	11	..	19	..	20	..	69	..
Randall's Island	Undenominational	Twelfth Ward, New York City	46	..	80	..	106	..	50	..	282	..
St. Peter's	Roman Catholic	Jersey City, N J.	14	..	12	..	21	..	12	..	59	
St. Raymond's	"	Westchester, N. Y.	44	2	68	5	69	1	73	6	254	14
St. Michael's	Protestant Episcopal	Astoria, Long Island, N. Y.	95	9	95	8	108	7	95	5	393	29
Staten Island		Richmond County, N. Y.	32	1	28	..	31	..	17	..	108	1
Salem Fields	Jewish	New Lots, Long Island, N. Y.	17	2	26	3	33	3	27	3	103	11
Trinity	Undenominational	Twelfth Ward, New York City	22	4	36	2	27	1	37	..	122	7
Union	Methodist Protestant	Brooklyn, E. D., Long Island, N. Y.	43	3	55	2	52	4	42	6	192	15
Union Fields	Jewish	Long Island, N Y.	15	..	25	..	39	2	16	4	95	6
Woodlawn	Undenominational	Twenty-fourth Ward, New York City	179	9	223	8	221	6	257	13	880	36
Washington	"	Gravesend, Long Island, N. Y.	75	15	98	13	89	9	103	16	365	53
West Farms		Twenty-fourth Ward, New York City	8	11	22	11	24	2	18	6	72	30
Weehawken		Weehawken, N J.	20	1	28	2	39	1	36	1	123	5

THE LIBRARIES

COLUMBIA UNIVERSITY

HEALTH SCIENCES
LIBRARY